

Product datasheet for **73-267**

Abcc8 Mouse Monoclonal Antibody [Clone ID: N289/16]

Product data:


Product Type:	Primary Antibodies
Clone Name:	N289/16
Applications:	IF, IHC, WB
Recommend Dilution:	Immunoblot (IB) Immunohistochemistry (IHC) Immunocytochemistry (ICC)
Reactivity:	Hamster, Human, Mouse
Host:	Mouse
Isotype:	IgG1
Clonality:	Monoclonal
Immunogen:	Fusion protein amino acids 1548-1582 (LVMVLKRGAILFDKPEKLLSQKDSVFASFVRADK, cytoplasmic C-terminus) of rat SUR1 (also known as Sulfonylurea receptor 1, SUR, HRINS, ATP binding cassette transporter subfamily C member 8 and Abcc8, accession number Q09429). Mouse: 100% identity (35/35 amino acids identical). Human: 94% identity (33/35 amino acids identical). Similar % identity with other isoforms. >70% identity with SUR2B.
Specificity:	Does not cross-react with SUR2B
Formulation:	State: Supernatant
Gene Name:	ATP binding cassette subfamily C member 8
Synonyms:	HRINS, SUR, SUR1, Sulfonylurea receptor 1




[View online »](#)

Note: USERS will cite the UC Davis/NIH NeuroMab Facility in any publication(s) describing the research utilizing the MATERIALS. The suggested acknowledgment statement is as follows: "The monoclonal antibody _ was developed by and/or obtained from the UC Davis/NIH NeuroMab Facility, supported by NIH grant U24NS050606 and maintained by the Department of Neurobiology, Physiology and Behavior, College of Biological Sciences, University of California, Davis, CA 95616." Also, please include the complete clone number (e.g., N52A/42) and the Antibody Registry identification number (e.g., RRID:AB_2120479) to avoid ambiguity. [View Research License Agreement](#)


Product images:



Immunoblot versus crude brain membrane preparations from rat (RBM), SUR1 wild-type (WT) and knockout (KO) mice and probed with N289/16 (left), N52A/42 (center) and K89/34 (right) TC supe. Mouse brains courtesy of William Coetzee and Margaret Rice, New York University Medical Center.



Immunofluorescence against SUR1 WT (left) and null mutant (right) mouse striatum and stained with N289/16 (green) and commercial antibody against Tyrosine Hydroxylase (blue). Images courtesy of Paul Witkovsky, Jyoti Patel and Margaret Rice, New York University Medical Center.



Adult rat hippocampus immunohistochemistry
(with antigen retrieval via Na citrate
pretreatment)