

Product datasheet for AM31758PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

c Kit (KIT) (41-140) Mouse Monoclonal Antibody [Clone ID: 6G12]

Product data:

Product Type: Primary Antibodies

Clone Name: 6G12

Applications: ELISA, IHC, WB

Recommended Dilution: ELISA.

Immunohistochemistry on Paraffin Sections: 2.5 µg/ml.

Western Blot: 1/500 - 1/1000.

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

Immunogen: KIT antibody was raised against kIT (NP_000213, 41 a.a. ~ 140 a.a) partial recombinant protein

with GST tag.

Specificity: This antibody reacts to KIT at aa 41-140.

Formulation: PBS, pH 7.4

State: Purified

State: Liquid purified Ig fraction

Concentration: lot specific

Purification: Affinity chromatography on Protein A

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: KIT proto-oncogene receptor tyrosine kinase

Database Link: Entrez Gene 3815 Human

P10721





Background: KIT encodes the human homolog of the proto-oncogene c-kit. C-kit was first identified as the

cellular homolog of the feline sarcoma viral oncogene v-kit. KIT is a type 3 transmembrane receptor for MGF (mast cell growth factor, also known as stem cell factor). Somatic gain-of-function mutations in the extracellular domain, kinase domains 1 and 2 are found in gastrointestinal stromal tumors (GISTs). Mutations in c-KIT gene are also associated with mast cell disease, acute myelogenous lukemia, and piebaldism. Tyrosine kinase inhibitor STI571

has been shown to inhibit GIST cells that express mutated c-KIT.

Synonyms: SCFR, KIT


Protein Families: Adult stem cells, Druggable Genome, Embryonic stem cells, ES Cell Differentiation/IPS, Protein

Kinase, Stem cell - Pluripotency, Transmembrane


Protein Pathways: Acute myeloid leukemia, Cytokine-cytokine receptor interaction, Endocytosis, Hematopoietic

cell lineage, Melanogenesis, Pathways in cancer

Product images:



Detection limit for recombinant GST tagged KIT is 0.03 ng/ml as a capture antibody.



Human Skin: Formalin-Fixed, Paraffin-Embedded (FFPE)