

Product datasheet for AP18071PU-N

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

IL1 beta (IL1B) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: ELISA: 1/1,000.

Western blotting: 1/100 - 1/500.

Reactivity: Human
Host: Rabbit

Clonality: Polyclonal

Immunogen: KLH conjugated synthetic peptide selected from the Center region of human IL1B

Specificity: This antibody reacts to IL1B.

Formulation: PBS with 0.09% (W/V) sodium azide

State: Liquid purified Ig

Concentration: lot specific

Purification: Affinity chromatography on Protein A

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: interleukin 1 beta

Database Link: Entrez Gene 3553 Human

P01584

Background: IL1B is a member of the interleukin 1 cytokine family. This cytokine is produced by activated

macrophages as a proprotein, which is proteolytically processed to its active form by caspase 1 (CASP1/ICE). This cytokine is an important mediator of the inflammatory response, and is involved in a variety of cellular activities, including cell proliferation, differentiation, and apoptosis. The induction of cyclooxygenase-2 (PTGS2/COX2) by this cytokine in the central

nervous system (CNS) is found to contribute to inflammatory pain hypersensitivity.

Synonyms: IL-1 beta, IL1B, IL1 beta, IL1F2, Catabolin

Protein Families: Druggable Genome, Secreted Protein






Protein Pathways:

Alzheimer's disease, Apoptosis, Cytokine-cytokine receptor interaction, Cytosolic DNA-sensing pathway, Graft-versus-host disease, Hematopoietic cell lineage, MAPK signaling pathway, NOD-like receptor signaling pathway, Prion diseases, Toll-like receptor signaling pathway, Type I diabetes mellitus

Product images:



Western blot analysis of IL1B Antibody (Center) in NCI-H460 cell line lysates (35ug/lane). IL1B (arrow) was detected using the purified Pab.