

Product datasheet for CF505787

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BBOX1 Mouse Monoclonal Antibody [Clone ID: OTI2C8]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2C8
Applications: IF, WB

Reactivity: WB 1:4000, IF 1:100 **Reactivity:** Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human BBOX1(NP_003977) produced in HEK293T

cell.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 44.5 kDa

Gene Name: gamma-butyrobetaine hydroxylase 1

Database Link: NP 003977

Entrez Gene 170442 MouseEntrez Gene 8424 Human

<u>075936</u>



BBOX1 Mouse Monoclonal Antibody [Clone ID: OTI2C8] - CF505787

Background: This gene encodes gamma butyrobetaine hydroxylase which catalyzes the formation of L-


carnitine from gamma-butyrobetaine, the last step in the L-carnitine biosynthetic pathway. Carnitine is essential for the transport of activated fatty acids across the mitochondrial

membrane during mitochondrial beta-oxidation. [provided by RefSeq, Jul 2008]


Synonyms: BBH; BBOX; G-BBH; gamma-BBH

Protein Pathways: Lysine degradation

Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY BBOX1 ([RC203156], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-BBOX1. Positive lysates [LY418299] (100ug) and [LC418299] (20ug) can be purchased separately from OriGene.



Anti-BBOX1 mouse monoclonal antibody ([TA505787]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY BBOX1 ([RC203156]).





Immunofluorescent staining of HeLa cells using anti-BBOX1 mouse monoclonal antibody ([TA505787]).