

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for CF803784

## Fibronectin (FN1) Mouse Monoclonal Antibody [Clone ID: OTI5C1]


#### **Product data:**

Product Type:	Primary Antibodies
Clone Name:	OTI5C1
Applications:	IHC, WB
Recommended Dilution:	WB 1:2000
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Human recombinant protein fragment corresponding to amino acids 32-307 of human FN1 (NP_473375) produced in E.coli.
Formulation:	Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)
Reconstitution Method:	For reconstitution, we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	fibronectin 1
Database Link:	<u>NP_473375</u> <u>Entrez Gene 14268 MouseEntrez Gene 25661 RatEntrez Gene 2335 Human</u> <u>P02751</u>




	Fibronectin (FN1) Mouse Monoclonal Antibody [Clone ID: OTI5C1] – CF803784
Background:	This gene encodes fibronectin, a glycoprotein present in a soluble dimeric form in plasma, and in a dimeric or multimeric form at the cell surface and in extracellular matrix. Fibronectin is involved in cell adhesion and migration processes including embryogenesis, wound healing, blood coagulation, host defense, and metastasis. The gene has three regions subject to alternative splicing, with the potential to produce 20 different transcript variants. However, the full-length nature of some variants has not been determined. [provided by RefSeq, Jul 2008]
Synonyms:	CIG; ED-B; FINC; FN; FNZ; GFND; GFND2; LETS; MSF
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS, Secreted Protein
Protein Pathways	ECM-receptor interaction, Focal adhesion, Pathways in cancer, Regulation of actin cytoskeleton, Small cell lung cancer


## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY FN1 (Cat# [RC212860], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-FN1(Cat# [TA803784]). Positive lysates [LY409278] (100ug) and [LC409278] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Human breast tissue within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human breast tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150

Immunohistochemical staining of paraffinembedded Human colon tissue within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150


Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150



Immunohistochemical staining of paraffinembedded Human Kidney tissue within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150

Immunohistochemical staining of paraffinembedded Carcinoma of Human kidney tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150


Immunohistochemical staining of paraffinembedded Carcinoma of Human liver tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150



Immunohistochemical staining of paraffinembedded Human lung tissue within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150

Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150


Immunohistochemical staining of paraffinembedded Human Ovary tissue within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human ovary tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150

Immunohistochemical staining of paraffinembedded Human pancreas tissue within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150


Immunohistochemical staining of paraffinembedded Carcinoma of Human pancreas tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150



Immunohistochemical staining of paraffinembedded Human thyroid tissue within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150

Immunohistochemical staining of paraffinembedded Carcinoma of Human thyroid tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150


Immunohistochemical staining of paraffinembedded Human endometrium tissue within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human endometrium tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150

Immunohistochemical staining of paraffinembedded Human prostate tissue within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150


Immunohistochemical staining of paraffinembedded Carcinoma of Human prostate tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150



Immunohistochemical staining of paraffinembedded Human bladder tissue within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150

Immunohistochemical staining of paraffinembedded Carcinoma of Human bladder tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150

Immunohistochemical staining of paraffinembedded Human lymph node tissue within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150



Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150

Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-FN1 mouse monoclonal antibody. ([TA803784]) Dilution: 1:150