

Product datasheet for MC204135

Cdkn2c (NM_007671) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cdkn2c (NM_007671) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Cdkn2c
Synonyms:	C77269; INK; INK4c; p1; p18; p18-INK4c; p18-INK6; p18IN; p18INK4c
Mammalian Cell Selection:	Neomycin
Vector:	PCMV6-Kan/Neo (PCMV6KN)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>BC027026 CCCCTCTCCAATGGGCTCACTTTTGCTGAATAATCACGTGTGAATCGAGGGGCGGGCTTTTGGCAGGCCG ACCTTACTAGTATTTACTACCAAGCTCTACTCCAGATTAACCATCCCAGTCCTTCTGTGAGCCTCCGATG CCATCATGCAGCCTGATTAGGAGCAAAGGAAAGGGGAAAAAGAGAAGCAACTAATCGTCTTTTCCCGATC GTCAGGACCCTAAAGAATGGCCGAGCCTTGGGGGAACGAGTTGGCGTCCGAGCTGCCAGGGGGACCTA GAGCAACTTACTAGTTTGTGAAAATAATGTAACGCTCAACGCTCAAAATGGATTTGGGAGAACTGCGC TGCAGGTTATGAAACTTGGAAATCCGGAGATTGCCAGGAGGCTTCTCCTCAGAGGTGCTAATCCCAATTT GAAAGATGGAAGTGGTTTGTGCTGTCATTGATGCTGCCAGAGCAGGTTTCTGGACACTGTACAGGCT TTGCTGGAGTTCAGGCTGATGTTAACATTGAAGATAATGAAGGGAACCTGCCCTTGCACTTGGCTGCCA AAGAAGGCCACCTCCCTGTGGTGGAGTTCCTTATGAAGCACACAGCCTGCAATGTGGGGCATCGGAACCA TAAGGGGGACACCGCCTTCGACTTGGCCAGGTTCTATGGAAGAAATGAGGTCATTAGCCTGATGGAGGCA AATGGGGTTGGGGGAGCCACAAGCCTGCAGTGAATGTGTAGAGGTCTCTCACTGACCTCACACTGTCC GTTAGTTGGTTGGCTGTCCGTTTCACTATCACTTATTAATAATATAGGGTTTCTTTTCGCTTTGTTTTCAT ATTTTAAGCAGCCAAATCCTTCAAACTGCCTAAGTGGAAATCTTACTACAAGTTTATGAAATATTTAA CTTCTTTTCACTGTCAAAATCTGATTCTAACATGTAATAGCTATTCTTTTTTTCTGGATATTTTAT CTTTGATTTTTTTTTCTTTGCTTACCCTTTTTCATTCTCAGTGTCTGACTTGGAGACTTTGTTTTAAAA ATTATTTGCTCTGATGCATCTTTTGCTAATTAACACATTTTCCAGAAGAGGAAAAAAAAAAAAA

Restriction Sites: RsrII-NotI

ACCN: NM_007671

Insert Size: 507 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).


[View online »](#)

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	BC027026 , AAH27026
RefSeq Size:	1119 bp
RefSeq ORF:	507 bp
Locus ID:	12580
UniProt ID:	Q60772
Cytogenetics:	4 51.32 cM
Gene Summary:	<p>The protein encoded by this gene is a member of the INK4 family of cyclin-dependent kinase (cdk) inhibitors, and contains five ankyrin repeats. This protein interacts with both Cdk4 and Cdk6 to inhibit their kinase activities, and prevent their interactions with D-type cyclins, thereby negatively regulating cell division. This gene is differentially expressed in a variety of tissues, and is cell cycle regulated. Deletion of this gene can lead to tumor growth. Maximal expression is observed at the G2/M phase. Alternative splicing and promoter usage results in multiple transcript variants. [provided by RefSeq, Aug 2014]</p> <p>Transcript Variant: This variant (2, also known as p18(S)) differs in the 5' UTR and represents use of an alternate promoter, compared to variant 1. Both variants 1 and 2 encode the same protein.</p>