

Product datasheet for **MC207444**

Wnt5a (NM_009524) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Wnt5a (NM_009524) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Wnt5a
Synonyms:	8030457G12Rik; Wnt-5a
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>MC207444 representing NM_009524 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**C

ATGAAGAAGCCATTGGAATATTAAGCCCGGGAGTGGCTTTGGGGACCGCTGGAGGTGCCATGTCTTCCA
AGTTCTTCCTAATGGCTTTGGCCACGTTTTTCTCCTTCGCCAGGTTGTTATAGAAGCTAATTTCTGGTG
GTCTCTAGGTATGAATAACCCTGTTGATGTCAGAAATATATCATAGGTGCACAGCCTCTCTGCAGC
CAACTGGCAGGACTTTCTCAAGGACAGAAGAACTCTGCCACTTGATCAGGACCACATGCAGTACATTG
GAGAAGGTGCGAAGACAGGCATCAAGGAATGCCAGTACCAGTTCGGGCATCGGAGATGGAAGTGCAGCAC
AGTGGACAATACTTCTGTCTTTGGCAGGGTGATGCAAATAGGCAGCCGAGAGACGGCCTTACGTACGCG
GTGAGCGCAGCTGGGGTGGTGAACGCCATGAGCCGAGCATGCCGGGAGGGCGAGCTGTCTACCTGTGGCT
GCAGCCGCGCTGCGCGCCCAAGGACCTGCCTCGGACTGGTGTGGGGCGGCTGCGGAGACAACATCGA
CTATGGCTACCGCTTCGCCAAGGAGTTCGTGGACGCTAGAGAAAGGGAACGAATCCACGCTAAGGGTTCC
TATGAGAGCGCACGCATCCTCATGAACTTACACAACAATGAAGCAGGCCGTAGGACAGTATAACAACCTGG
CAGATGTAGCCTGTAAGTGTGATGGAGTGTCTGGCTCCTGTAGCCTCAAGACGTGCTGGCTGCAGCTGGC
GGACTTCCGGAAGGTGGCGATGCCCTCAAGGAGAAGTATGATAGCGCGGCGCCATGAGGCTCAACAGC
CGGGCAAGCTGGTGCAGGTCAACAGCCGCTTCAACTCCCCACCACGCAGGACCTGGTCTACATCGAC
CCAGTCCGACTACTGTGTGCGCAACGAGAGACTGGCTCGCTGGGCACGCAGGGACGCCTGTGCAACAA
GACCTCAGAGGGGATGGACGGCTGCGAGCTCATGTGCTGTGGCGTGGCTATGACCAGTTTAAAGACAGTG
CAGACCGAAGCTGTATTGCAAGTTTCACTGGTGTGCTATGTCAAATGCAAGAAGTGCACGGAGATTG
TGGATCAGTTCGTGTGCAAA**TAG**

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Chromatograms:	https://cdn.origene.com/chromatograms/ja1696_e05.zip
Restriction Sites:	Sgfl-Mlul
ACCN:	NM_009524
Insert Size:	1143 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC018425 , AAH18425
RefSeq Size:	4354 bp
RefSeq ORF:	1143 bp
Locus ID:	22418
UniProt ID:	P22725
Cytogenetics:	14 16.8 cM

Gene Summary:

Ligand for members of the frizzled family of seven transmembrane receptors (PubMed:17117926). Can activate or inhibit canonical Wnt signaling, depending on receptor context (PubMed:16602827). In the presence of FZD4, activates beta-catenin signaling. In the presence of ROR2, inhibits the canonical Wnt pathway by promoting beta-catenin degradation through a GSK3-independent pathway which involves down-regulation of beta-catenin-induced reporter gene expression (PubMed:16602827). Suppression of the canonical pathway allows chondrogenesis to occur and inhibits tumor formation. Stimulates cell migration (PubMed:17117926). Decreases proliferation, migration, invasiveness and clonogenicity of carcinoma cells and may act as a tumor suppressor. Mediates motility of melanoma cells (By similarity). Required during embryogenesis for extension of the primary anterior-posterior axis and for outgrowth of limbs and the genital tubercle (PubMed:10021340). Inhibits type II collagen expression in chondrocytes (By similarity).[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (1) represents the longer transcript and encodes the longer isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.