

# Product datasheet for MR201183

## Uxt (NM\_013840) Mouse Tagged ORF Clone

### **Product data:**

#### OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	Uxt (NM_013840) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Uxt
Synonyms:	0910002B17Rik
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR201183 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGGCGACGCCCCCGAAACGGCGGGCCTTGGATACGGTGGGGGGAGAAAGTGCTGCGGTACGAGACCTTTA TCAGTGACGTACTGCAGCGAGACTTGCAAAAGGTGCTGGATCATCGAGACAAGGTATATGAGCAGCTGTC CGTATATCTTCAACTAAGAAATGTCATTGAGCGACTCCAGGAAACTAATCACTCGGAGTTATATATGCAG GTGGATTTGGGCTGTAACTTCTTCGTTGACACAGTGGTCCCAGGATACTTCACGCATCTATGTGGCCCTGG GATATGGTTTTTTCCTGGAACTGACACTGGCTGAAGCACTCAAGTTCATTGACCGAAAGAGTTCTCTCCT CACAGAGCTCAGCGACAGCCTCACCAAGGACTCCATGAATATCAAGGCCCATATCCACATGATGCTAGAG GGACTTAGAGAACTACAAGGCCTGCAGAATTTCCCAGAGCCCATCTCCCCAT
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG <b>GTTTAA</b>
Protein Sequence:	>MR201183 protein sequence Red=Cloning site Green=Tags(s)
	MATPPKRRALDTVGEKVLRYETFISDVLQRDLQKVLDHRDKVYEQLSVYLQLRNVIERLQETNHSELYMQ VDLGCNFFVDTVVPDTSRIYVALGYGFFLELTLAEALKFIDRKSSLLTELSDSLTKDSMNIKAHIHMMLE GLRELQGLQNFPEPSPH
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Restriction Sites:	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **Cloning Scheme:**




\* The last codon before the Stop codon of the ORF

ACCN:	NM_013840
ORF Size:	474 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 013840.3, NP 038868.2</u>
RefSeq Size:	833 bp
RefSeq ORF:	474 bp
Locus ID:	22294
UniProt ID:	<u>Q9WTZ0</u>

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Uxt (NM_013840) Mouse Tagged ORF Clone – MR201183
Cytogenetics:	X A1.3
MW:	18.2 kDa
Gene Summary:	Involved in gene transcription regulation. Acts in concert with the corepressor URI1 to regulate androgen receptor AR-mediated transcription. Together with URI1, associates with chromatin to the NKX3-1 promoter region. Negatively regulates the transcriptional activity of the estrogen receptor ESR1 by inducing its translocation into the cytoplasm. May act as nuclear chaperone that facilitates the formation of the NF-kappa-B enhanceosome and thus positively regulates NF-kappa-B transcription activity. Potential component of mitochondrial-associated LRPPRC, a multidomain organizer that potentially integrates mitochondria and the microtubular cytoskeleton with chromosome remodeling. Increasing concentrations of UXT contributes to progressive aggregation of mitochondria and cell death potentially through its association with LRPPRC. Suppresses cell transformation and it might mediate this function by interaction and inhibition of the biological activity of cell proliferation and survival stimulatory factors like MECOM.[UniProtKB/Swiss-Prot Function]

## Product images:



Circular map for MR201183

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US