

### **Product datasheet for MR208850L3**

#### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

OriGene Technologies, Inc.

# CN: techsupport@origene.cn

## Abhd16a (NM\_178592) Mouse Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Abhd16a (NM\_178592) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: Abhd16a

**Synonyms:** Al326074; Bat-5; Bat5; D17H6S82E; NG26

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** The ORF insert of this clone is exactly the same as(MR208850).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_178592

ORF Size: 1677 bp





#### Abhd16a (NM\_178592) Mouse Tagged Lenti ORF Clone - MR208850L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 178592.3</u>

 RefSeq Size:
 1945 bp

 RefSeq ORF:
 1677 bp

 Locus ID:
 193742

 UniProt ID:
 Q9Z1Q2

Cytogenetics: 17 18.59 cM


**Gene Summary:** Phosphatidylserine (PS) lipase that mediates the hydrolysis of phosphatidylserine to generate

lysophosphatidylserine (LPS) (PubMed:25580854). LPS constitutes a class of signaling lipids that regulates immunological and neurological processes (PubMed:25580854). Has no activity towards diacylglycerol, triacylglycerol or lysophosphatidylserine lipase (By similarity). Also has monoacylglycerol lipase activity, with preference for 1-(9Z,12Z-octadecadienoyl)-glycerol (1-LG) and 2-glyceryl-15-deoxy-Delta(12,14)-prostaglandin J2 (15d-PGJ(2)-G) (PubMed:25290914).

[UniProtKB/Swiss-Prot Function]



## **Product images:**



Circular map for MR208850L3