

Product datasheet for MR221688L3

Celf2 (NM_001110232) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids		
Product Name:	Celf2 (NM_001110232) Mouse Tagged Lenti ORF Clone		
Tag:	Myc-DDK		
Symbol:	Celf2		
Synonyms:	B230218O03; B230345P09Rik; C88023; CELF-2; CUG-BP2; Cugbp2; D230046B21Rik; Etr-3; mETR-3; Napor		
Mammalian Cell Selection:	Puromycin		
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)		
E. coli Selection:	Chloramphenicol (34 ug/mL)		
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR221688).		
Restriction Sites:	Sgfl-Mlul		
Cloning Scheme:	Cloning sites used for ORF Shuttling:		

--- GCG ATC GCC ATG --- // --- NNN ACG CGT ---

* The last codon before the Stop codon of the ORF.




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Plasmid Map:



ACCN:	NM_001110232
ORF Size:	1524 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001110232.1</u>
RefSeq Size:	7735 bp
RefSeq ORF:	1455 bp
Locus ID:	14007

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Celf2 (NM_001110232) Mouse Tagged Lenti ORF Clone – MR221688L3
--

UniProt ID:	<u>Q9Z0H4</u>
Cytogenetics:	2 A1
Gene Summary:	RNA-bind Involved inclusion developn inclusion

ORIGENE

A-binding protein implicated in the regulation of several post-transcriptional events. olved in pre-mRNA alternative splicing, mRNA translation and stability. Mediates exon lusion and/or exclusion in pre-mRNA that are subject to tissue-specific and velopmentally regulated alternative splicing (By similarity). Specifically activates exon 5 lusion of TNNT2 in embryonic, but not adult, skeletal muscle (By similarity). Activates TNNT2 exon 5 inclusion by antagonizing the repressive effect of PTB (By similarity). Acts as both an activator and repressor of a pair of coregulated exons: promotes inclusion of the smooth muscle (SM) exon but exclusion of the non-muscle (NM) exon in actinin pre-mRNAs (By similarity). Promotes inclusion of exonS 21 and exclusion of exon 5 of the NMDA receptor R1 pre-mRNA (By similarity). Involved in the apoB RNA editing activity (By similarity). Increases COX2 mRNA stability and inhibits COX2 mRNA translation in epithelial cells after radiation injury. Modulates the cellular apoptosis program by regulating COX2-mediated prostaglandin E2 (PGE2) expression. Binds to (CUG)n triplet repeats in the 3' UTR of transcripts such as DMPK (By similarity). Binds to the muscle-specific splicing enhancer (MSE) intronic sites flanking the TNNT2 alternative exon 5 (By similarity). Binds preferentially to UG-rich sequences, in particular UG repeat and UGUU motifs (By similarity). Binds to apoB mRNA, specifically to AU-rich sequences located immediatly upstream of the edited cytidine (By similarity). Binds AU-rich sequences in the 3' UTR of COX2 mRNA. Binds to an intronic RNA element responsible for the silencing of exon 21 splicing. Binds to (CUG)n repeats. May be a specific regulator of miRNA biogenesis. Binds to primary microRNA pri-MIR140 and, with CELF1, negatively regulates the processing to mature miRNA (By similarity).[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US