

Product datasheet for **MR225333**

Kcnq2 (NM_001003825) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Kcnq2 (NM_001003825) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Kcnq2
Synonyms:	HNSPC; KQT2; Nmf134
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR225333 representing NM_001003825
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGTGCAGAAGTCGCGCAACGGTGGCGTGTACCCGGCACCAGCGGGGAAAAGAAGCTCAAGGTGGGCT
 TCGTGGGGCTGGACCCCGCGCGCCGACTCCACACGCGACGGCGGCTACTCATCGGGCTCCGAGGC
 CCCAAGCGCGGAGCGTTTTGAGCAAGCCGCGACGGCGCGGGAGCCGGGAAGCCCCGAAGCGC
 AACGCCTTCTACCGCAAGCTGCAGAATTTCTCTACAACGTGCTAGAGCGGCCCGCGGCTGGGCGTTCA
 TCTACCACGCCTACGTGTTCTTTTGTCTCTCTGCTTGTGCTTTCTGTGTTTTCCACCATCAAGGA
 GTACGAGAAGAGCTCTGAGGGGGCCCTACATCTTGGAAATCGTACTATCGTGGTATTCGGTGTGAG
 TACTTTGTGAGGATCTGGGCTGCAGGCTGCTGTTGCCGGTATCGAGGCTGGAGGGCAGGCTCAAGTTG
 CCAGGAAGCCGTTCTGTGTGATTGATATCATGGTGTGATTGCCCTCCATTGCTGTGCTGGCTGCTGGTTC
 CCAGGGCAATGTCTTTGCCACATCTGCGCTTCGGAGCTTGGGTTCTTGCAAATCTTGGGATGATCCGT
 ATGGACCGGAGGGGTGGCACCTGGAAGCTCTGGGATCGGTAGTCTACGCTCACAGCAAGGAGCTGGTGA
 CTGCCTGGTACATTGGCTTCTCTGCTCATCCTGGCCTCATTTCTGGTGTACTTGGCAGAAAAGGGTGA
 GAATGACCACTTTGACACCTACGCAGATGCACTCTGGTGGGGTCTGATCACCTGACGACCATTTGGCTAC
 GGGGACAAGTACCCTCAGACCTGGAACGGGAGGCTGCTGGCAGCGACCTTACCCTCATTGGTGTCTCGT
 TCTTTGCTCTTCTGTGGCATTGTTGGGATCCGGCTTGGCCCTGAAAGTCCAAGAGCAGCATCGGCAAAA
 ACACCTTGAGAAACGGCGGAACCTGCGGCAGGTCTGATCCAGTTCGCTGGAGATTCTATGCTACTAAC
 CTCTCACGCCACCGACCTGCATCCACGTGGCAGTACTACGAGCGGACAGTCACTGTCCCCATGTACAGAA
 TCATCCCACCTCTGAACCAGCTGGAGCTGCTGAGGAATCTCAAGAGCAAATCTGGACTCACCTTCAGGAA
 GGAGCCACAGCCAGAGCCATCACCAAGTCAGAAGGTGAGTTTGAAGATCGTGTCTTCTCCAGCCCCGA
 GGATGGCTGCCAAGGAAAGGGGTCTCCCCAGGCCAGACGGTCCGGCGGTCCCCAGTCCGGATCAGA
 GTCTTGATGACAGCCCGAGCAAGGTGCCAAGAGCTGGAGCTTTGGTGACCGCAGCCGACACGCCAGGC
 TTTCCGCATCAAGGGTGTGCATCCCGGCAGAATCAGAAGAAGCAAGCCTCCCTGGGGAGGACATCGTA
 GAGGACAACAAGAGCTGTAAGTGCAGTGTGACTGAAGATCTTACCCTGGCCTCAAAGTTAGCATCA
 GAGCTGTGTGTTATGCGGTTCTTGGTATCTAAGCGAAAGTTCAAAGAGAGTCTGCGCCCATATGATGT
 GATGGACGTCATCGAACAGTACTCGGCTGGACACTTGGATATGTTGTCCCGCATCAAGAGCCTGCAGTCC
 AGGCAAGAGCCCCTGCCTGTCCAGTCTGGGCATGAACAGGGCCCTCCGGGACAAAACCAGGCATGGCACA
 AGGGGCACCAAGGGCTGGGTGACAGAGTGGACCAGATTGTGGGGCGGGGCCAACAAATACGGATAAGGA
 CCGCACCAAGGGCCAGCGGAAACGGAGCTGCCGAAGACCCAGCATGATGGGACGGCTTGGGAAGGTG
 GAGAAACAGGTCTTGTCCATGGAAAAGAAGCTCGACTTCTTGGTGTGATCTATACACAGAGAATGGGCA
 TCCCACCAGCAGAGACAGAGGCCATTTTGGGGCAAGGAGCCTGAGCCGGCACCACCCTACCACAGCCC
 AGAGGACAGCCGTGACCATGCAGACAAGCATGGCTGTATCATTAAAGATCGTCCGCTCCACCAGCTTACG
 GGCCAGAGGAACACGCAGACCCCCAGCCATCCCCCTGCCAGTGTCTCCCTCCACCTCGTGGCAGC
 AGAGCCACCAGGCCATGGCACCTCCCCGTGGGAGACCATGGCTCACTGGTCTGCGACTGGAGAGGAG
 TGCTGGCATGATGAGCTGTAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR225333 representing NM_001003825
 Red=Cloning site Green=Tags(s)



MVQKSRNGGVYPGTSGEKKLKVGFVGLDPGAPDSTRDGALLIAGSEAPKRGSVLSKPRTGGAGAGKPPKR
 NAFYRKLQNFLYNVLERPRGWAFIYHAYVFLVFSCLVLSVFSTIKEYESSEGALYILEIVTIVVFGVE
 YFVRIWAAGCCCRYRGRGRLKFARKPFCVIDIMVLIASIAVLAAGSQGNVFATSALRSLRFLQILRMIR
 MDRRGGTWKLKLSVYVAHSKELVTAWYIGFLCLILASFLVYLAEKGENDHFDTYADALWGLITLTITIGY
 GDKYPQTWNGRLLAATFTLIGVSFFALPAGILGSGFALKVQEQHRQKHFEKRRNPAAGLIQSAWRFYATN
 LSRTDLHSTWQYYERTVTVPMYRLIPPLNQLELLRNLKSKSGLTFRKEPQPEPSPQKVSCLKDRVFSSPR
 GMAAKGKQSPQAQTVRRSPSADQSLDDSPSKVPKSWFSDRSRTRQAFRIKGAASRQNSEEASLPGEDIV
 EDNKCSCNEFVTEDLTPGLKVSIRAVCMRFLVSKRKFKESLRPYDVMVIEQYSAGHLDMLSRIKSLQS
 RQEPQVQSGHEQGPPGQNAWHKHGQGLGDRVDQIVGRGPTITDKDRTKGAETELPEDPSMMGRGKVK
 EKQVLSMEKKLDFLSIYTQRMGIPPAETEAYFGAKEPEPAPPYHSPEDSRDHADKHGCIKIVRSTSS
 TQGRNYAAPPAIPPAQCPPSTSWQQSHQRHGTSPVGDHGSLLRLERSAGMMSCH

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_001003825

ORF Size: 2262 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001003825.3](#), [NP_001003825.1](#)

RefSeq Size: 2992 bp

RefSeq ORF: 2265 bp


Locus ID: 16536

Cytogenetics: 2 103.57 cM

MW: 84.3 kDa

Gene Summary: Associates with KCNQ3 to form a potassium channel with essentially identical properties to the channel underlying the native M-current, a slowly activating and deactivating potassium conductance which plays a critical role in determining the subthreshold electrical excitability of neurons as well as the responsiveness to synaptic inputs. Therefore, it is important in the regulation of neuronal excitability.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR225333