

Product datasheet for MR225380

Trpm2 (NM_138301) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Trpm2 (NM_138301) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Trpm2
Synonyms:	9830168K16Rik; C79133; LTRPC2; Trp7; TRPC7; Trrp7
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR225380 representing NM_138301 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGAGTCCTTGGACCGGAGAAGAACTGGCTCTGAGCAGGAGGAGGGCTTTGGGGTGCAGTCAAGGAGGG
CCACTGACCTGGGCATGGTCCCCAATCTCCGACGAAGCAATAGCAGCCTTTGCAAGAGCAGGAGATTTCT
GTGCTCTTTCAGCAGTGAGAAGCAAGAAAACCTTAGCTCATGGATTCCCGAGAATATCAAGAAGAAGGAG
TGTGTGTACTTTCGTGAAAGTTCCAACCTCTCGGACGCAGGGAAGGTAGTGTGTGCGTGTGGTTATACCC
ACGAGCAACACTTGGAGGTGGCCATCAAGCCACACACCTTCCAGGCAAGGAGTGGGATCCAAGAAACA
CGTCCAAGAGATGCCACAGATGCCTTTGGTGACATCGTTTTCCAGACCTGAGCCAGAAAGTGGGGAAG
TATGTCCGGGTCTCCAGGACACGCCCTCCAGTGTCTATACCAGCTCATGACCCAGCACTGGGGCCTAG
ATGTCCCCAACCTCCTCATCTCCGTGACCGGTGGGGCCAAGAAGTCAACATGAAGCTGAGGCTGAAGAG
CATCTTCCGGAGAGGCTTGGTCAAGGTGGCTCAAACCACGGGGCCTGGATCATCACTGGAGGATCCAC
ACAGGCGTGATGAAGCAGGTGGGCGAAGCGGTACGGGACTTCAGTCTGAGCAGCAGCTGCAAGAAGGTG
AAGTCATCACTATTGGCGTAGCCACGTGGGGCACCATCCACAACCGGAGGGACTGATCCATCCCATGGG
AGGCTTCCCCCGCGAGTACATGCTGGATGAGGAAGGCCAAGGGAACCTGACCTGCTTGGACAGCAACCAT
TCCCATTATCTTGGTGGATGATGGGACCCACGGGCAATATGGTGTGGAGATCCGCTGAGGACTAAGC
TGGAAAAGTTTCACTCAGAGCAAACGAAGGAAAGGGAGGTGTGGCCATCAAGATCCCCATTGTCTGCGT
GGTGTGGAGGGTGGCCCTGGCACTCTGCATACAATCTACAATGCCATCAACAATGGCACACCCTGCGTG
ATAGTGGAGGGCTCTGGCCGAGTGGCTGACGTATCGCTCAGGTAGTACTCTGCCTGTCTCTGAGATCA
CCATCTCCTTGATCCAGCAGAAGCTCAGCATATTCTTCCAGGAGATGTTTGAGACTTTCACCGAAAACCA
GATTGTGGAATGGACAAAAAGATCCAAGACATTGTCCGGAGGCGGCAGCTGCTGACGATCTTCCGGGAA
GGCAAGGATGGTCAGCAGGATGTGGATGTGGCCATTCTGCAGGCGTTACTGAAAGCCTCTCGAAGCCAAG
ACCACTTTGGCCACGAGAAGTGGGACCACTGAAGTTGGCTGTGGCCTGGAACCGCGTGACATCGC
TCGCAGTGAGATCTTACCGATGAATGGCAGTGAAGCCTGCAGATCTGCATCCCATGATGACGGCCGCT



[View online »](#)

CTCATCTCCAACAAGCCTGAGTTCGTGAGGCTCTTTCTGGAGAATGGGGTGCGGCTCAAGGAGTTTGTC
 CTTGGGATACTCTTCTCTGCCTGTACGAGAACCTGGAGCCGTCTGTCTTCCACAGCAAGCTACAGAA
 GGTGCTGGCCGAAGAACAGCGCTTAGCCTATGCATCTGCAACACCCCGCTGCACATGCACCATGTGGCC
 CAGGTGCTTCGTGAACCTCTGGGGGACTCCACGCAGCTGTGTACCCCGGCCCCGGTACACTGACAGGC
 CACGGCTCTCGATGACCGTGCCACACATCAAGCTGAACGTGCAGGGAGTGAGCCTCCGGTCCCTCTATAA
 GCGATCAACAGGCCACGTTACCTTACCATTGACCCAGTCCGTGACCTTCTCATTGGGCGGTTATCCAG
 AACACAGGGAGCTGGCAGGCATCATCTGGGCTCAGAGTCAGGACTGTACTGCCGAGCATGGCCTGTA
 GCAAGATCCTGAAGGAGCTGTCCAAGGAGGAGGAAGATACAGACAGCTCTGAGGAGATGCTGGCCTGGC
 AGACGAGTTTGAGCACAGAGCTATAGGCGTCTTACTGAGTGCTACAGGAAGGATGAGGAAAGAGCCAG
 AAGCTGCTTGCCGTGTGTCTGAGGCTGGGGGAAGACCCTGCCTGCAGCTGGCCCTAGAGGCCAAGG
 ACATGAAATTCGTGTCTCATGGAGGCATCCAGGCTTTCCTAACCAAGGTGTGGTGGGGCCAGCTCTGTGT
 GGACAATGGCCTGTGGAGGATCATCTGTGCATGCTGGCCTTCCCGTGTCTTACCAGGCTTCTATCTCC
 TTCAGGAAAAGAGGCTGCAGGCACTGTGTCGCCAGCCCGCTCCGCGCTTCTCAATGCGCCTGTGG
 TCATCTTCCACATGAATATCCTCTCTACTTTGCCTTCTCTGCCTGTTGCGCTACGTGCTCATGGTGGA
 CTTCCAGCCTTCTCCATCCTGGTGGAGTACCTCATCTACCTGTGGCTTCTTCCCTGGTGTGCGAAGAG
 ACTCGGCAGTATTCTATGATCCTGATGGCTGTGGACTAATGAAGATGGCGTCCCTGTACTTCAGTGACT
 TCTGGAACAAACTGGACGTTGGGGCCATTCTGCTCTTATAGTAGGACTGACCTGTGCGGCTCATCCCAGC
 GACGCTGTACCCTGGGCGCATCATCTGTCTTTGGACTTCATCATGTTCTGTCTCCGTCTCATGCACATC
 TTAATATTAGCAAGACTGGGGCCCAAGATAATCATCGTGAAGCGGATGATGAAGGACGCTTCTTCTTCT
 TCCTCTTCTCCTGGCGGTGTGGGTGGTGTCTTCGGCGTAGCTAAGCAGGCCATTCTCATAATAACGA
 GAGCCCGTGGACTGGATCTTCCGTGGGGTTGTCTACTCTTACCTGACCATCTTGGCCAGATCCCA
 ACCTACATTGACGGTGTGAATTTACGATGGACCAGTGCAGCCCAATGGCACGGACCCCTACAAGCCTA
 AGTCTCTGAGAGCGACTGGACGGGACAGGCACCTGCCTTCCCGAGTGGCTGACTGTACCCTGTCTG
 CCTCTACCTGCTCTTGGCAACATCCTGCTGCTTAACCTGCTCATCGCCATGTTCAACTACACCTTCCAG
 GAGGTGCAGGAACACACAGACCAGATCTGGAATTTCCAGCGCCACGACCTGATCGAGGAGTACCATGGCC
 GTCCCCGGCACCTCCCCACTCATCTCTCAGCCACCTGCAGCTCCTGATCAAGAGGATTGTCTGAA
 GATCCCTGCCAAGAGGCATAAGCAGCTCAAGAACAAGCTGGAGAAGAACGAGGAGACAGCGCTCCTGTCT
 TGGGAAGTGTACCTGAAGGAGAACTACCTGCAGAACAGCAGTACCAGCAGAAACAGCGTCCAGAGCAGA
 AAATCAAAGACATCAGTGAGAAAGTGACACCATGGTGGATCTGCTGGACATGGACCAGGTGAAGAGGTC
 AGGCTCCACAGAGCAGAGACTGGCTTCCCTGGAGGAACAGGTGACTCAGGTGACCAGAGCTTTGCACTGG
 ATCGTGACAACCTGAAGGACAGTGGCTTTGGCTCAGGAGCAGGTGCGCTGACCCTGGCACCCAGAGGG
 CCTTCGATGAGCCAGATGCTGAGCTGAGTATCAGGAGGAAAGTAGAGGAACCAGGAGATGGTTACCACGT
 GAGCGCCCGCATCTCCTCTATCCAATGCCCGCATCATGCGCTTCCCGTGCCTAACGAGAAGGTGCTT
 TGGGCGGAGAGTTTCTGATCTACGATCCTCCCTTTACACCGCTGAGAAGGATGTGGCTCTCACAGACC
 CCGTGGGAGACTGCAGAACCTCTGTCTAAGATCAGTTACAACGTGCTGGATGGACCGACGG[AT]CCG
 TCGCAGCTTCCATGGAGTCTACGTGGTCGAGTATGGGTTCCCGTTGAACCCATGGGCGGCACAGGGTTG
 CGTGGTCGTGGGAGCCTCAGCTGGTTTGGTCCCAACCACACTCTGCAGCCAGTTGTCACCCGGTGGAAAG
 GGAACAGGGTGGAGCCATCTGCCGGAAGAGTGTGAGGAAGATGCTGGAGGTGCTAGTGATGAAGCTGCC
 TCGCTCTGAGCACTGGGCTTGCCTGGGGCTTAGGGAGCCAGGGGAGATGCTACCACGGAAGCTGAAA
 CGGGTCTCCGGCAGGAGTTCTGGGTGGCCTTTGAGACCTTGTGATGCAAGGTACAGAGGTATACAAAG
 GGTACGTGGATGACCAAGGAACACAGACAATGCCTGGATCGAGACAGTGGCTGTGAGCATCCATTTTCA
 GGACCAGAAATGATATGGAGCTGAAGAGGCTGGAAGAGAACCTGCACACTCATGATCCAAAGGAGTTGACC
 CGTGACCTGAAGCTGTCTACTGAATGGCAGGTGGTAGACCGGGGATCCCTCTGTATGCGAACCACAAGA
 CCATCCTCCAGAAGGTGGCCTACTGTTTGGAGCTCACTT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR225380 representing NM_138301
 Red=Cloning site Green=Tags(s)


MESLDRRTGSEQEFGVQSRATDLGMVPLRRSNSSLCKSRFLCSFSSEKQENLSSWIPENIKKKE
 CVYFVSSKLS DAGKVVACAGYTHEQHLVAIKPHTFQKQKEDPKKHVQEMPTDAFGDIVFDLSQKVGK
 YVRVSDQTPSSVIYQLMTQHWGLDVPNLLISVTGGAKNFNMKLRKLSIFRRGLVKVAQTTGAWIITGGSH
 TGVMKQVGEAVRDFSLSSCKEVEVITIGVATWGTIHNREGLIHPMGGFPAEYMLDEEGQGNLTCLDSNH
 SHFILVDDGTHGQYGEIPLRRTKLEKFISEQTKERGGVAIKIPIVCVLEGGPGTLHTIYNAINNGTPCV
 IVEGSGRVADVIAQVATLPVSEITISLIQKLSIFFQEMFETFTENQIVIEWTKKIQDIVRRRQLLTFRE
 GKDGQDQVDVAIQALLKASRSQDHFHGENWDHQLKLAVAWNRVDIARSEIFTDEWQWKPADLHPMATA
 LISNKPWFVRLFLENGVRLKEFVTWDTLLCLYENLEPSCLFHSLKQKVLAEQRLAYASATPRLMHMVA
 QVLRLLGDSTQLLYPRPRYTDRPRLSMTVPHIKLNVQGVSLRSLYKRSTGHVFTTIDPVRDLLIWAIVQ
 NHRELAGIIWAQSQDCTAAALACSKILKELSKEEEDTDSSEMLALADEFEHRAIGVFTCYRKDEERAQ
 KLLVRVSEAWGTTCLQALAEAKDMKFVSHGGIQAFLLTKVWVWGLCVDNGLWRIILCMLAFPLFTGFIS
 FREKRLQALCRPARVRAFFNAPVVIHNMNILSYFAFLCLFAYVLMVDFQSPSPSWCEYLILWLFSLVCEE
 TRQLFYDPDGCGLMKMASLYFSDFWNKLDVGAILLFIIVGLTCRLIPATLYPGRIILSLDFIMFCLRLMHI
 FTISKTLGPKIIIVKRMKDVFFFLFLLAVVWVSFGVAKQAILIHNESRVDWIFRQVYVYHSYLTIFGQIP
 TYIDGVNFSMDQCSNPGTDPYKPKCPESDWTGQAPAFPEWLVTLCLYLLFANILLLNLIAMFNFTFQ
 EVQEHTDIWKFRQHDLEIEYHGRPPAPPPLILLSHLQLLIKRIVLKIPAKRHKQLKNKLEKNEETALLS
 WELYLKENYLQNNQYQKQRPQEQIQDISEKVDTMVDLLDMDQVKRSGSTEQRLASLEEQTVTRALHW
 IVTTLKDSGFGSAGALTLAPQRAFDEPDAELSIKKVEEPGDGYHVSARHLLYPNARIMRFPVPNEKVP
 WAAEFLIYDPPFYAEKDVALTDPVGDTAEPKSI SYNVDVGP TXRRSFHGVYVVEYGFPLNPMGRGL
 RGRGSLSWFGPNHTLQPVVTRWKRNRQGGAI CRKSVRKMLEVL VMKLPREHWALPGGSREPGEMLPKLLK
 RVL RQEFWVAFETLLMQGTEVYKGYVDDPRNTD NAWIETVAVSIHFQDQNDMELKRLEENLH THDPKELT
 RDLKLS TEWQVVDRIPLIYANHKILQKVASLFGAIF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9011_d04.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM_138301

ORF Size:	4521 bp
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_138301.1</u> , <u>NM_138301.2</u> , <u>NP_612174.2</u>
RefSeq Size:	7292 bp
RefSeq ORF:	4521 bp
Locus ID:	28240
UniProt ID:	<u>Q91YD4</u>
Cytogenetics:	10 39.72 cM
MW:	172.7 kDa

Gene Summary:

Nonselective, voltage-independent cation channel that mediates Na⁽⁺⁾ and Ca⁽²⁺⁾ influx, leading to increased cytoplasmic Ca⁽²⁺⁾ levels (PubMed:11804595, PubMed:19454650, PubMed:21753080, PubMed:22493272). Functions as ligand-gated ion channel. Binding of ADP-ribose to the cytoplasmic Nudix domain causes a conformation change; the channel is primed but still requires Ca⁽²⁺⁾ binding to trigger channel opening. Extracellular calcium passes through the channel and increases channel activity (By similarity). Also contributes to Ca⁽²⁺⁾ release from intracellular stores in response to ADP-ribose (PubMed:21753080). Plays a role in numerous processes that involve signaling via intracellular Ca⁽²⁺⁾ levels (PubMed:21753080). Besides, mediates the release of lysosomal Zn⁽²⁺⁾ stores in response to reactive oxygen species, leading to increased cytosolic Zn⁽²⁺⁾ levels (By similarity). Activated by moderate heat (35 to 40 degrees Celsius) (PubMed:27533035, PubMed:27562954). Activated by intracellular ADP-ribose, beta-NAD (NAD⁽⁺⁾) and similar compounds, and by oxidative stress caused by reactive oxygen or nitrogen species (PubMed:19454650, PubMed:21753080, PubMed:22493272). The precise physiological activators are under debate; the true, physiological activators may be ADP-ribose and ADP-ribose-2'-phosphate. Activation by ADP-ribose and beta-NAD is strongly increased by moderate heat (35 to 40 degrees Celsius) (By similarity). Likewise, reactive oxygen species lower the threshold for activation by moderate heat (37 degrees Celsius) (PubMed:22493272, PubMed:25817999). Plays a role in mediating behavioral and physiological responses to moderate heat and thereby contributes to body temperature homeostasis (PubMed:27533035, PubMed:27562954). Plays a role in insulin secretion, a process that requires increased cytoplasmic Ca⁽²⁺⁾ levels (PubMed:20921208, PubMed:25817999). Required for normal IFNG and cytokine secretion and normal innate immune immunity in response to bacterial infection (PubMed:21709234). Required for normal phagocytosis and cytokine release by macrophages exposed to zymosan (in vitro) (PubMed:22493272). Plays a role in dendritic cell differentiation and maturation, and in dendritic cell chemotaxis via its role in regulating cytoplasmic Ca⁽²⁺⁾ levels (PubMed:21753080). Plays a role in the regulation of the reorganization of the actin cytoskeleton and filopodia formation in response to reactive oxygen species via its function in increasing cytoplasmic Ca⁽²⁺⁾ and Zn⁽²⁺⁾ levels (By similarity). Confers susceptibility to cell death following oxidative stress (PubMed:25562606). [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR225380