

Product datasheet for MR226062

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

Eif5a (NM_001166591) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Eif5a (NM_001166591) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Eif5a

Synonyms: AA410058; D19Wsu54; D19Wsu54e; eIF-4D; eIF-5A; eIF-5A1; Eif4d; Eif5a1

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>MR226062 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR226062 protein sequence

Red=Cloning site Green=Tags(s)

MADDLDFETGDAGASATFPMQCSALRKNGFVVLKGRPCKIVEMSTSKTGKHGHAKVHLVGIDIFTGKKYE DICPSTHNMDVPNIKRNDFQLIGIQDGYLSLLQDSGEVREDLRLPEGDLGKEIEQKYDCGEEILITVLSA

MTEEAAVAIKAMAK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites: Sgfl-Mlul





Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001166591

ORF Size: 465 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001166591.1</u>, <u>NP 001160063.1</u>

RefSeq Size: 1391 bp
RefSeq ORF: 465 bp
Locus ID: 276770
UniProt ID: P63242




Cytogenetics: 11 B3

MW: 16.8 kDa

Gene Summary: This gene encodes an elongation initiation factor, which participates in protein synthesis. The

encoded protein also plays roles in mRNA metabolism, cell proliferation, and cell cycle control. This protein contains a modified lysine residue called hypusine, which appears to be necessary for its function. Alternatively spliced transcript variants have been described. Related pseudogenes exist on chromosomes 2, 5, and 19. [provided by RefSeq, Oct 2009]

Product images:



Circular map for MR226062