

Product datasheet for MR226999L3

Ern1 (NM_023913) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Ern1 (NM_023913) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Ern1

Synonyms: 9030414B18Rik; Al225830; C85377; Ire1a; Ire1apha; Ire1p

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR226999).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_023913

ORF Size: 2931 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

Ern1 (NM_023913) Mouse Tagged Lenti ORF Clone - MR226999L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 023913.2, NP 076402.1

 RefSeq Size:
 3976 bp

 RefSeq ORF:
 2934 bp

 Locus ID:
 78943

 UniProt ID:
 Q9EQY0

 Cytogenetics:
 11 E1

Gene Summary: Serine/threonine-protein kinase and endoribonuclease that acts as a key sensor for the

endoplasmic reticulum unfolded protein response (UPR) (PubMed:11850408,

PubMed:25164867). In unstressed cells, the endoplasmic reticulum luminal domain is maintained in its inactive monomeric state by binding to the endoplasmic reticulum chaperone HSPA5/BiP. Accumulation of misfolded protein in the endoplasmic reticulum causes release of HSPA5/BiP, allowing the luminal domain to homodimerize, promoting

autophosphorylation of the kinase domain and subsequent activation of the


endoribonuclease activity (PubMed:25164867). The endoribonuclease activity is specific for

XBP1 mRNA and excises 26 nucleotides from XBP1 mRNA (PubMed:11850408,


PubMed:25164867). The resulting spliced transcript of XBP1 encodes a transcriptional activator protein that up-regulates expression of UPR target genes (PubMed:11850408, PubMed:25164867). Acts as an upstream signal for ER stress-induced GORASP2-mediated unconventional (ER/Golgi-independent) trafficking of CFTR to cell membrane by modulating the expression and localization of SEC16A (By similarity).[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR226999L3



Double digestion of MR226999L3 using Sgfl and Mlul