

# **Product datasheet for RC200660**

### HNRNPD (NM 002138) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: HNRNPD (NM\_002138) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: HNRNPD

Synonyms: AUF1; AUF1A; hnRNPD0; HNRPD; P37

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC200660 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >RC200660 protein sequence

Red=Cloning site Green=Tags(s)

MSEEQFGGDGAAAAATAAVGGSAGEQEGAMVAATQGAAAAAGSGAGTGGGTASGGTEGGSAESEGAKIDA SKNEEDEGHSNSSPRHSEAATAQREEWKMFIGGLSWDTTKKDLKDYFSKFGEVVDCTLKLDPITGRSRGF GFVLFKESESVDKVMDQKEHKLNGKVIDPKRAKAMKTKEPVKKIFVGGLSPDTPEEKIREYFGGFGEVES IELPMDNKTNKRRGFCFITFKEEEPVKKIMEKKYHNVGLSKCEIKVAMSKEQYQQQQWGSRGGFAGRAR GRGGDQQSGYGKVSRRGGHQNSYKPY


**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk6242">https://cdn.origene.com/chromatograms/mk6242</a> f06.zip

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_002138

ORF Size: 918 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore,

OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customercom">customercom</a> or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

#### HNRNPD (NM\_002138) Human Tagged ORF Clone - RC200660

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002138.3</u>, <u>NP 002129.2</u>

RefSeq Size: 2110 bp
RefSeq ORF: 921 bp
Locus ID: 3184
UniProt ID: Q14103
Cytogenetics: 4q21.22
Domains: RRM

**Protein Families:** Druggable Genome, Transcription Factors

MW: 32.8 kDa


Gene Summary: This gene belongs to the subfamily of ubiquitously expressed heterogeneous nuclear

ribonucleoproteins (hnRNPs). The hnRNPs are nucleic acid binding proteins and they complex with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and appear to influence pre-mRNA processing and other aspects of mRNA metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene has two repeats of quasi-RRM domains that bind to RNAs. It localizes to both the nucleus and the cytoplasm. This protein is implicated in the regulation of mRNA stability. Alternative splicing of this gene results in four


transcript variants. [provided by RefSeq, Jul 2008]



## **Product images:**




Circular map for RC200660



Western blot validation of overexpression lysate (Cat# [LY419510]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC200660 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified HNRNPD protein (Cat# [TP300660]). The protein was produced from HEK293T cells transfected with HNRNPD cDNA clone (Cat# RC200660) using MegaTran 2.0 (Cat# [TT210002]).