

Product datasheet for RC201760

MAGEA9 (NM_005365) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MAGEA9 (NM_005365) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	MAGEA9
Synonyms:	CT1.9; MAGE9
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC201760 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGTCTCTCGAGCAGAGGAGTCCGCACTGCAAGCCTGATGAAGACCTTGAAGCCCAAGGAGAGGACTTGG
GCCTGATGGGTGCACAGGAACCCACAGGCGAGGAGGAGGAGACTACCTCCTCTGACAGCAAGGAGGA
GGAGGTGTCTGCTGGTTCATCAAGTCTCCAGAGTCTCAGGGAGGCGCTTCTCCTCCATTTC
GTCTACTACACTTTATGGAGCAATTCGATGAGGGCTCCAGCAGTCAAGAAGAGGAAGAGCAAGCTCCT
CGGTCGACCCAGCTCAGCTGGAGTTCATGTTCCAAGAAGCACTGAAATTGAAGGTGGCTGAGTTGGTTCA
TTTCTGCTCCACAAATATCGAGTCAAGGAGCCGGTACAAAGGCAGAAATGCTGGAGAGCGTCATCAAA
AATTACAAGCGCTACTTTCTGTGATCTTCGGCAAAGCCTCCGAGTTCATGCAGGTGATCTTTGGCACTG
ATGTGAAGGAGGTGGACCCCGCCGCACTCCTACATCCTTGTCACTGCTTGGCCTCTCGTGGCAGATG
CATGCTGGGTGATGGTATAGCATGCCAAGGCCGCCCTCCTGATCATTGTCTGGGTGTGATCCTAACC
AAAGACAAGTGCAGCCCTGAAGAGGTTATCTGGGAAGCGTTGAGTGTGATGGGGTGTATGTTGGGAAGG
AGCAGATGTTCTACGGGGAGCCAGGAAGCTGCTACCCAAGATTGGGTGCAGGAAAACCTACCTGGAGTA
CCGGCAGGTGCCCGCAGTATCCTGCGCACTACGAGTTCCTGTGGGGTCCAAGGCCACGCTGAAACC
AGCTATGAGAAGGTCATAAATTTGGTCATGCTCAATGCAAGAGAGCCCATCTGCTACCCATCCCTTT
ATGAAGAGGTTTTGGGAGAGGAGCAAGAGGGAGTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC201760 protein sequence
Red=Cloning site Green=Tags(s)

MSLEQRSPHCKPDEDLEAQGEDLGLMGAQEPTGEEEEETSSSDSKEEEVSAAGSSSPQSPQGGASSIS
 VYYTLWSQFDEGSSSQEEEEPSSSVDPALQEFMFQEALKLKVAELVHLLHKYRVKEPVTKAEMLESVIK
 NYKRYFPVIFGKASEFMQVIFGTDVKEVDPAGHSYILVTALGLSCDSMLGDGHSMPKAALLIIVLGVILT
 KDNCAPEEVIWEALSVMGVYVVGKEHMFYGEPRKLLTQDWVQENYLEYRQVPGSDPAHYEFLWGSKAHAET
 SYEKVINYLVMNLNAREPICYPSLYEEVLGEEQEGV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6582_c07.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_005365

ORF Size: 945 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_005365.4](#), [NP_005356.1](#)

RefSeq Size: 1824 bp

RefSeq ORF: 948 bp

Locus ID: 4108


UniProt ID: [P43362](#)

Cytogenetics: Xq28


MW: 35.1 kDa

Gene Summary: This gene is a member of the MAGEA gene family. The members of this family encode proteins with 50 to 80% sequence identity to each other. The promoters and first exons of the MAGEA genes show considerable variability, suggesting that the existence of this gene family enables the same function to be expressed under different transcriptional controls. The MAGEA genes are clustered at chromosomal location Xq28. They have been implicated in some hereditary disorders, such as dyskeratosis congenita. [provided by RefSeq, Jul 2008]


Product images:



Circular map for RC201760



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY MAGEA9 (Cat# RC201760, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MAGEA9 (Cat# [TA800839]). Positive lysates [LY417353] (100ug) and [LC417353] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY432878]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC201760 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).