

### Product datasheet for RC201915L1

# **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## SLC17A5 (NM\_012434) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** SLC17A5 (NM\_012434) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: SLC17A5

Synonyms: AST; ISSD; NSD; SD; SIALIN; SIASD; SLD

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC201915).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_012434

ORF Size: 1485 bp





#### SLC17A5 (NM\_012434) Human Tagged Lenti ORF Clone - RC201915L1

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 012434.3</u>, <u>NP 036566.1</u>

 RefSeq Size:
 3292 bp

 RefSeq ORF:
 1488 bp

 Locus ID:
 26503

 UniProt ID:
 Q9NRA2

 Cytogenetics:
 6q13

**Domains:** sugar tr

**Protein Families:** Transmembrane

Protein Pathways: Lysosome MW: 54.5 kDa


**Gene Summary:** This gene encodes a membrane transporter that exports free sialic acids that have been

cleaved off of cell surface lipids and proteins from lysosomes. Mutations in this gene cause sialic acid storage diseases, including infantile sialic acid storage disorder and and Salla


disease, an adult form. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC201915L1



Double digestion of RC201915L1 using Sgfl and Mlul  $\,$