

Product datasheet for RC203508L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Neuropilin 1 (NRP1) (NM_001024628) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Neuropilin 1 (NRP1) (NM 001024628) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Neuropilin 1

Synonyms: BDCA4; CD304; NP1; NRP; VEGF165R

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC203508).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001024628

ORF Size: 1932 bp



Neuropilin 1 (NRP1) (NM_001024628) Human Tagged Lenti ORF Clone - RC203508L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001024628.1</u>

 RefSeq Size:
 2478 bp

 RefSeq ORF:
 1935 bp

 Locus ID:
 8829

 UniProt ID:
 014786

Cytogenetics: 10p11.22

Protein Families: Druggable Genome, Secreted Protein, Transmembrane

Protein Pathways: Axon guidance

MW: 71.9 kDa

Gene Summary: This gene encodes one of two neuropilins, which contain specific protein domains which

allow them to participate in several different types of signaling pathways that control cell migration. Neuropilins contain a large N-terminal extracellular domain, made up of complement-binding, coagulation factor V/VIII, and meprin domains. These proteins also contains a short membrane-spanning domain and a small cytoplasmic domain. Neuropilins bind many ligands and various types of co-receptors; they affect cell survival, migration, and


attraction. Some of the ligands and co-receptors bound by neuropilins are vascular

endothelial growth factor (VEGF) and semaphorin family members. This protein has also been determined to act as a co-receptor for SARS-CoV-2 (which causes COVID-19) to infect host

cells. [provided by RefSeq, Nov 2020]



Product images:



Circular map for RC203508L4