

# Product datasheet for RC204020L4

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Ubiquilin (UBQLN1) (NM\_053067) Human Tagged Lenti ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

Product Name: Ubiquilin (UBQLN1) (NM\_053067) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Ubiquilin

Synonyms: DA41; DSK2; PLIC-1; UBQN; XDRP1

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 


The ORF insert of this clone is exactly the same as(RC204020).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_053067

ORF Size: 1683 bp





### Ubiquilin (UBQLN1) (NM\_053067) Human Tagged Lenti ORF Clone - RC204020L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 053067.1</u>

 RefSeq Size:
 4093 bp

 RefSeq ORF:
 1686 bp

 Locus ID:
 29979

 UniProt ID:
 Q9UMX0

Cytogenetics: 9q21.2-q21.3

Domains: UBA, UBQ, STI1

**Protein Families:** Druggable Genome

**MW:** 59.2 kDa

**Gene Summary:** This gene encodes an ubiquitin-like protein (ubiquilin) that shares a high degree of similarity


with related products in yeast, rat and frog. Ubiquilins contain an N-terminal ubiquitin-like domain and a C-terminal ubiquitin-associated domain. They physically associate with both

proteasomes and ubiquitin ligases, and thus are thought to functionally link the ubiquitination machinery to the proteasome to affect in vivo protein degradation. This

ubiquilin has also been shown to modulate accumulation of presenilin proteins, and it is found in lesions associated with Alzheimer's and Parkinson's disease. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC204020L4