

Product datasheet for RC205473

RASA1 (NM_002890) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RASA1 (NM_002890) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	RASA1
Synonyms:	CM-AVM; CMAVM; CMAVM1; GAP; p120; p120GAP; p120RASGAP; PKWS; RASA; RASGAP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC205473 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGATGGCGGCCGAGGCCGGCAGTGAGGAGGGCGGCCGGTAACAGCCGGAGCTGGAGGAGGCCGGCGG
CAGCGGGCTCCAGTGCCTATCCCGCAGTGTGTCGGGTGAAGATACCCGCGGCCCTGCCTGTGGCAGCCGC
CCCCTATCCTGGGCTGGTGGAGACCGGAGTGGCTGGAACCTCTGGTGCCGGAGCCGCTTTGGGGTCAGAG
TTCTAGGAGCCGGTCTGTGGCAGGGCACTGGGGGAGCTGGACTGACAGGGGAGGTACTGCTGCTG
GCGTAGCTGGTGTGCTGCTGGCGTGGCCGGTGTGCTGTTGCTGGACCTAGTGGAGACATGGCTCTCAC
CAAAGTGCCTTTCGTTGCTTGTGACTCTCGGGCCAGGCGCGGTTTTCCCCCTCTGCCCCCTCCC
CCTTACCTGCCCCCTTTGGGGCGGGCCTCGGGACAGTGGACGAAGGTGACTCTCTGGATGGACCAGAAT
ACGAGGAGGAAGAGGTGGCCATACCGTTGACCGCTCCTCCAATAACAGTGGTATCACGAAAACTTGA
CAGAACGATAGCAGAAGAAGCCCTCAGGCAGGCAGGGAAGTCTGGCAGTTATCTTATAAGAGAGAGTGAT
CGGAGGCCAGGGTCTTTGTACTTTTCTTCTTAGCCAGATGAATGTTGTCAACCATTTTAGGATTATTG
CTATGTGTGGAGATTACTACATTGGTGAAGACGTTTTTCTTCACTGTGACACCTAATAGGTTATTACAG
TCATGTTTCTTGTGTTGCTTAAAGGAGAAAAATTACTTTACCCAGTTGCACCACCAGGCCAGTAGAAGAT
AGAAGGCGTGTACGAGCTATTCTACCTTACACAAAAGTACCAGACACTGATGAAATAAGTTTCTTAAAAAG
GAGATATGTTTCTTGTTCATAATGAATTAGAAGATGGATGGATGTGGTTACAAATTTAAGAACAGATGA
ACAAGGCCTTATTGTTGAAGACCTAGTAGAAGAGTGGGCGGGAAGAAGATCCACATGAAGAAAAATA
TGGTTCCATGGGAAGATTTCCAACAGGAAGCTTATAATTTACTAATGACAGTTGGTCAAGTCTGCAGTT
TTCTTGTGAGGCCCTCAGATAATACTCCTGGCGATTATTCAGTTTATTTCCGGACCAATGAAAAATTCA
GCGATTTAAAAATATGTCCAACGCCAAACAATCAGTTTATGATGGGAGGCCGGTATTATAACAGCATTGGG
GACATCATAGATCACTATCGAAAAGAACAGATTGTTGAAGGATATTATCTTAAGGAACCTGTACCAATGC
AGGATCAAGAACAAGTACTCAATGACACAGTGGATGGCAAGGAAATCTATAATACCATCCGTCGTA
AAAGGATGCCTTTATAAAAACATTGTTAAGAAAGGTTATCTTCTGAAAAAGGGCAAAGGAAAACGTTGG



[View online »](#)

```

AAAAATTTATATTTTATCTTAGAGGGTAGTGATGCCCACTTATTTATTTTAAAAGCGAAAAACGAGCTA
CCAAACAAAAGGATTAATAGATCTCAGTGTATGTTCTGTCTATGTCGTTTCATGATAGTCTCTTTGGCAG
GCCAACTGTTTTAGATAGTAGTTTACGACTTTAGTGAAGAACATTACATCTTTTACTTTGAGGAGAA
ACTCCAGAACAAGCAGAGGATTGGATGAAAGGTCTGCAGGCATTTTGAATTTACGGAAAAGTAGTCCAG
GGACATCCAATAAACGCCTTCGTCAGGTGAGCAGCCTGTTTTACATATTGAAGAAGCCATAAACTCCC
AGTAAAAACATTTTACTAATCCATATTGTAACATCTACCTGAATAGTGTCCAAGTAGCAAAAACTCATGCA
AGGGAAGGGCAAAAACCCAGTATGGTCAGAAGAGTTTGTCTTTGATGATCTTCTCCTGACATCAATAGAT
TTGAAATAACTCTTAGTAATAAAAACAAAAGAAAAGCAAAGATCCTGATATCTTATTTATGCGCTGCCAGT
GAGCCGATTACAGAAAAGGCATGCCACAGATGAATGGTTTCTGCTCAGCTCCCATATACCATTAAGGT
ATTGAACCAGGTCCTGCGTGTTCGAGCAGATACTCTATGAAAAAATCATGCCAGAAGAAGAGTACA
GTGAATTTAAAGAGCTTACTGCAAAAAGGAACCTCATGTAGTCTATGCTTTATCACATGTATGTGGACA
AGACCGAACACTACTGGCCAGCATCCTACTGAGGATTTTTCTTCAGAAAAGCTTGAATCGTTGTTGTTA
TGCACACTAAATGACAGAGAAAATAGCATGGAAGATGAAGCCACTACCCTATTTGAGCCACAACACTTG
CAAGCACCTTGATGGAGCAGTATATGAAAGCCACTGCTACACAGTTTGTTCATCATGCTTTGAAAGACTC
TATTTTAAAGATAATGGAAGCAAGCAGTCTTGTGAGTTAAGTCCATCAAAGTTAGAAAAAATGAAGAT
GTGAACACTAATTTAACACACCTATTGAACATACTTTCAGAGCTTGTGGAGAAAAATTCATGGCTTCAG
AAATACTTCCACCGACATTGAGATATATTTATGGGTGTTTACAGAAATCTGTTTCAGCATAAGTGGCTAC
AAATACCACCATGAGAACAAGAGTTGTTAGTGGTTTTGTTTTCTTCGACTCATCTGTCCTGCCATCCTG
AATCCACGGATGTTCAATATCATCTCAGATTCTCCATCTCCTATTGCTGCAAGAACAACACTGATATTAGTG
CTAAATCTGTGCAGAACTTAGCAAACTTGTGGAATTTGGAGCTAAGGAGCCCTACATGGAAGGTGTCAA
TCCATTCATCAAAGCAACAACATCGTATGATCATGTTTTAGATGAACTTGGGAATGTACCTGAACTT
CCGGACACTACAGAGCATTCTAGAACGGACCTGTCCCGTATTTAGCAGCATTGCATGAGATTTGCGTGG
CTCATTCAGATGAACTTCGAACGCTCAGTAATGAGCGTGGTGCACAGCAGCAGTATTGAAAAAGCTTCT
GGCTATAACAGAACTGCTTCAACAAAAACAAAACCAAGTATACAAAAACCAATGATGTCAGG

```

```

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGATAAGGTTTAA

```

Protein Sequence:

>RC205473 protein sequence
 Red=Cloning site Green=Tags(s)

```

MMAAEAGSEEGPVTAGAGGGGAAAGSSAYPAVCRVKIPAALPVAAPYPGLVETGVAGTLGGGAALGSE
FLGAGSVAGALGGAGLTGGGTAAGVAGAAAGVAGAAVAGPSGDMALTKLPTSLLAETLPGGGFPPLPPP
PYLPPLGAGLGTVDEGDSLDPGEYEEEEVAIPLTAPPTNQWYHGKLDRTIAEERLRQAGKSGSYL IRES
RRPGSFVLSFLSQMNVVNHFRIIAMCGDYIIGRRFSSLSLIGYYSHVSCLLKGEKLLYPVAPPEPVED
RRRVRAILPYTKVPDTDEISFLKGMDFIVHNELEDGMMWVTNLRDEQGLIVEDLVEEVGREEDPHEGKI
WFHGKISKQEAYNLLMTVGQVCSFLVRPSDNTPGDYSLYFRNTNENIQRFKICPTPNNQFMMGGRYNSIG
DIIDHYRKEQIVEGYLKEPVPMDQEQVLNNDVDGKEIYNTIRRKTKDAFYKNIYKKGKGLKKGKGRW
KNLYFILEGSDAQLIYFESEKRATKPKGLIDL SVCSVYVHDSLFRPNCFQIVVQHFSEEHYIFYFAGE
TPEQAEDWMKGLQAF CNLRKSSPGTSNKRRLRQVSSLVLHIEEAHKLPVKHFTNPYCNILNSVQVAKTHA
REGQNPVWSEEFVFDLPPDINRFEITLSNKTKKSKDPDILFMRCQLSRLQKGHATDEWFLSSHIPKLG
IEPGSLRVRARYSMEKIMPEEYSEFKELILQKELHVVYALSHVCGQDRLLASILLRIFLHEKLESLLL
CTLNDREISMEDEATTLFRATTLASTLMEQYMKATATQFVHALKDSILKIMESKQSCELSPSKLEKNE
VNTNLTHLLNILSELVEKIFMASEILPPTLRYIYGCLQKSVQHKWPTNTTMRTRVVSGFVFLRLICPAIL
NPRMFNII SDSPSPIAARTLILVAKSVQNLANLVEFGAKEPYMEGVNPFIKSNKHRMIMFLDELGNVPEL
PDTTEHSRTDL SRDLAALHEICVAHSDELRTL SNERGAQQHVLKLLAITELLQQKQNYTKTNDVR

```

```

SGPTRRTRPLEQKLI SEEDLAANDILDYKDDDDKV


```

Chromatograms:

https://cdn.origene.com/chromatograms/mk6188_e06.zip

Restriction Sites:

SgfI-RsrII

Cloning Scheme:


ACCN: NM_002890

ORF Size: 3141 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_002890.3](#)

RefSeq Size: 4402 bp

RefSeq ORF: 3144 bp


Locus ID: 5921

UniProt ID: [P20936](#)


Cytogenetics: 5q14.3
Domains: C2, SH2, SH3, PH, RasGAP
Protein Families: Druggable Genome
Protein Pathways: Axon guidance, MAPK signaling pathway
MW: 116.4 kDa

Gene Summary: The protein encoded by this gene is located in the cytoplasm and is part of the GAP1 family of GTPase-activating proteins. The gene product stimulates the GTPase activity of normal RAS p21 but not its oncogenic counterpart. Acting as a suppressor of RAS function, the protein enhances the weak intrinsic GTPase activity of RAS proteins resulting in the inactive GDP-bound form of RAS, thereby allowing control of cellular proliferation and differentiation. Mutations leading to changes in the binding sites of either protein are associated with basal cell carcinomas. Mutations also have been associated with hereditary capillary malformations (CM) with or without arteriovenous malformations (AVM) and Parkes Weber syndrome. Alternative splicing results in two isoforms where the shorter isoform, lacking the N-terminal hydrophobic region but retaining the same activity, appears to be abundantly expressed in placental but not adult tissues. [provided by RefSeq, May 2012]


Product images:




Circular map for RC205473



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY RASA1 (Cat# RC205473, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-RASA1 (Cat# [TA505935]). Positive lysates [LY401014] (100ug) and [LC401014] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY401014]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC205473 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified RASA1 protein (Cat# [TP305473]). The protein was produced from HEK293T cells transfected with RASA1 cDNA clone (Cat# RC205473) using MegaTran 2.0 (Cat# [TT210002]).