

Product datasheet for RC205682

MSX1 (NM_002448) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: MSX1 (NM_002448) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: MSX1

Synonyms: ECTD3; HOX7; HYD1; STHAG1

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC205682 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



>RC205682 protein sequence **Protein Sequence:**

Red=Cloning site Green=Tags(s)

MAPAADMTSLPLGVKVEDSAFGKPAGGGAGQAPSAAAATAAAMGADEEGAKPKVSPSLLPFSVEALMADH RKPGAKESALAPSEGVQAAGGSAQPLGVPPGSLGAPDAPSSPRPLGHFSVGGLLKLPEDALVKAESPEKP ERTPWMQSPRFSPPPARRLSPPACTLRKHKTNRKPRTPFTTAQLLALERKFRQKQYLSIAERAEFSSSLS LTETQVKIWFQNRRAKAKRLQEAELEKLKMAAKPMLPPAAFGLSFPLGGPAAVAAAAGASLYGASGPFQR

AALPVAPVGLYTAHVGYSMYHLT


TRTRPLEOKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6171 g04.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stan codon of the ORE

ACCN: NM 002448

ORF Size: 909 bp

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a

reduced cost. Please contact our customer care team at custsupport@origene.com or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info



MSX1 (NM_002448) Human Tagged ORF Clone - RC205682

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Druggable Genome, Transcription Factors

RefSeq: <u>NM 002448.3</u>, <u>NP 002439.2</u>

 RefSeq Size:
 1940 bp

 RefSeq ORF:
 912 bp

 Locus ID:
 4487

 UniProt ID:
 P28360

Cytogenetics: 4p16.2

Domains: homeobox

MW: 31.5 kDa

Protein Families:

Gene Summary: This gene encodes a member of the muscle segment homeobox gene family. The encoded


protein functions as a transcriptional repressor during embryogenesis through interactions with components of the core transcription complex and other homeoproteins. It may also have roles in limb-pattern formation, craniofacial development, particularly odontogenesis, and tumor growth inhibition. Mutations in this gene, which was once known as homeobox 7, have been associated with nonsyndromic cleft lip with or without cleft palate 5, Witkop

syndrome, Wolf-Hirschom syndrome, and autosomoal dominant hypodontia. [provided by


RefSeq, Jul 2008]



Product images:





Circular map for RC205682



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY MSX1 (Cat# RC205682, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MSX1 (Cat# [TA590129]). Positive lysates [LY400873] (100ug) and [LC400873] (20ug) can be purchased separately from OriGene.







Western blot validation of overexpression lysate (Cat# [LY400873]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC205682 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

Coomassie blue staining of purified MSX1 protein (Cat# [TP305682]). The protein was produced from HEK293T cells transfected with MSX1 cDNA clone (Cat# RC205682) using MegaTran 2.0 (Cat# [TT210002]).