OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RC207157

TCIRG1 (NM_006053) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TCIRG1 (NM_006053) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	TCIRG1
Synonyms:	a3; Atp6i; ATP6N1C; ATP6V0A3; OC-116kDa; OC116; OPTB1; Stv1; TIRC7; Vph1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

View online »

ORF Nucleotide Sequence:

>RC207157 ORF sequence
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGGCTCCATGTTCCGGAGCGAGGAGGTGGCCCTGGTCCAGCTCTTTCTGCCCACAGCGGCTGCCTACA
CCTGCGTGAGTCGGCTGGGCGAGCTGGGCCTCGTGGAGTTCAGAGACCTCAACGCCTCGGTGAGCGCCTT
CCAGAGACGCTTTGTGGTTGATGTTCGGCGCTGTGAGGAGCTGGAGAAGACCTTCACCTTCCTGCAGGAG
GAGGTGCGGCGGGCTGGGCTGGTCCTGCCCCCGCCAAAGGGGAGGCTGCCGGCACCCCCACCCCGGGACC
TGCTGCGCATCCAGGAGGAGACGGAGCGCCTGGCCCAGGAGCTGCGGGATGTGCGGGGCAACCAGCAGGC
CCTGCGGGCCCAGCTGCACCAGCTGCAGCTCCACGCCGCCGTGCTACGCCAGGGCCATGAACCTCAGCTG
GCAGCCGCCCACACAGATGGGGCCTCAGAGAGGACGCCCCTGCTCCAGGCCCCCGGGGGGCCGCACCAGG
ACCTGAGGGTCAACTTTGTGGCAGGTGCCGTGGAGCCCCACAAGGCCCCTGCCCTAGAGCGCCTGCTCTG
GAGGGCCTGCCGCGGCTTCCTCATTGCCAGCTTCAGGGAGCTGGAGCAGCCGCTGGAGCACCCCGTGACG
GGCGAGCCAGCCACGTGGATGACCTTCCTCATCTCCTACTGGGGTGAGCAGATCGGACAGAAGATCCGCA
AGATCACGGACTGCTTCCACTGCCACGTCTTCCCGTTTCTGCAGCAGGAGGAGGCCCGCCTCGGGGCCCT
GCAGCAGCTGCAACAGCAGAGCCAGGAGCTGCAGGAGGTCCTCGGGGAGACAGAGCGGTTCCTGAGCCAG
GTGCTAGGCCGGGTGCTGCAGCTGCTGCCGCCAGGGCAGGTGCAGGTCCACAAGATGAAGGCCGTGTACC
TGGCCCTGAACCAGTGCAGCGTGAGCACCACGCACAAGTGCCTCATTGCCGAGGCCTGGTGCTCTGTGCG
AGACCTGCCCGCCCTGCAGGAGGCCCTGCGGGACAGCTCGATGGAGGAGGGAGTGAGTGCCGTGGCTCAC
CGCATCCCCTGCCGGGACATGCCCCCCACACTCATCCGCACCAACCGCTTCACGGCCAGCTTCCAGGGCA
TCGTGGATGCCTACGGCGTGGGCCGCTACCAGGAGGTCAACCCCGCTCCCTACACCATCATCACCTTCCC
CTTCCTGTTTGCTGTGATGTTCGGGGATGTGGGCCACGGGCTGCTCATGTTCCTCTTCGCCCTGGCCATG
GTCCTTGCGGAGAACCGACCGGCTGTGAAGGCCGCGCAGAACGAGATCTGGCAGACTTTCTTCAGGGGCC
GCTACCTGCTCCTGCTTATGGGCCTGTTCTCCATCTACACCGGCTTCATCTACAACGAGTGCTTCAGTCG
CGCCACCAGCATCTTCCCCTCGGGCTGGAGTGTGGCCGCCATGGCCAACCAGTCTGGCTGGAGTGATGCA
TTCCTGGCCCAGCACACGATGCTTACCCTGGATCCCAACGTCACCGGTGTCTTCCTGGGACCCTACCCCT
TTGGCATCGATCCTATTTGGAGCCTGGCTGCCAACCACTTGAGCTTCCTCAACTCCTTCAAGATGAAGAT
GTCCGTCATCCTGGGCGTCGTGCACATGGCCTTTGGGGTGGTCCTCGGAGTCTTCAACCACGTGCACTTT
GGCCAGAGGCACCGGCTGCTGCTGGAGACGCTGCCGGAGCTCACCTTCCTGCTGGGACTCTTCGGTTACC
TCGTGTTCCTAGTCATCTACAAGTGGCTGTGTGTCTGGGCTGCCAGGGCCGCCTCGGCCCCCAGCATCCT
CATCCACTTCATCAACATGTTCCTCTTCTCCCACAGCCCCAGCAACAGGCTGCTCTACCCCCGGCAGGAG
GTGGTCCAGGCCACGCTGGTGGTCCTGGCCTTGGCCATGGTGCCCATCCTGCTGCTTGGCACACCCCTGC
ACCTGCTGCACCGCCACCGCCGCCGCCTGCGGAGGAGGCCCGCTGACCGACAGGAGGAAAACAAGGCCGG
GTTGCTGGACCTGCCTGACGCATCTGTGAATGGCTGGAGCTCCGATGAGGAAAAGGCAGGGGGCCTGGAT
GATGAAGAGGAGGCCGAGCTCGTCCCCTCCGAGGTGCTCATGCACCAGGCCATCCACACCATCGAGTTCT
GCCTGGGCTGCGTCTCCAACACCGCCTCCTACCTGCGCCTGTGGGCCCTGAGCCTGGCCCACGCCCAGCT
GTCCGAGGTTCTGTGGGCCATGGTGATGCGCATAGGCCTGGGCCTGGGCCGGGAGGTGGGCGTGGCGGCT
GTGGTGCTGGTCCCCATCTTTGCCGCCTTTGCCGTGATGACCGTGGCTATCCTGCTGGTGATGGAGGGAC
TCTCAGCCTTCCTGCACGCCCTGCGGCTGCACTGGGTGGAATTCCAGAACAAGTTCTACTCAGGCACGGG
CTACAAGCTGAGTCCCTTCACCTTCGCTGCCACAGATGAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC207157 protein sequence
Red=Cloning site Green=Tags(s)

MGSMFRSEEVALVQLFLPTAAAYTCVSRLGELGLVEFRDLNASVSAFQRRFVVDVRRCEELEKTFTFLQE
EVRRAGLVLPPPKGRLPAPPPRDLLRIQEETERLAQELRDVRGNQQALRAQLHQLQLHAAVLRQGHEPQL
AAAHTDGASERTPLLQAPGGPHQDLRVNFVAGAVEPHKAPALERLLWRACRGFLIASFRELEQPLEHPVT
GEPATWMTFLISYWGEQIGQKIRKITDCFHCHVFPFLQQEEARLGALQQLQQQSQELQEVLGETERFLSQ
VLGRVLQLLPPGQVQVHKMKAVYLALNQCSVSTTHKCLIAEAWCSVRDLPALQEALRDSSMEEGVSAVAH
RIPCRDMPPTLIRTNRFTASFQGIVDAYGVGRYQEVNPAPYTIITFPFLFAVMFGDVGHGLLMFLFALAM
VLAENRPAVKAAQNEIWQTFFRGRYLLLLMGLFSIYTGFIYNECFSRATSIFPSGWSVAAMANQSGWSDA
FLAQHTMLTLDPNVTGVFLGPYPFGIDPIWSLAANHLSFLNSFKMKMSVILGVVHMAFGVVLGVFNHVHF
GQRHRLLLETLPELTFLLGLFGYLVFLVIYKWLCVWAARAASAPSILIHFINMFLFSHSPSNRLLYPRQE
VVQATLVVLALAMVPILLLGTPLHLLHRHRRRLRRRPADRQEENKAGLLDLPDASVNGWSSDEEKAGGLD
DEEEAELVPSEVLMHQAIHTIEFCLGCVSNTASYLRLWALSLAHAQLSEVLWAMVMRIGLGLGREVGVAA
VVLVPIFAAFAVMTVAILLVMEGLSAFLHALRLHWVEFQNKFYSGTGYKLSPFTFAATDD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6333_g09.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_006053

ORF Size: 2493 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq Size:	2486 bp
RefSeq ORF:	1845 bp
Locus ID:	10312
UniProt ID:	Q13488
Cytogenetics:	11q13.2
Domains:	V_ATPase_sub_a
Protein Families:	Transmembrane
Protein Pathways:	Epithelial cell signaling in Helicobacter pylori infection, Lysosome, Metabolic pathways, Oxidative phosphorylation, Vibrio cholerae infection
MW:	93 kDa
Gene Summary:	This gene encodes a subunit of a large protein complex known as a vacuolar H+-ATPase (V-ATPase). The protein complex acts as a pump to move protons across the membrane. This movement of protons helps regulate the pH of cells and their surrounding environment. V-ATPase dependent organelle acidification is necessary for such intracellular processes as protein sorting, zymogen activation, and receptor-mediated endocytosis. V-ATPase is comprised of a cytosolic V1 domain and a transmembrane V0 domain. Alternative splicing results in multiple transcript variants. Mutations in this gene are associated with infantile malignant osteopetrosis. [provided by RefSeq, May 2017]

Product images:



Circular map for RC207157



Western blot validation of overexpression lysate (Cat# [LY416905]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from un-transfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC207157 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).