

Product datasheet for **RC207616**

NFkB Inducing Kinase NIK (MAP3K14) (NM_003954) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NFkB Inducing Kinase NIK (MAP3K14) (NM_003954) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NFkB Inducing Kinase NIK
Synonyms:	FTDCR1B; HS; HSNIK; NIK
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RC207616 representing NM_003954
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGCAGTGATGGAAATGGCCTGCCAGGTGCCCTGGCTCAGCAGTGGGGCAGCAGAAGGAACTCCCCA
 AAGCCAAGGAGAAGACGCCGCACTGGGGAAGAAACAGAGCTCCGTCTACAAGCTTGAGGCCGTGGAGAA
 GAGCCCTGTGTTCTGCGGAAAGTGGGAGATCCTGAATGACGTGATTACCAAGGGCACAGCCAAGGAAGGC
 TCCGAGGCAGGGCCAGCTGCCATCTCTATCATCGCCAGGCTGAGTGTGAGAATAGCCAAGAGTTCAGCC
 CCACCTTTTCAGAACGCATTTTCATCGCTGGGTCCAAACAGTACAGCCAGTCCGAGAGTCTTGATCAGAT
 CCCCACAATGTGGCCATGCTACAGAGGGCAAATGGCCCGTGTGTGTTGGAAGGAAAGCGTCGCAGC
 AAAGCCCCGAAGAAACGGAAGAAGAAGAGCTCAAAGTCCCTGGCTCATGCAGGAGTGGCCTTGCCAAAC
 CCCTCCCAGGACCCCTGAGCAGGAGAGCTGCACCATCCAGTGCAGGAGGATGAGTCTCCACTCGGCGC
 CCCATATGTTAGAAACACCCCGAGTTCACCAAGCCTCTGAAGGAACCAGGCCTTGGGCAACTCTGTTTT
 AAGCAGCTTGGCGAGGGCTACGGCCGGCTCTGCCTCGATCAGAACTCCACAAACTGATCAGCCCTTGC
 AATGTCTGAACCAGTGTGGAACTGCACCACCCCCAGGACGGAGGCCCTTGCCTGCCCTGCCACGCACCC
 CTTCCCTATAGCAGACTGCCTCATCCCTTCCATTCCACCCTCTCCAGCCCTGGAAACCTCACCCTCTG
 GAGTCTTCTCTGGGCAAACCTGGCCTGTGTAGACAGCCAGAAACCTTGCCTGACCCACACCTGAGCAAAC
 TGGCCTGTGTAGACAGTCCAAGCCCTGCCTGGCCACACCTGGAGCCAGCTGCCTGTCTCGTGGTGC
 CCATGAGAAGTTTTCTGTGGAGGAATACCTAGTGCATGCTCTGCAAGGCAGCGTGAAGTCAAGGAGGAG
 CACAGCTGACCAGCCTGGCCAAGACCTGGCAGCAAGGGGCTCCAGATCCCGGGAGCCAGCCCAAAA
 CTGAGGACAACGAGGGTGTCTGCTCACTGAGAAACTCAAGCAGTGGATTATGATACCGAGAAGAAGT
 CCACTGGGCCACGCACCAGCTCCGCTGGGCAGAGGCTCCTTCGGAGAGGTGCACAGGATGGAGGACAAG
 CAGACTGGCTTCCAGTGCCTGTCAAAAAGGTGCGGCTGGAAGTATTTCCGGCAGAGGAGCTGATGGCAT
 GTGCAGGATTGACCTCACCCAGAATTGTCCTTTGTATGGAGCTGTGAGAGAAGGGCCTTGGGTCAACAT
 CTTTATGGAGCTGCTGGAAGGTGGCTCCCTGGCCAGCTGGTCAAGGAGCAGGGCTGTCTCCAGAGGAC
 CGGGCCCTGTACTACCTGGGCCAGGCCCTGGAGGGTCTGGAATACCTCCACTCACGAAGGATTCTGCATG
 GGGACGTCAAAGCTGACAACGTGCTCCTGTCCAGCGATGGGAGCCACGCAGCCCTCTGTGACTTTGGCCA
 TGCTGTGTCTTCAACCTGATGGCCTGGGAAAGTCTTGCTCACAGGGGACTACATCCCTGGCACAGAG
 ACCCATATGGCTCCGGAGGTGGTGTGGCAGGAGCTGCGACGCCAAGGTGGATGTCTGGAGCAGCTGCT
 GTATGATGCTGCACATGCTCAACGGCTGCCACCCCTGGACTCAGTTCTTCCGAGGGCCGCTCTGCCTCAA
 GATTGCCAGCGAGCCTCCGCCTGTGAGGGAGATCCCACCCCTCTGCGCCCTCTCACAGCCAGGCCATC
 CAAGAGGGGCTGAGGAAAGAGCCATCCACCGCGTGTCTGCAGCGGAGCTGGGAGGGAAGGTGAACCGGG
 CACTACAGCAAGTGGGAGGTCTGAAGAGCCCTTGGAGGGGAGAATATAAAGAACCAAGACATCCACCGCC
 AAATCAAGCCAATTACCACAGACCCTCCATGCCAGCCGAGAGAGCTTTCGCCAAGGGCCCCAGGGCCC
 CGGCCAGCTGAGGAGACAACAGGCAGAGCCCTAAGCTCCAGCCTCCTCTCCACAGAGCCCCAGAGC
 CAAACAAGTCTCCTCCCTTGACTTTGAGCAAGGAGGAGTCTGGGATGTGGGAACCCTTACCTCTGTCTC
 CCTGGAGCCAGCCCTGCCAGAAACCCAGCTCACCAGAGCGGAAAGCAACCGTCCCGGAGCAGGAACTG
 CAGCAGCTGGAATAGAATTATTCCTCAACAGCCTGTCCAGCCATTTTCTCTGGAGGAGCAGGAGCAAA
 TTCTCTCGTGCCTCAGCATCGACAGCCTCTCCCTGTCCGATGACAGTGAAGAAGCCATCAAAGGCCTC
 TCAAAGCTCGCGGGACACCCTGAGCTCAGGCGTACACTCCTGGAGCAGCCAGGCCAGGCTCGAAGCTCC
 AGCTGGAACATGGTGTGGCCCGGGGGCCACCGACACCCCAAGCTATTTCAATGGTGTGAAAGTCC
 AAATACAGTCTCTAATGGTGAACACCTGCACATCCGGGAGTTCACCGGGTCAAAGTGGGAGACATCGC
 CACTGGCATCAGCAGCCAGATCCAGCTGCAGCCTTCACTTGGTACCAAGACGGGCAGCCTGTTCCG
 TACGACATGGAGGTGCCAGACTCGGCATCGACCTGCAGTGCACACTGGCCCTGATGGCAGCTTCGCCT
 GGAGCTGGAGGTCAAGCATGGCCAGCTGGAGAACAGGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC207616 representing NM_003954
 Red=Cloning site Green=Tags(s)

MAVMEMACPGAPGSAVGQQKELPKAKEKTPPLGKKQSSVYKLEAVEKSPVFCGKWEILNDVITKGTAKEG
 SEAGPAAISIIAQACENSQEFSPTFSERIFIAGSKQYSQSESLDQIPNNVAHATEGKMARVCWKGKRRS
 KARKKRRKKSSKSLAHAGVALAKPLPRTPEQESCTIPVQEDESPLGAPVVRNTPQFTKPLKEPLGQLCF
 KQLGEGLRPALPRSELHKLISPLQCLNHVWKLHHPQDGGPLPLPTHFPYSRLPHFPFPHPLQPWKPHPL
 ESFLGKLACVDSQKPLPDPHLSKLACVDSPKPLPGPHLEPSCLSRGAHEKFSVEEYLVHALQGSVSSGQA
 HSLTSLAKTWAARGSRSPKTEDNEGVLLTEKLPVDYERYEEVHWATHQLRLGRGSFGEVHRMEDK
 QTGFQCAVKKVRLEVFRAEELMACAGLTSRIVPLYGAVREGPWVNI FMELLEGGSLGQLVKEQGCLPED
 RALYYLGQALEGLEYLHRRILHGDVKADNVLLSSDGSAAALCDFGHAVCLQPDGLGKSLTGDYIPGTE
 THMAPEVVLGRSCDAKVDVWSSCCMMLHMLNGCHPWTQFFRGPCLCKIASEPPPVREIPPSCAPLTAQAI
 QEGLRKEPIHRVSAEELGGKVNRLQQVGLKSPWRGEYKEPRHPPPNQANYHQT LHAQPRELSPRAPGP
 RPAEETTGRAPKLQPLPPEPEPNKSPPLTLSKEESGMWEPLPLSSLEPAPARNPSSPERKATVPEQEL
 QQLEIELFLNSLSQPFSLLEEQEILSCLSIDSLSLSDSEKNPSKASQSSRDTLSSGVHSSWSQAEARSS
 SWNMVLARGRPTDTPSYFNGVKVQIQSLNGEHLHIREFHRYKVGDIATGISSQIPAAAFSLVTKDGPVPR
 YDMEVPDSGIDLQCTLAPDGSFAWSWRVKHGQLENRP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mg2457_d12.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:




* The last codon before the Stop codon of the ORF

ACCN: NM_003954


ORF Size: 2841 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_003954.5
RefSeq Size:	4596 bp
RefSeq ORF:	2844 bp
Locus ID:	9020
UniProt ID:	Q99558
Cytogenetics:	17q21.31
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Apoptosis, Epithelial cell signaling in Helicobacter pylori infection, MAPK signaling pathway, T cell receptor signaling pathway
MW:	103.9 kDa
Gene Summary:	This gene encodes mitogen-activated protein kinase kinase kinase 14, which is a serine/threonine protein-kinase. This kinase binds to TRAF2 and stimulates NF-kappaB activity. It shares sequence similarity with several other MAPKK kinases. It participates in an NF-kappaB-inducing signalling cascade common to receptors of the tumour-necrosis/nerve-growth factor (TNF/NGF) family and to the interleukin-1 type-I receptor. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC207616



Western blot validation of overexpression lysate (Cat# [LY401299]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC207616 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).