

Product datasheet for **RC209609**

Macrophage Scavenger Receptor I (MSR1) (NM_138715) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Macrophage Scavenger Receptor I (MSR1) (NM_138715) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Macrophage Scavenger Receptor I
Synonyms:	CD204; phSR1; phSR2; SCARA1; SR-A; SR-AI; SR-AII; SR-AIII; SRA
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC209609 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGAGCAGTGGGATCACTTTCACAATCAACAGGAGGACACTGATAGCTGCTCCGAATCTGTGAAATTTG
 ATGCTCGCTCAATGACAGCTTTCCTCCGAATCCTAAAAACAGCCCTCCCTTCAAGAGAACTGAA
 GTCCTTCAAAGCTGCACTGATTGCCCTTACCTCCTCGTGTTCAGTTCTCATCCCTCTCATTGGAATA
 GTGGCAGCTCAACTCCTGAAGTGGGAAACGAAGAATTGCTCAGTTAGTTCAACTAATGCAAAATGATATA
 CTCAAAGTCTCACGGGAAAAGGAAATGACAGCGAAGAGGAAATGAGATTTCAAGAAGTCTTTATGGAACA
 CATGAGCAACATGGAGAAGAGAATCCAGCATATTTAGACATGGAAGCCAACCTCATGGACACAGAGCAT
 TTCCAAAATTTGAGCATGACAACTGATCAAAAGATTTAATGACATTCCTCTGCAGCTAAGTACCTGTTTT
 CCTCAGTCCAGGACATGGGAATGCAATAGATGAAATCTCCAAGTCTTAATAAGTTTGAATACCACATT
 GCTTGATTTGAGCTCAACATAGAAAATCTGAATGGCAAAATCCAAGAGAATACCTTCAAACAACAAGAG
 GAAATCAGTAAATTAGAGGAGCGTGTACAATGTATCAGCAGAAATTATGGCTATGAAAGAAGAACAAG
 TGCATTTGGAACAGGAAATAAAAGGAGAAGTGAAGTACTGAATAACATCACTAATGATCTCAGACTGAA
 AGATTGGGAACATTCTCAGACCTTGAGAAATATCACTTTAATTCAAGGTCTCCTGGACCCCGGGTGA
 AAAGGAGATCGAGGTCCCACTGGAGAAAGTGGTCCACGAGGATTTCCAGGTCCAATAGGTCTCCGGGTC
 TTAAGGTGATCGGGGAGCAATTGGCTTTCCTGGAAGTGGAGTCCAGGATATGCCGGAAGGCCAGG
 AAATCTGGACCAAAAAGGCCAGAAAGGGGAAAAGGGGAGTGGAAACACATTAACCTCATTACGAAAAT
 CGACTGGTCCGGTGGGAGCGCCCTCACGAGGGGAGAGTGGAGATACTCCACAGCGCCAGTGGGGTACAA
 TTTGTGACGATCGCTGGGAAGTGGCGTGGACAGGTCGTGTAGGAGCTTGGGATACCCAGGTGTTCA
 AGCCGTGCACAAGGCAGCTCACTTTGGACAAGTACTGGTCCAATATGGCTGAATGAAGTGTGTTTT
 GGGAGAGAATCATCTATTGAAGAATGAAAATTCGGCAATGGGGACAAGAGCCTGTTACATTCTGAAG
 ATGCTGGAGTCACTTGCCTTTA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC209609 protein sequence
 Red=Cloning site Green=Tags(s)

MEQWDFHFNQEDTDCSESVKFDARSMTALLPPNPKNSPSLQEKLSFKAALIALYLLVFAVLIPLIGI
 VAAQLLKWETKNCSVSSTNANDITQSLTGKGNDSSEEMRFQEVFMEHMSNMEKRIQHILDMEANLMDTEH
 FQNFSTTDQRFNDILLQLSTLFSVQGHGNAIDEISKSLISLNTLLDLQLNIENLNGKIQENTFKQQE
 EISKLEERVYVNSAEIMAMKEEQVHLEQEIKEVVKVLNNTDLRLKDWHSQTLRNITLIQPPGPPGE
 KGDRTGESGPRGFPPIGPPGLKDRGAIGFPGSRGLPGYAGRPNGSPKQKGEKGSNTLTPFTKV
 RLVGGSGPHEGRVEILHSGQWGTICDDRWEVRVGVVCRSLGYPGVQAVHKAHAFQGTGPIWLNEVFCF
 GRESSIEECKIRQWGTRACSHSEDAGVTCTL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mk6005_d11.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:


ACCN: NM_138715

ORF Size: 1353 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_138715.3](#)

RefSeq Size: 3761 bp

RefSeq ORF: 1356 bp

Locus ID: 4481

UniProt ID: [P21757](#)

Cytogenetics: 8p22


Domains: SR, Macscav_rec, Collagen

Protein Families: Druggable Genome, Transmembrane


MW: 49.8 kDa

Gene Summary: This gene encodes the class A macrophage scavenger receptors, which include three different types (1, 2, 3) generated by alternative splicing of this gene. These receptors or isoforms are macrophage-specific trimeric integral membrane glycoproteins and have been implicated in many macrophage-associated physiological and pathological processes including atherosclerosis, Alzheimer's disease, and host defense. The isoforms type 1 and type 2 are functional receptors and are able to mediate the endocytosis of modified low density lipoproteins (LDLs). The isoform type 3 does not internalize modified LDL (acetyl-LDL) despite having the domain shown to mediate this function in the types 1 and 2 isoforms. It has an altered intracellular processing and is trapped within the endoplasmic reticulum, making it unable to perform endocytosis. The isoform type 3 can inhibit the function of isoforms type 1 and type 2 when co-expressed, indicating a dominant negative effect and suggesting a mechanism for regulation of scavenger receptor activity in macrophages. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC209609



Western blot validation of overexpression lysate (Cat# [LY403366]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC209609 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).