

## Product datasheet for RC213029L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## ALDH8A1 (NM 022568) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** ALDH8A1 (NM 022568) Human Tagged ORF Clone Lentiviral Particle

Symbol: AI DH8A1

ALDH12; DJ352A20.2 Synonyms:

**Mammalian Cell** 

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK NM 022568 ACCN:

**ORF Size:** 1461 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC213029).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 022568.2

RefSeq Size: 2567 bp RefSeq ORF: 1464 bp Locus ID: 64577 Q9H2A2 **UniProt ID:** Cytogenetics: 6q23.3 **Domains:** 

**Protein Families:** Druggable Genome

aldedh





ORIGENE

**MW:** 53.4 kDa

**Gene Summary:** This gene encodes a member of the aldehyde dehydrogenase family of proteins. The

encoded protein has been implicated in the synthesis of 9-cis-retinoic acid and in the breakdown of the amino acid tryptophan. This enzyme converts 9-cis-retinal into the retinoid X receptor ligand 9-cis-retinoic acid, and has approximately 40-fold higher activity with 9-cis-retinal than with all-trans-retinal. In addition, this enzyme has been shown to catalyze the conversion of 2-aminomuconic semialdehyde to 2-aminomuconate in the kynurenine

pathway of tryptophan catabolism. [provided by RefSeq, Jul 2018]