

## Product datasheet for RC213333L2

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TrkC (NTRK3) (NM\_002530) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** TrkC (NTRK3) (NM\_002530) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: TrkC

**Synonyms:** gp145(trkC); GP145-TrkC; TRKC

Mammalian Cell None

Selection:

Vector:pLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC213333).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





st The last codon before the Stop codon of the ORF.

**ACCN:** NM\_002530

ORF Size: 2475 bp



### TrkC (NTRK3) (NM\_002530) Human Tagged Lenti ORF Clone - RC213333L2

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 002530.2</u>

 RefSeq Size:
 2818 bp

 RefSeq ORF:
 2478 bp

 Locus ID:
 4916

UniProt ID: Q16288

Cytogenetics: 15q25.3

**Domains:** LRRNT, LRRCT, pkinase, TyrKc, LRR, S\_TKc, ig, IG

**Protein Families:** Druggable Genome, Protein Kinase, Transmembrane

**Protein Pathways:** Neurotrophin signaling pathway

**MW:** 92.8 kDa

Gene Summary: This gene encodes a member of the neurotrophic tyrosine receptor kinase (NTRK) family. This


kinase is a membrane-bound receptor that, upon neurotrophin binding, phosphorylates itself and members of the MAPK pathway. Signalling through this kinase leads to cell differentiation and may play a role in the development of proprioceptive neurons that sense body position. Mutations in this gene have been associated with medulloblastomas, secretory breast

carcinomas and other cancers. Several transcript variants encoding different isoforms have

been found for this gene. [provided by RefSeq, Jul 2011]



# **Product images:**



Circular map for RC213333L2