

Product datasheet for **RC216206**

Microsomal Glutathione S transferase 1 (MGST1) (NM_145792) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Microsomal Glutathione S transferase 1 (MGST1) (NM_145792) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: Microsomal Glutathione S transferase 1
Synonyms: GST12; MGST; MGST-I
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC216206 representing NM_145792
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGTTGACCTCACCCAGGTAATGGATGATGAAGTATTCATGGCTTTTGCATCCTATGCAACAATTATTC
TTTCAAAAATGATGCTTATGAGTACTGCAACTGCATTCTATAGATTGACAAGAAAGGTTTTGCCAAATCC
AGAAGACTGTGTAGCATTGGCAAAGGAGAAAAAGCAAGAAGTATCTTGAACAGATGACAGAGTAGAA
CGTGTACGCAGAGCCACCTGAATGACCTTAAAAATATTATCCATTTCTTGAATTGGCCTCCTGTATT
CCTTGAGTGGTCCCGACCCCTACAGCCATCCTGCATTCAGACTATTTGTCGGAGCACGGATCTACCA
CACCATTGCATATTTGACACCCCTCCCGAGCCAAATAGAGCTTTGAGTTTTTTGTTGGATATGGAGTT
ACTCTTCCATGGCTTACAGTTGCTGAAAAGTAAATTGTACCTG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC216206 representing NM_145792
Red=Cloning site Green=Tags(s)
MVDLTQVMDEVFMAFASYATIILSKMMLMSTATAFYRLTRKVFANPEDCVAFGKGENAKKYLRTDDRVE
RVRRRAHLNDLENIIPFLGIGLLYLSGPDPTAILHFRLFVGARIYHTIAYLTPLPQPNRALSFFVGYGV
TLSMAYRLLKSKLYL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6416_e10.zip



[View online »](#)

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_145792

ORF Size: 465 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_145792.2](#)

RefSeq Size: 909 bp


RefSeq ORF: 468 bp

Locus ID: 4257


UniProt ID: [P10620](#)
 Cytogenetics: 12p12.3
 Domains: MAPEG
 Protein Families: Druggable Genome, Transmembrane
 Protein Pathways: Drug metabolism - cytochrome P450, Glutathione metabolism, Metabolism of xenobiotics by cytochrome P450
 MW: 17.4 kDa

Gene Summary: The MAPEG (Membrane Associated Proteins in Eicosanoid and Glutathione metabolism) family consists of six human proteins, two of which are involved in the production of leukotrienes and prostaglandin E, important mediators of inflammation. Other family members, demonstrating glutathione S-transferase and peroxidase activities, are involved in cellular defense against toxic, carcinogenic, and pharmacologically active electrophilic compounds. This gene encodes a protein that catalyzes the conjugation of glutathione to electrophiles and the reduction of lipid hydroperoxides. This protein is localized to the endoplasmic reticulum and outer mitochondrial membrane where it is thought to protect these membranes from oxidative stress. Several transcript variants, some non-protein coding and some protein coding, have been found for this gene. [provided by RefSeq, May 2012]

Product images:



Circular map for RC216206



Western blot validation of overexpression lysate (Cat# [LY407879]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC216206 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).