

## **Product datasheet for RC217121**

### FGF13 (NM\_033642) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** FGF13 (NM\_033642) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: FGF13

Synonyms: DEE90; FGF-13; FGF2; FHF-2; FHF2; LINC00889

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC217121 representing NM\_033642

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

CCACAATGAATCAACG

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC217121 representing NM\_033642

Red=Cloning site Green=Tags(s)

MALLRKSYSEPQLKGIVTKLYSRQGYHLQLQADGTIDGTKDEDSTYTLFNLIPVGLRVVAIQGVQTKLYL AMNSEGYLYTSELFTPECKFKESVFENYYVTYSSMIYRQQOSGRGWYLGLNKEGEIMKGNHVKKNKPAAH

FLPKPLKVAMYKEPSLHDLTEFSRSGSGTPTKSRSVSGVLNGGKSMSHNEST

TRTRPLEQKLISEEDLAANDILDYKDDDDKV



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

### FGF13 (NM\_033642) Human Tagged ORF Clone - RC217121


https://cdn.origene.com/chromatograms/ja1434\_e12.zip **Chromatograms:** 

**Restriction Sites:** 

Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

NM\_033642 ACCN:

**ORF Size:** 576 bp

**OTI Disclaimer:** 

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

**OTI Annotation:** 

This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



### FGF13 (NM\_033642) Human Tagged ORF Clone - RC217121

#### **Reconstitution Method:**

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** <u>NM 033642.3</u>

 RefSeq Size:
 1937 bp

 RefSeq ORF:
 579 bp

 Locus ID:
 2258

 UniProt ID:
 092913

Cytogenetics: Xq26.3-q27.1

**Protein Families:** Secreted Protein

**Protein Pathways:** MAPK signaling pathway, Melanoma, Pathways in cancer, Regulation of actin cytoskeleton

**MW:** 21.4 kDa

**Gene Summary:** The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family.

FGF family members possess broad mitogenic and cell survival activities, and are involved in


a variety of biological processes, including embryonic development, cell growth,

morphogenesis, tissue repair, tumor growth, and invasion. This gene is located in a region on chromosome X, which is associated with Borjeson-Forssman-Lehmann syndrome (BFLS), making it a possible candidate gene for familial cases of the BFLS, and for other syndromal and nonspecific forms of X-linked cognitive disability mapping to this region. Alternative splicing of this gene at the 5' end results in several transcript variants encoding different


isoforms with different N-termini. [provided by RefSeq, Nov 2008]



# **Product images:**




Circular map for RC217121



Western blot validation of overexpression lysate (Cat# [LY409478]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC217121 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified FGF13 protein (Cat# [TP317121]). The protein was produced from HEK293T cells transfected with FGF13 cDNA clone (Cat# RC217121) using MegaTran 2.0 (Cat# [TT210002]).