

Product datasheet for RC219244

SETD7 (NM_030648) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: SETD7 (NM_030648) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: SETD7

Synonyms: KMT7; SET7; SET7/9; SET9

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >RC219244 representing NM_030648

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGATAGCGACGACGAGATGGTGGAGGAGGCGGTGGAAGGGCACCTGGACGATGACGGATTACCGCACG GGTTCTGCACAGTCACCTACTCCTCCACAGACAGATTTGAGGGGAACTTTGTTCACGGAGAAAAGAACGG ACGGGGGAAGTTCTTCTTCTTTGATGGCAGCACCCTGGAGGGGTATTATGTGGATGATGCCTTGCAGGGC CAGGGAGTTTACACTTACGAAGATGGGGGAGTTCTCCAGGGCACGTATGTAGACGGAGAGCTGAACGGTC CAGCCCAGGAATATGACACAGATGGGAGACTGATCTTCAAGGGGCAGTATAAAGATAACATTCGTCATGG AGTGTGCTGGATATATTACCCAGATGGAGGAGCCTTGTAGGAGAGTAAATGAAGATGGGGAGATGACT GGAGAGAAGATAGCCTATGTGTACCCTGATGAGAGGACCGCACTTTATGGGAAATTTATTGATGGAGAGA TGATAGAAGGCAAACTGGCTACCCTTATGTCCACTGAAGAAGGGAGGCCTCACTTTGAACTGATGCCTGG TATGAATCAGAAAGGGTTTATGTTGCTGAATCTCTTATTTCCAGTGCTGGAGAAGGACTTTTTTCAAAGG TAGCTGTGGGACCTAATACTGTTATGTCTTTTTATAATGGAGTTCGAATTACACACCAAGAGGTTGACAG CAGGGACTGGGCCCTTAATGGGAACACCCTCTCCCTTGATGAAGAAACGGTCATTGATGTGCCTGAGCCC TATAACCACGTATCCAAGTACTGTGCCTCCTTGGGACACAAGGCAAATCACTCCTTCACTCCAAACTGCA TCTACGATATGTTTGTCCACCCCCGTTTTGGGCCCATCAAATGCATCCGCACCCTGAGAGCAGTGGAGGC CGATGAAGAGCTCACCGTTGCCTATGGCTATGACCACAGCCCCCCGGGAAGAGTGGGCCTGAAGCCCCT GAGTGGTACCAGGTGGAGCTGAAGGCCTTCCAGGCCACCCAGCAAAAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >RC219244 representing NM_030648

Red=Cloning site Green=Tags(s)

MDSDDEMVEEAVEGHLDDDGLPHGFCTVTYSSTDRFEGNFVHGEKNGRGKFFFFDGSTLEGYYVDDALQG QGVYTYEDGGVLQGTYVDGELNGPAQEYDTDGRLIFKGQYKDNIRHGVCWIYYPDGGSLVGEVNEDGEMT GEKIAYVYPDERTALYGKFIDGEMIEGKLATLMSTEEGRPHFELMPGNSVYHFDKSTSSCISTNALLPDP YESERVYVAESLISSAGEGLFSKVAVGPNTVMSFYNGVRITHQEVDSRDWALNGNTLSLDEETVIDVPEP YNHVSKYCASLGHKANHSFTPNCIYDMFVHPRFGPIKCIRTLRAVEADEELTVAYGYDHSPPGKSGPEAP EWYQVELKAFQATQOK


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6111 h10.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_030648

ORF Size: 1098 bp

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customer.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>



SETD7 (NM_030648) Human Tagged ORF Clone - RC219244

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 030648.3</u>

 RefSeq Size:
 7012 bp

 RefSeq ORF:
 1101 bp

 Locus ID:
 80854

 UniProt ID:
 Q8WTS6

 Cytogenetics:
 4q31.1

Domains: SET, MORN

Protein Families: Druggable Genome
Protein Pathways: Lysine degradation

MW: 40.5 kDa

Gene Summary: Histone methyltransferase that specifically monomethylates 'Lys-4' of histone H3. H3 'Lys-4'

methylation represents a specific tag for epigenetic transcriptional activation. Plays a central role in the transcriptional activation of genes such as collagenase or insulin. Recruited by

IPF1/PDX-1 to the insulin promoter, leading to activate transcription. Has also

methyltransferase activity toward non-histone proteins such as p53/TP53, TAF10, and


possibly TAF7 by recognizing and binding the [KR]-[STA]-K in substrate proteins. Monomethylates 'Lys-189' of TAF10, leading to increase the affinity of TAF10 for RNA

polymerase II. Monomethylates 'Lys-372' of p53/TP53, stabilizing p53/TP53 and increasing


p53/TP53-mediated transcriptional activation.[UniProtKB/Swiss-Prot Function]



Product images:





Circular map for RC219244



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY SETD7 (Cat# RC219244, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SETD7(Cat# [TA503322]). Positive lysates [LY403067] (100ug) and [LC403067] (20ug) can be purchased separately from OriGene.







Western blot validation of overexpression lysate (Cat# [LY403067]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC219244 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

Coomassie blue staining of purified SETD7 protein (Cat# [TP319244]). The protein was produced from HEK293T cells transfected with SETD7 cDNA clone (Cat# RC219244) using MegaTran 2.0 (Cat# [TT210002]).