

Product datasheet for RC219430L3

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

LCK (NM_001042771) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: LCK (NM_001042771) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: LCK

Synonyms: IMD22; LSK; p56lck; pp58lck; YT16

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC219430).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001042771

ORF Size: 1527 bp





LCK (NM_001042771) Human Tagged Lenti ORF Clone - RC219430L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001042771.1</u>, <u>NP 001036236.1</u>

 RefSeq Size:
 2118 bp

 RefSeq ORF:
 1530 bp

 Locus ID:
 3932

 UniProt ID:
 P06239

Cytogenetics:

Protein Families: Druggable Genome, Protein Kinase, Stem cell - Pluripotency

Protein Pathways: Natural killer cell mediated cytotoxicity, Primary immunodeficiency, T cell receptor signaling

pathway

1p35.2

MW: 57.8 kDa

Gene Summary: This gene is a member of the Src family of protein tyrosine kinases (PTKs). The encoded

protein is a key signaling molecule in the selection and maturation of developing T-cells. It contains N-terminal sites for myristylation and palmitylation, a PTK domain, and SH2 and SH3 domains which are involved in mediating protein-protein interactions with phosphotyrosine-


containing and proline-rich motifs, respectively. The protein localizes to the plasma

membrane and pericentrosomal vesicles, and binds to cell surface receptors, including CD4 and CD8, and other signaling molecules. Multiple alternatively spliced variants encoding

different isoforms have been described. [provided by RefSeq, Aug 2016]



Product images:



Circular map for RC219430L3