

Product datasheet for RC219458

CD272 (BTLA) (NM 181780) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: CD272 (BTLA) (NM_181780) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: CD272

Synonyms: BTLA1; CD272

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC219458 representing NM_181780

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CD272 (BTLA) (NM_181780) Human Tagged ORF Clone - RC219458

Protein Sequence: >RC219458 representing NM_181780

Red=Cloning site Green=Tags(s)

MKTLPAMLGTGKLFWVFFLIPYLDIWNIHGKESCDVQLYIKRQSEHSILAGDPFELECPVKYCANRPHVT WCKLNGTTCVKLEDRQTSWKEEKNISFFILHFEPVLPNDNGSYRCSANFQSNLIESHSTTLYVTDVKSAS ERPSKDEMASRPWLLYSLLPLGGLPLLITTCFCLFCCLRRHQGKQNELSDTAGREINLVDAHLKSEQTEA STRQNSQVLLSETGIYDNDPDLCFRMQEGSEVYSNPCLEENKPGIVYASLNHSVIGLNSRLARNVKEAPT EYASICVRS


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6114 d04.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_181780

ORF Size: 867 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 181780.4</u>

RefSeq Size: 1239 bp

 RefSeq ORF:
 870 bp

 Locus ID:
 151888

 UniProt ID:
 Q7Z6A9

 Cytogenetics:
 3q13.2

Protein Families: Transmembrane


MW: 32.6 kDa

Gene Summary: This gene encodes a member of the immunoglobulin superfamily. The encoded protein

contains a single immunoglobulin (Ig) domain and is a receptor that relays inhibitory signals to suppress the immune response. Alternative splicing results in multiple transcript variants. Polymorphisms in this gene have been associated with an increased risk of rheumatoid


arthritis. [provided by RefSeq, Aug 2011]


Product images:




Circular map for RC219458









HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY BTLA (Cat# RC219458, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-BTLA(Cat# [TA505688]). Positive lysates [LY403628] (100ug) and [LC403628] (20ug) can be purchased separately from OriGene.

Western blot validation of overexpression lysate (Cat# [LY403628]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC219458 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

Coomassie blue staining of purified BTLA protein (Cat# [TP319458]). The protein was produced from HEK293T cells transfected with BTLA cDNA clone (Cat# RC219458) using MegaTran 2.0 (Cat# [TT210002]).