

Product datasheet for RC219816L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Acid sphingomyelinase (SMPD1) (NM_001007593) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Acid sphingomyelinase (SMPD1) (NM_001007593) Human Tagged Lenti ORF Clone

Tag:

Symbol: Acid sphingomyelinase

ASM; ASMASE; NPD Synonyms:

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC219816).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001007593

ORF Size: 1890 bp



Acid sphingomyelinase (SMPD1) (NM_001007593) Human Tagged Lenti ORF Clone - RC219816L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001007593.1

 RefSeq Size:
 2341 bp

 RefSeq ORF:
 1893 bp

 Locus ID:
 6609

 UniProt ID:
 P17405

Cytogenetics:

Protein Families: Druggable Genome, Transmembrane

11p15.4

Protein Pathways: Lysosome, Metabolic pathways, Sphingolipid metabolism

MW: 69.81 kDa

Gene Summary: The protein encoded by this gene is a lysosomal acid sphingomyelinase that converts


sphingomyelin to ceramide. The encoded protein also has phospholipase C activity. Defects in this gene are a cause of Niemann-Pick disease type A (NPA) and Niemann-Pick disease type

B (NPB). Multiple transcript variants encoding different isoforms have been identified.

[provided by RefSeq, Jul 2010]



Product images:



Circular map for RC219816L4