

Product datasheet for RC220353

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

NRG1 (NM_004495) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: NRG1 (NM_004495) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: NRG1

Synonyms: ARIA; GGF; GGF2; HGL; HRG; HRG1; HRGA; MST131; MSTP131; NDF; NRG1-IT2; SMDF

Mammalian Cell Neomycin

Selection:

E. coli Selection:

Vector: pCMV6-Entry (PS100001)

ORF Nucleotide >RC220353 representing NM_004495

AAG

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

Kanamycin (25 ug/mL)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA





Protein Sequence: >RC220353 representing NM_004495

Red=Cloning site Green=Tags(s)


MSERKEGRGKGKKKERGSGKKPESAAGSQSPALPPRLKEMKSQESAAGSKLVLRCETSSEYSSLRFKW FKNGNELNRKNKPQNIKIQKKPGKSELRINKASLADSGEYMCKVISKLGNDSASANITIVESNEIITGMP ASTEGAYVSSESPIRISVSTEGANTSSSTSTTGTSHLVKCAEKEKTFCVNGGECFMVKDLSNPSRYLC K


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_004495

ORF Size: 633 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 004495.4</u>

RefSeq Size: 1694 bp
RefSeq ORF: 636 bp
Locus ID: 3084
Cytogenetics: 8p12

Domains: ig, IGc2, IG

Protein Families: Druggable Genome, Secreted Protein, Transcription Factors, Transmembrane

Protein Pathways: ErbB signaling pathway

MW: 22.8 kDa


Gene Summary: The protein encoded by this gene is a membrane glycoprotein that mediates cell-cell

signaling and plays a critical role in the growth and development of multiple organ systems.

An extraordinary variety of different isoforms are produced from this gene through alternative promoter usage and splicing. These isoforms are expressed in a tissue-specific manner and differ significantly in their structure, and are classified as types I, II, III, IV, V and VI. Dysregulation of this gene has been linked to diseases such as cancer, schizophrenia, and

bipolar disorder (BPD). [provided by RefSeq, Apr 2016]

Product images:



Circular map for RC220353