

Product datasheet for **RC220864**

p73 (TP73) (NM_005427) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	p73 (TP73) (NM_005427) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	p73
Synonyms:	P73
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RC220864 representing NM_005427
Red=Cloning site Blue=ORF Green=Tags(s)


TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGGCCAGTCCACCGCCACCTCCCTGATGGGGCACCAGTTTGGACCTCTGGAGCTCTCTGGAAC
CAGACAGCACCTACTTCGACCTTCCCAGTCAAGCCGGGGGAATAATGAGGTGGTGGCGGAACGGATTC
CAGCATGGACGTCTTCCACCTGGAGGGCATGACTACATCTGTCTATGGCCAGTTCAATCTGCTGAGCAGC
ACCATGGACCAGATGAGCAGCCGCGCGCCTCGGCCAGCCCTACACCCAGAGCAGCCGCCAGCGTGC
CCACCCACTCGCCCTACGCACAACCCAGCTCCACCTTCGACACCATGTGCGCCGGCGCCTGTCTCCCTC
CAACACCGACTACCCCGACCCACCACTTTGAGGTCACTTTCCAGCAGTCCAGCAGGCCAAGTCAGCC
ACCTGGACGTACTCCCGCTCTGAAGAACTCTACTGCCAGATCGCAAGACATGCCCATCCAGATCA
AGGTGTCCACCCGCCACCCAGGCACTGCCATCCGGGCCATGCCTGTTTACAAGAAAGCGGAGCAGT
GACCGAGTCTGTAACGCTGCCCAACACAGCTCGGGAGGGACTTCAACGAAGGACAGTCTGTCTCA
GCCAGCCACTCATCCGGTGGAAAGCAATAATCTCTCGCAGTATGTGGATGACCCTGTACCCGGCAGGC
AGAGCGTCTGGTGCCTATGAGCCACCACAGGTGGGGACGGAATTCACCACCATCTGTACAATTCAT
GTGTAACAGCAGCTGTGTAGGGGCATGAACCGCGGCCCATCTCATCATCACCTGGAGATGCGG
GATGGGCAAGTGTGGCCGCGCGTCTTTGAGGGCCGATCTGCGCCTGTCTGGCCGCGACCGAAAAG
CTGATGAGGACCACTACCGGGAGCAGCAGGCCCTGAACGAGAGCTCCGCCAAGAACGGGGCCGACGAA
GCGTGCCTTAAGCAGAGCCCCCTGCCGTCCCGCCCTTGGTCCCGGTGTAAGAAGCGCGGCATGGA
GACGAGGACACGTACTACCTTCAGGTGCGAGGCCGGGAGAATTTGAGATCCTGATGAAGCTGAAAGAGA
GCCTGGAGCTGATGGAGTTGGTCCCGCAGCCACTGGTGGACTCCTATCGGCAGCAGCAGCAGCTCCTACA
GAGGCCGAGTCACTACAGCCCCGTCTACGGGCCGGTCTCTCGCCATGAACAAGGTGCACGGGGGC
ATGAACAAGCTGCCCTCCGTCAACCAGCTGGTGGCCAGCCTCCCCGCACAGTTCGGCAGCTACACCCA
ACCTGGGGCCCGTGGGCCCGGGATGCTCAACAACCATGGCCACGCAGTCCAGCCAAACGGCGAGATGAG
CAGCAGCCACAGCGCCAGTCCATGGTCTCGGGTCCCACTGCACTCCGCCACCCCTACCACGCGGAC
CCCAGCTCGTCAGTTTTTTAACAGGATTGGGGTGTCCAACTGCATCGAGATTTACCTCCCAAGGGT
TACAGAGCATTACCACCTGCAGAACCTGACCATTGAGGACCTGGGGCCCTGAAGATCCCCGAGCAGTA
CCGCATGACCATCTGGCGGGCCTGCAGGACCTGAAGCAGGGCCACGACTACAGCACCAGCGCAGCAGCTG
CTCCGCTCTAGCAACGCGGCCACCATCTCCATCGCGGCTCAGGGGAAGTGCAGCGCCAGCGGGTCTATGG
AGGCCGTGCACTTCCGCGTGCGCCACACCATCACCATCCCAACCGCGGGGCCAGCGCGCGCCCTGA
CGAGTGGCGGACTTCGGCTTCGACCTGCCGACTGCAAGGCCGCAAGCAGCCATCAAGGAGGAGTTC
ACGGAGGCCGAGATCCAC


ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_005427.1 , NP_005418.1
RefSeq Size:	2234 bp
RefSeq ORF:	1911 bp
Locus ID:	7161
UniProt ID:	O15350
Cytogenetics:	1p36.32
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Neurotrophin signaling pathway, p53 signaling pathway
MW:	69.4 kDa
Gene Summary:	<p>This gene encodes a member of the p53 family of transcription factors involved in cellular responses to stress and development. It maps to a region on chromosome 1p36 that is frequently deleted in neuroblastoma and other tumors, and thought to contain multiple tumor suppressor genes. The demonstration that this gene is monoallelically expressed (likely from the maternal allele), supports the notion that it is a candidate gene for neuroblastoma. Many transcript variants resulting from alternative splicing and/or use of alternate promoters have been found for this gene, but the biological validity and the full-length nature of some variants have not been determined. [provided by RefSeq, Feb 2011]</p>


Product images:




Circular map for RC220864



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY TP73 (Cat# RC220864, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TP73 (Cat# [TA506470]). Positive lysates [LY417321] (100ug) and [LC417321] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY417321]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC220864 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified TP73 protein (Cat# [TP320864]). The protein was produced from HEK293T cells transfected with TP73 cDNA clone (Cat# RC220864) using MegaTran 2.0 (Cat# [TT210002]).