

Product datasheet for **RC224444**

Integrin alpha 6 (ITGA6) (NM_001079818) Human Tagged ORF Clone

Product data:

| | |
|--------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | Integrin alpha 6 (ITGA6) (NM_001079818) Human Tagged ORF Clone |
| Tag: | Myc-DDK |
| Symbol: | ITGA6 |
| Synonyms: | CD49f; ITGA6B; VLA-6 |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| Cell Selection: | Neomycin |
| ORF Nucleotide Sequence: | >RC224444 representing NM_001079818 Red=Cloning site Blue=ORF Green=Tags(s) |

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGGCCCGCCCGGGCAGCTGTGCTTGTCTACCTGTCCGGGGGCTCCTGTCCCGGCTCGGCGCAGCCT
TCAACTTGGACTCGGGAGGACAACGTGATCCGGAAATATGGAGACCCCGGAGCCTCTTCGGCTTCTC
GCTGGCCATGCACTGGCAACTGCAGCCGAGGACAAGCGGCTGTTGCTCGTGGGGCCCCCGGGCAGAA
GCGCTTCCACTGCAGAGACCAACAGAACGGGAGGGCTGTACAGCTGCGACATCACCGCCGGGGCCAT
GCACGCGGATCGAGTTTGATAACGATGCTGACCCACGTGAGAAAGCAAGGAAGATCAGTGGATGGGGT
CACCGTCCAGAGCCAAGGTCCAGGGGGCAAGTCGTGACATGTGCTCACCGATATGAAAAAGGCAGCAT
GTTAATACGAAGCAGGAATCCCAGACATCTTTGGGCGGTGTTATGTCCTGAGTCAGAAATCTCAGGATTG
AAGACGATATGGATGGGGGAGATTGGAGCTTTTGTGATGGGCGATTGAGAGGCCATGAGAAATTTGGCTC
TTGCCAGCAAGGTGTAGCAGCTACTTTTACTAAAGACTTTCATTACATTGATTTGGAGCCCCGGTACT
TATAACTGGAAGGGATTGTTGCTGTAGAGCAAAGAATAACACTTTTTTTGACATGAACATCTTTGAAG
ATGGGCCCTTATGAAGTTGGTGGAGAGACTGAGCATGATGAAAGTCTCGTTCCTGTTCTGCTAACAGTTA
CTTAGTTTTTCTTTGGACTCAGGGAAAGGTATTGTTTCTAAAGATGAGATCACTTTTGTATCTGGTGTCT
CCCAGAGCCAATCACAGTGGAGCCGTGGTTTTGCTGAAGAGAGACATGAAGTCTGCACATCTCCTCCCTG
AGCACATATTCGATGGAGAAGGTCTGGCCTCTTCATTTGGCTATGATGTGGCGGTGGTGGACCTCAACAA
GGATGGGTGGCAAGATATAGTTATTGGAGCCCCACGATTTTTGATAGAGATGGAGAAGTTGGAGGTGCA
GTGTATGTCTACATGAACCAGCAAGGCAGATGGAATAATGTGAAGCCAATTCGTCTTAATGGAACCAAG
ATTCTATGTTTGGCATTGCAGTAAAAAATATTGGAGATATTAATCAAGATGGCTACCCAGATATTGCAGT
TGGAGCTCCGTATGATGACTTGGGAAAGGTTTTATCTATCATGGATCTGCAATGGAATAAATACCAA
CCAACACAGGTTCTCAAGGTATATCACCTATTTTGGATATTCAATTGCTGGAACATGGACCTTGATC
GAAATTCCTACCCTGATGTTGCTGTTGGTTCCTCTCAGATTCAGTAACTATTTTCAGATCCCGGCTGT
GATTAATATTCAGAAAACCATCACAGTAACTCCTAACAGAATTGACCTCCGCCAGAAAACAGCGTGTGGG
GCGCTAGTGGGATATGCCTCCAGGTTAAATCCTGTTTTGAATATACTGTAACCCCGCTGGTTATAATC



[View online >](#)

CTTCAATATCAATTGTGGGCACACTTGAAGCTGAAAAAGAAAGAAGAAAATCTGGGCTATCCTCAAGAGT
 TCAGTTTCGAAACCAAGGTTCTGAGCCCAATATACTCAAGAAGTAACTCTGAAGAGGCAGAAACAGAAA
 GTGTGCATGGAGGAAACCTGTGGCTACAGGATAATATCAGAGATAAACTGCGTCCCATTCCCATAACTG
 CCTCAGTGGAGATCCAAGAGCCAAGCTCTCGTAGGCGAGTGAATTCACCTCCAGAAGTCTTCCAATTCT
 GAATTCAGATGAACCAAGACAGCTCATATTGATGTTCACTTCTAAAAGAGGGATGTGGAGACGACAAT
 GTATGTAACAGCAACCTTAACTAGAATATAAATTTGCACCCGAGAAGGAAATCAAGACAAATTTTCTT
 ATTTACCAATTCAAAAAGGTGTACCAGAAGTCTAAAAGATCAGAAGGATATTGCTTTAGAAAATAAC
 AGTGACAAAACAGCCTTCCAACCAAGGAATCCACAAAAGATGGCGATGACGCCATGAGGCTAAACTG
 ATTGCAACGTTTCCAGACACTTTAACCTATTCTGCATATAGAGAAGTGAAGGCTTTCCCTGAGAAAACAGT
 TGAGTTGTGTTGCCAACCAAGATGGCTCGCAAGCTGACTGTGAGCTCGGAAATCCTTTTAAAAGAAATTC
 AAATGTCACCTTTTATTTGGTTTTAAGTACAAGTGAAGTCACTTTGACACCCAGATCTGGATATTAAT
 CTGAAGTTAGAAAACAACAAGCAATCAAGATAATTTGGCTCCAATTACAGCTAAAGCAAAGTGGTTATTG
 AACTGCTTTTATCGGTCTCGGGAGTTGCTAAACCTTCCAGGTGATTTTGGAGGTACAGTTGTTGGCGA
 GCAAGCTATGAAATCTGAAGATGAAGTGGGAAGTTTAAAGAGTATGAATTCAGGGTAATAAACTTAGT
 AAACCTTTCACAACTCGGCACAGCAACCTTGAACATTCAGTGGCCAAAAGAAATTAGCAATGGGAAAT
 GTTTGCTTTATTTGGTGAAGTAGAATCCAAGGATTGAAAAGGTAACCTGTGAGCCACAAAAGGAGAT
 AAACCTCCCTGAACCTAACGGAGTCTCACAACTCAAGAAAAGAAACGGGAAATTAAGTAAAAACAGATAGAT
 GATAACAGAAAATTTCTTTATTTGCTGAAAGAAAATACCAGACTCTAACTGTAGCGTGAACGTGAAC
 GTGTGAACATCAGATGCCCGCTGCGGGGCTGGACAGCAAGGCGTCTCTATTTTGCCTCGAGGTTATG
 GAACAGCACATTTCTAGAGGAATATCCAACTGAACTACTTGGACATTCATGCGAGCCTTCATTGAT
 GTGACTGCTGCTGCCGAAAATATCAGGCTGCCAAATGCAGGCACTCAGGTCGAGTACTGTGTTCCCT
 CAAAGACTGTAGCTCAGTATTCGGGAGTACCTTGGTGGATCATCTAGTGGCTATTCTCGCTGGGATCTT
 GATGCTTGCTTTATAGTGTTTATACTATGGAAGTGTGGATTCTTAAACGCTTAGTACGATGACAGT
 GTTCCCGATACCATGCTGTAAGGATCCGGAAGAAAGAGCGAGAGATCAAGATGAAAAGTATATTGATA
 ACCTTGAAAAAACAGTGGATCACAAGTGAACGAAAATGAAAGCTACTCA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC224444 representing NM_001079818
 Red=Cloning site Green=Tags(s)

MAAAGQLCLLYLSAGLLSRLGAAFNLDTREDNVIRKYGDPSLFGFSLAMHWQLQPEDKRLLLVGAPRAE
 ALPLQRANRTGGLYSCDITARGPCTRIEFDNDADPTSESKEDQWMGVTVQSQGGKVVVCAHRYEKRQH
 VNTKQESRDI FGRCYVLSQNLRIEDDMGGDWSFCDGRLRGHEKFGSCQQGVAATFTKDFHYIVFGAPGT
 YNWKGIVRVEQKNNTFFDMNIFEDGPYEVGGETEHEDESLVPVPANSYLGFSLDGKGI VSKDEITFVSGA
 PRANHSGAVVLLKRDMSAHLLEPHIFDGEGLASSFGYDVAVVDLNKDGWQDIVIGAPQYFDRDGEVGG
 VVVYMNQQGRWNVKPIRLNGTKDSMFGIAVKNIGDINQDGYPDIAVGAPYDDLKGVFIYHGSANGINTK
 PTQVLKGISPYFGYSIAGNMDLDRNSYPDVAVGLSDSVTIFRSRPVINIQKTIITVTPNRIDL RQKTACG
 APSGICLQVKSCFEYANPAGYNPSISIVGTLEAEKERRKSSRVQFRNQGSEPKYTQELTLKRQKQK
 VCMEETLWLQDNIRDKLRPIPI TASVEIQEPSSRRRVNSLPEVLPILNSDEPKTAHIDVHFLKEGCGDDN
 VCNENLKL EYKFCTREGNQDKFSYLP IQKGVPELV LKDKQDIALEITVTNPSNPRNPTKDGDDAHEAKL
 IATFPD TLTY SAYRELRAFPEKQLSCVANQNGSQADCELG NPFKRNSNVTFYLV LSTTEVTFDTPDLIN
 LKLETTSNQDNLAPI TAKAKVVI ELLL SVSGVAKPSQVYFGGT VVGEQAMKSEDEVGSLIEYEFV INLG
 KPLTNLGTATLNIQWPKEISNGKWL LYLKVESKGLEKVTCEPQKEINSLNLTESHNSRKKREITEKQID
 DNRKFSLFAERKYQTLNCSVNVNVCYNIRCPLRGLDSKASLILRSRLWNSTFLEEYSKLNLYLDILMRAFI
 DVTAAAENIRLPNAGTQVRVTVP SKTVAQYSGVPWWIILVAILAGILMLALLVFI LKCGFFKRSRYDSS
 VPRYHAVRIRKEEREIKDEKYIDNLEKKQWITKWNENESYS

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001079818

ORF Size: 3273 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

| | |
|-------------------------------|---|
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <u>NM_001079818.3</u> |
| RefSeq Size: | 5680 bp |
| RefSeq ORF: | 3276 bp |
| Locus ID: | 3655 |
| UniProt ID: | <u>P23229</u> |
| Cytogenetics: | 2q31.1 |
| Protein Families: | Druggable Genome, ES Cell Differentiation/IPS, Transmembrane |
| Protein Pathways: | Arrhythmogenic right ventricular cardiomyopathy (ARVC), Cell adhesion molecules (CAMs), Dilated cardiomyopathy, ECM-receptor interaction, Focal adhesion, Hematopoietic cell lineage, Hypertrophic cardiomyopathy (HCM), Pathways in cancer, Regulation of actin cytoskeleton, Small cell lung cancer |
| MW: | 122.05 kDa |
| Gene Summary: | The gene encodes a member of the integrin alpha chain family of proteins. Integrins are heterodimeric integral membrane proteins composed of an alpha chain and a beta chain that function in cell surface adhesion and signaling. The encoded preproprotein is proteolytically processed to generate light and heavy chains that comprise the alpha 6 subunit. This subunit may associate with a beta 1 or beta 4 subunit to form an integrin that interacts with extracellular matrix proteins including members of the laminin family. The alpha 6 beta 4 integrin may promote tumorigenesis, while the alpha 6 beta 1 integrin may negatively regulate erbB2/HER2 signaling. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2015] |