

## Product datasheet for RC225552

### PCBP2 (NM\_001128911) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** PCBP2 (NM\_001128911) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** PCBP2  
**Synonyms:** hnRNP-E2; HNRNPE2; HNRPE2  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >RC225552 representing NM\_001128911  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGC**C

ATGGACACCGGTGTGATTGAAGGTGGATTAATGTCACTCTCACCATCCGGCTACTTATGCATGGAAGG  
 AAGTTGGCAGTATCATCGAAAGAAAGGAGAATCAGTTAAGAAGATGCGCGAGGAGAGTGGTGCACGTAT  
 CAACATCTCAGAAGGGAATTGCTCTGAGAGAATTACACTTTGGCTGGACCCACTAATGCCATCTTCAA  
 GCCTTTGCTATGATCATTGACAACTGGAAGAGGACATAAGCAGCTCTATGACCAATAGCACAGCTGCCA  
 GTAGACCCCGGTACCCTGAGGCTGGTGGTCCCTGCTAGTCAGTGTGGCTCTCTCATTGAAAAAGGTGG  
 ATGCAAGATCAAGGAAATACGAGAGAGTACAGGGGCTCAGGTCCAGGTGGCAGGGGATATGCTACCCAAC  
 TCAACTGAGCGGGCCATCACTATTGCTGGCATTCCACAATCCATCATTGAGTGTGTCAAACAGATCTGCG  
 TGGTCATGTTGGAGACTCTCTCCAGTCCCCCGAAGGGCGTGACCATCCCGTACCGGCCAAAGCCGTC  
 CAGCTCTCCGGTCATCTTTCAGGTGGTCAGGACAGGTACAGCACAGGCAGCGACAGTGCAGCTTTCCC  
 CACACCACCCGTCATGTGCCTCAACCCTGACCTGGAGGGACCCTCTAGAGGCTATAACCATTCAAG  
 GACAGTATGCCATTCCACAGCCAGATTTGACCAAGCTGCACCAGTTGGCAATGCAACAGTCTCATTTTCC  
 CATGACGCATGGCAACACCGGATTCAGTGGCATTGAATCCAGCTCTCCAGAGGTGAAAGGCTATTGGGGT  
 TTGGATGCATCTGCTCAGACTACTTCTCATGAACCTCACCATTCCAAACGATTTGATTGGTCATAATCG  
 GGCGTCAAGGCGCCAAAATCAATGAGATCCGTCAGATGTCTGGGGCGCAGATCAAAATTGCGAACCCAGT  
 GGAAGGATCTACTGATAGGCAGGTTACCATCACTGGATCTGCTGCCAGCATTAGCCTGGCTCAATATCTA  
 ATCAATGTCAGGCTTTCCTCGGAGACGGGTGGCATGGGGAGCAGC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTAA



[View online »](#)

**Protein Sequence:** >RC225552 representing NM\_001128911  
 Red=Cloning site Green=Tags(s)

MDTGVIIEGGLNVTLTIRLLMHGKEVGSIIIGKKGESVKKMREESGARINISEGNCPERIITLAGPTNAIFK  
 AFAMIIDKLEEDISSSMTNSTAASRPPVTLRLVVPASQCGSLIGKGGCKIKEIRESTGAQVQVAGDMLPN  
 STERAIT IAGIPQSIIECVKQICVVMLETL SQSPPKGVTIPYRKPSSSPVIFAGQDRYSTGSDSASFP  
 HTTPSMCLNPDLEGPPLEAYTIQGYAIPQDLTKLHQLAMQQSHFPMTHGNTGFSGIESSPEVKGYWG  
 LDASAQTTSHELTIPNDLIGCIIGRQGAKINEIRQMSG AQIKIANPVVEGSTDRQVITGSAASISLAQYL  
 INVRLSSETGGMGSS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_001128911

**ORF Size:** 1095 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001128911.2](#)

**RefSeq Size:** 3184 bp

**RefSeq ORF:** 1098 bp

**Locus ID:** 5094


**UniProt ID:** [Q15366](#)

**Cytogenetics:** 12q13.13

**MW:** 38.6 kDa

**Gene Summary:** The protein encoded by this gene appears to be multifunctional. Along with PCBP-1 and hnRNPK, it is one of the major cellular poly(rC)-binding proteins. The encoded protein contains three K-homologous (KH) domains which may be involved in RNA binding. Together with PCBP-1, this protein also functions as a translational coactivator of poliovirus RNA via a sequence-specific interaction with stem-loop IV of the IRES, promoting poliovirus RNA replication by binding to its 5'-terminal cloverleaf structure. It has also been implicated in translational control of the 15-lipoxygenase mRNA, human papillomavirus type 16 L2 mRNA, and hepatitis A virus RNA. The encoded protein is also suggested to play a part in formation of a sequence-specific alpha-globin mRNP complex which is associated with alpha-globin mRNA stability. This multiexon structural mRNA is thought to be retrotransposed to generate PCBP-1, an intronless gene with functions similar to that of PCBP2. This gene and PCBP-1 have paralogous genes (PCBP3 and PCBP4) which are thought to have arisen as a result of duplication events of entire genes. This gene also has two processed pseudogenes (PCBP2P1 and PCBP2P2). Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2018]

Product images:



Circular map for RC225552