

Product datasheet for **RC227320**

FGFR2 (NM_001144917) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FGFR2 (NM_001144917) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	FGFR2
Synonyms:	BBDS; BEK; BFR-1; CD332; CEK3; CFD1; ECT1; JWS; K-SAM; KGFR; TK14; TK25
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC227320 representing NM_001144917
 Red=Cloning site Blue=ORF Green=Tags(s)

CTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCCGGCGC
 GCC

ATGGTCAGCTGGGGTCGTTTCATCTGCCTGGTCGTGGTACCATGGCAACCTTGTCCCTGGCCCGCCCT
 CCTTCAGTTTAGTTGAGGATACCACATTAGAGCCAGAAGAGCCACCAACCAATACCAAATCTCTCAACC
 AGAAGTGTACGTGGCTGCGCCAGGGGAGTCGCTAGAGGTGCGCTGCCTGTTGAAAGATGCCGCCGTGATC
 AGTTGGACTAAGGATGGGGTGCCTTGGGGCCCAACAATAGGACAGTGCTTATTGGGGAGTACTTGCAGA
 TAAAGGGCGCCACGCCTAGAGACTCCGGCCTCTATGCTTGTACTGCCAGTAGGACTGTAGACAGTAAAC
 TTGGTACTTCATGGTGAATGTCACAGATGCCATCTCATCCGGAGATGATGAGGATGACACCGATGGTGGC
 GAAGATTTTGTGAGTGAACAGTAACAACAAGAGAGCACCATACTGGACCAACACAGAAAAGATGGAAA
 AGCGGCTCCATGTGTGCTGCGGCCAACACTGTCAAGTTTCGCTGCCAGCCGGGGGAACCAATGCC
 AACCATGCGGTGGCTGAAAAACGGGAAGGAGTTTAAAGCAGGAGCATCGCATTGGAGGCTACAAGGTACGA
 AACCGACTGGAGCCTCATTATGGAAAGTGTGGTCCCATCTGACAAGGGAAATTAACCTGTGTAGTGG
 AGAATGAATACGGGTCCATCAATCACACGTACCACCTGGATGTTGTGGAGCGATCGCCTCACCGGCCAT
 CCTCAAGCCGGACTGCCGGCAATGCCTCCACAGTGGTCGGAGGAGACGTAGAGTTTGTCTGCAAGGTT
 TACAGTGTGCCAGCCACATCCAGTGGATCAAGCAGTGGAAAAGAACGGCAGTAAATACGGGCCCCG
 ACGGGCTGCCCTACCTCAAGTTCTCAAGTTTCGGCTGAGTCCAGCTCCTCCATGAACTCCAACACCCC
 GCTGGTGGAGATAACAACACGCCTCTCTCAACGGCAGACACCCCATGCTGGCAGGGGTCTCCGAGTAT
 GAACTTCCAGAGGACCAAAATGGGAGTTTCCAAGAGATAAGCTGACACTGGGCAAGCCCTGGGAGAAG
 GTTGCTTTGGCAAGTGGTCATGGCGGAAGCAGTGGGAATTGACAAAGACAAGCCCAAGGAGCGGTCAC
 CGTGGCCGTGAAGATGTTGAAAGATGATGCCACAGAGAAAAGACCTTTCTGATCTGGTGTGAGAGATGGAG
 ATGATGAAGATGATTGGGAAACACAAGAATATCATAAATCTTCTTGGAGCCTGCACACAGGATGGGCCTC
 TCTATGTCATAGTTGAGTATGCCTCTAAAGGCAACCTCCGAGAATACCTCCGAGCCCGGAGGCCACCCGG
 GATGGAGTACTCCTATGACATTAACCGTGTTCCTGAGGAGCAGATGACCTTCAAGGACTTGGTGTATGC
 ACCTACCAGCTGGCCAGAGGCATGGAGTACTTGGCTTCCCAAAATGTATTCATCGAGATTTAGCAGCCA
 GAAATGTTTTGGTAACAGAAAACAATGTGATGAAAATAGCAGACTTTGGACTCGCCAGAGATATCAACAA
 TATAGACTATTACAAAAGACCACCAATGGGCGGCTTCCAGTCAAGTGGATGGCTCCAGAAGCCCTGTTT
 GATAGAGTATACACTCATCAGAGTGTCTGGTCTTCCGGGTGTTAATGTGGGAGATCTTCACTTTAG
 GGGCTCGCCCTACCCAGGGATTCCCGTGGAGGAACCTTTTAAAGCTGCTGAAGGAAGGACACAGAATGGA
 TAAGCCAGCCAACCTGCACCAACGAAGTACATGATGATGAGGGACTGTTGGCATGCAGTGCCTCCAG
 AGACCAACGTTCAAGCAGTTGGTAGAAGACTTGGATCGAATTCTCACTCTCACAACCAATGAGGAATACT
 TGGACCTCAGCCAACCTCTCGAACAGTATTACCTAGTTACCCTGACACAAGAAGTTCTTGTCTTCAGG
 AGATGATCTGTTTTTCTCCAGACCCCATGCCTACGAACCATGCCTTCTCAGTATCCACACATAAAC
 GGCAGTGTAAAAACA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA


Protein Sequence: >RC227320 representing NM_001144917
Red=Cloning site Green=Tags(s)

MVSWGRFICLVVVTMATLSLARPSFSLVEDTTLEPEEPPTYQISQPEVYVAAPGESLEVRCLLKDAAVI
 SWTKDGVHLGPNRTVLIGEYLQIKGATPRDSGLYACTASRTVDSETWYFMVNVTDAISSGGDEDDTDGA
 EDFVSENSNNKRAPYWTNTEKMEKRLHAVPAANTVKFRCPAGGNPMTMRWLKNGKEFKQEHRIGGYKVR
 NQHWSLIMESVVP SDKGNYTCVENEYGSINHTYHLDVVERSPHRPILQAGLPANASTVVGDDVEFVCKV
 YSDAQPHIQWIKHVEKNGSKYGPDGLPYLKVLKVS AESSSSMNSNTPLVRIITTRLSTADTPMLAGVSEY
 ELPEDPKWEPDRDKLTLGKPLGEGCFGQVMAEAVGIDKDKPKEAVTVAVKMLKDDATEKDLSDLVSEME
 MMKIMIGKHKNIINLLGACTQDGPLYVIVEYASKGNLREYL RARRPPGMEYSYDINRVPEEQMTFKDLVSC
 TYQLARGMEYLASQKCIHRDLAARNVLVTENVMKIADFG LARDINNIDYKKTNGRLPVKWMapealf
 DRVYTHQSDVWSFGVLMWEIFTLGGSPYPGIPVEELFKLLKEGHRMDKPANCTNELYMMMRDCWHAVPSQ
 RPTFKQLVEDLRILTLTNEEYLDLSQPLEQYSPSPDTRSSCSSGDDSVFSPDPMPYEPCLPQYPHIN
 GSVKT

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: AscI-MluI

Cloning Scheme:



ACCN: NM_001144917

ORF Size: 2115 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001144917.2](#)

RefSeq ORF: 2118 bp

Locus ID: 2263

UniProt ID: [P21802](#)

Cytogenetics: 10q26.13


Protein Families: Druggable Genome, Protein Kinase, Secreted Protein, Transmembrane

Protein Pathways: Endocytosis, MAPK signaling pathway, Pathways in cancer, Prostate cancer, Regulation of actin cytoskeleton

MW: 79.21 kDa

Gene Summary: The protein encoded by this gene is a member of the fibroblast growth factor receptor family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein consists of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member is a high-affinity receptor for acidic, basic and/or keratinocyte growth factor, depending on the isoform. Mutations in this gene are associated with Crouzon syndrome, Pfeiffer syndrome, Craniosynostosis, Apert syndrome, Jackson-Weiss syndrome, Beare-Stevenson cutis gyrata syndrome, Saethre-Chotzen syndrome, and syndromic craniosynostosis. Multiple alternatively spliced transcript variants encoding different isoforms have been noted for this gene. [provided by RefSeq, Jan 2009]

Product images:



Circular map for RC227320