

Product datasheet for RC229553

NDUFB4 (NM 001168331) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: NDUFB4 (NM_001168331) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: NDUFB4

Synonyms: B15; CI-B15

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC229553 representing NM_001168331
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

AGTATTTGAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC229553 representing NM_001168331

Red=Cloning site Green=Tags(s)

MSFPKYKPSSLRTLPETLDPAEYNISPETRRAQAERLAIRAQLKREYLLQYNDPNRRGLIENPALLRWAY

ARTINVYPNFRPTPKNSLMGALCGFGPLIFIYYIIKTERVSIQTRCLVFE

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001168331

ORF Size: 360 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info



NDUFB4 (NM_001168331) Human Tagged ORF Clone - RC229553

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001168331.2</u>

 RefSeq ORF:
 363 bp

 Locus ID:
 4710

 UniProt ID:
 095168

 Cytogenetics:
 3q13.33

Protein Families: Transmembrane

Protein Pathways: Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation,

Parkinson's disease

MW: 14.5 kDa

Gene Summary: This gene encodes a non-catalytic subunit of the multisubunit NADH:ubiquinone

oxidoreductase, the first enzyme complex in the mitochondrial electron transport chain (complex I). Mammalian complex I is composed of 45 different subunits and transfers

electrons from NADH to ubiquinone. [provided by RefSeq, Dec 2009]