

## Product datasheet for **RC235060**

### alpha Adaptin (AP2A2) (NM\_001242837) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	alpha Adaptin (AP2A2) (NM_001242837) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	alpha Adaptin
Synonyms:	ADTAB; CLAPA2; HIP-9; HIP9; HYPJ
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC235060 representing NM\_001242837  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**


ATGCCGGCGGTGTCCAAGGGGGACGGGATGCGGGGCTGGCGGTCTTCATCTCGGATATCCGCAACTGTA  
 AAAGTAAAGAAGCAGAAATAAAAAGGATAAACAAGGAAGTGGCAATATCAGATCAAATTTAAAGGTGA  
 CAAGGCTCTTGATGGCTATAGTAAAAAAGTACGTCTGCAAGTTGCTCTTCATCTTTCTCCTTGTCAT  
 GACATTGACTTTGGACACATGGAGGCTGTGAACCTGCTGAGTTCAAACAGATACACGAAAAAGCAGATCG  
 GCTACCTTTTCATCTCTGTGTTGGTGAACCTCAAACAGTGAAGTATCCGCTGATCAACAACGCCATCAA  
 GAATGACCTGGCCAGCCCAACCCACCTTCATGGGCCTGGCCCTGCACTGCATCGCCAGCGTGGGCAGC  
 CGGGAGATGGCCGAGGCTTCGCCGGGAGATCCCTAAGTCTCGTAGCCGGAGACACTATGGACAGCG  
 TGAAGCAGAGCGCGGCCCTGTGCTTGTGCGCCTGTACAGGACGTCCCCGATCTTGTCCCATGGCGCA  
 CTGGACATCCCGAGTGGTGCACCTGCTCAATGACCAGCACTTGGGTGTGGTAAGTGCAGCCACAAGTCTG  
 ATCACCACCTTTAGCACAGAAGAACCAGAAGAGTTTAAAACCTCCGTGTCTCTGGCTGTCTCTAGGCTAA  
 GCAGAATCGTGACGTCTGCATCCACAGATCTCCAGGATTACACTTACTATTTTGTCCCGGCTCCCTGGCT  
 GTCTGTCAAAGTCTGAGACTGCTGCAGTGTACCCACCCCAAGAAGACCTGCAGTGCAGAGGCCGCTG  
 ACTGAGTGCTGGAGACCATCTGAACAAAGCCCAAGAACCGCCCAAGTGAAGAAGGTCCAGCACTCCA  
 ACGCGAAGAATGCCGTGCTCTTCGAGGCCATCAGCTTAATCATTACCATGACAGTGAGCCGAACCTGCT  
 CGTCCGTGCTGCAACAGTGGGCCAGTTTCTGCAGCACCGGAGACCAACCTGCGCTACCTGGCCCTG  
 GAGAGCATGTGCACGCTGGCCAGCTCTGAGTTCTCCATGAGGCTGTCAAGACGCACATCGAGACGGTCA  
 TCAACGCCCTGAAGACTGAGCGGACGTGAGCGTGCAGCGGCGGCGGACCTCTCTACGCCATGTG  
 CGACCGCAGCAACGCCCCACAGATCGTGGCCGAGATGCTGAGCTATCTGGAGACAGCTGACTACTCCATC  
 CGAGAAGAGATTGTGCTGAAGTGCACCTCCTGGCTGAGAAGTACGCGGTGGACTACACCTGGTATGTGG  
 ATACCATCTTGAACCTTGATCCGAATTGCTGGTATTACGTGAGTGAAGAGGTGTGGTACCGAGTCATTCA  
 GATCGTCAACCCGGGACGACGTGCAGGGCTACGCGGCCAAGACTGTGTTGAGGCTCTTCAGGCTCCC  
 GCGTGCCACGAGAACCCTGGTCAAAGTGGGCGGCTACATCCTGGGGGAGTTTGGAACTTGATAGCTGGAG  
 ACCCGAGATCCAGCCGCTGATCCAGTTCACCTGCTGCACTCCAAGTTCACCTGTGCAGCGTCCCCAC  
 CCGCGCGTCTCTGTCCACCTACATCAAGTTCGTGAACCTCTCCCGAGGTGAAGCCCACCATCCAG  
 GACGTGCTGCGCAGCAGCAGCCAGCTCAGGAACGCAGACGTGGAGCTGCAGCAGCGTGTGTGGAGTACC  
 TGGCGCTCAGCACCGTGGCCAGCACCGACATTCTGGCGACCGTGTGGAGGAGATGCCCCATTCCCGGA  
 GCGGGAGTCTCCATCTTGGCAAAGCTCAAAGAAGAAGGGGCCCCAGCACGGTGACAGACCTGGAGGAC  
 ACCAAGCGGGACAGGAGTGTGGACGTGAACGGGGTCTGAGCCTGCCCCAGCCAGTACCAGCGCCGTGT  
 CTACGCCCTTCTCCGTCCGACAGCTGCTGGGTCTCGGGGCTGCCCCCTGCCCCCGGGGCCCCCACC  
 CTCTCCGGCGGACGGGCTGCTCGTGGACGTGTTCTCAGACTCGGCCTCTGTGGTCCGCGCTCTCGCT  
 CCTGGCTCCGAAGACAACCTTTGCCAGGTTGTTTGTAAAAACAATGGTGTGTTGTTTGAACCAGCTGC  
 TTCAAATTGGACTTAAGTCTGAATTTCCGCAGAATTTAGGTCGGATGTTTATCTTTTATGGTAATAAGAC  
 CTCCAGCAGTTCTAACTTTACCCCAACACTAATCTGTTTCAGACGACCTTCAGCCTAACCTGAACCTG  
 CAGACCAAGCCCGTGGACCCGACCGTGGAGGGGGCGCGCAGGTGCAGCAGGTGGTCAACATAGAGTCCG  
 TGTCCGACTTCACGGAGGCGCCAGTCTCAACATTCAAGTTCAGGTATGGGGGACCTTCAGAACGTGTC  
 TGTGCAGCTGCCATCACTCTCAACAAATCTTCCAGCCGACAGAAATGGCTTCTCAGGATTTCTTTCAA  
 CGTTGGAAGCAGTTGAGCAATCCACAGCAGGAAGTGCAGAACATCTTCAAAGCAAAGCACCCAATGGACA  
 CAGAAGTCAACAAAGCCAAGATCATTGGATTTGGTTCTGCACTTCTTGAAGAAGTTGATCCTAATCCTGC  
 GAATTTCTGTTGGAGCTGGAATCATCCACACGAAAACCCAGATTGGATGCCTGCTGCGCTGGAGCCG  
 AACCTGCAAGCCAGATGTACCGGCTCACGCTGCGCACAAGTAAGGAAGCCGTTTCTCAGAGATTATGTG  
 AATTGCTCTCAGCGCAGTTT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA



<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001242837.1</a> , <a href="#">NP_001229766.1</a>
<b>RefSeq Size:</b>	4674 bp
<b>RefSeq ORF:</b>	2823 bp
<b>Locus ID:</b>	161
<b>UniProt ID:</b>	<a href="#">O94973</a>
<b>Cytogenetics:</b>	11p15.5
<b>Protein Pathways:</b>	Endocytosis, Huntington's disease
<b>MW:</b>	104.5 kDa
<b>Gene Summary:</b>	The protein encoded by this gene is a subunit of the AP-2 adaptor protein complex, which is involved in linking lipid and protein membrane components with the clathrin lattice. This interaction supports the formation of clathrin-coated vesicles, and the encoded subunit aids in the process by binding polyphosphoinositide-containing lipids in the cell membrane. [provided by RefSeq, Nov 2016]

Product images:



Circular map for RC235060