

## Product datasheet for **RG200342**

### CDK5 (NM\_004935) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	CDK5 (NM_004935) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	CDK5
Synonyms:	LIS7; PSSALRE
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG200342 representing NM_004935 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGCAGAAATACGAGAACTGGAAAAGATTGGGAAGGCACCTACGGAAGTGTGTTCAAGGCCAAAAACC  
GGGAGACTCATGAGATCGTGGCTCTGAAACGGGTGAGGCTGGATGACGATGATGAGGGTGTGCCGAGTTC  
CGCCCTCCGGGAGATCTGCCTACTCAAGGAGCTGAAGCACAAGAACATCGTCAGGCTTCATGACGTCCTG  
CACAGCGACAAGAAGCTGACTTTGGTTTTTGAATTCTGTGACCAGGACCTGAAGAAGTATTTTGACAGTT  
GCAATGGTGACCTCGATCCTGAGATTGTAAGTCAATTCCTCTCCAGCTACTAAAAGGGCTGGGATTCTG  
TCATAGCCGCAATGTGCTACACAGGGACCTGAAGCCCCAGAACCTGCTAATAAACAGGAATGGGGAGCTG  
AAATTGGCTGATTTTGGCCTGGCTCGAGCCTTTGGGATTCCTCCGCTGTTACTCAGCTGAGGTGGTCA  
CACTGTGGTACCGCCACCGGATGTCTCTTTGGGGCCAAGCTGTACTCCACGTCCATCGACATGTGGTC  
AGCCGGCTGCATCTTTCAGAGCTGGCCAATGTGGGCGGCCTCTTTTCCCGCAATGATGTGATGAC  
CAGTTGAAGAGGATCTTCCGACTGCTGGGACGCCACCGAGGAGCAGTGGCCCTCTATGACCAAGCTGC  
CAGACTATAAGCCCTATCCGATGTACCCGGCCACAACATCCCTGGTGAACGTCGTGCCAAAACCTCAATGC  
CACAGGGAGGGATCTGCTGCAGAACCTTCTGAAGTGTAACCCTGTCCAGCGTATCTCAGCAGAAGAGGCC  
CTGCAGCACCCCTACTTCTCCGACTTCTGTCCGCC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)


**Protein Sequence:** >RG200342 representing NM\_004935  
 Red=Cloning site Green=Tags(s)

MQKYEKLEKIGEGTYGTVFKAKNRETHEIVALKRVRLDDDDDEGVPSSALREICLLKELKHKNIIVRLHDVL  
 HSDKKLTLVFEFCDQLKKYFDSCNGDLDPKIVKSFLLQLLKGLGFCHSRNVLHRDLKPQNLLINRNGEL  
 KLADFLARAFGIPVRCYSAEVVTLWYRPPDVLFGAKLYSTSIDMWSAGCIFAELANAGRPLFPGNVDVDD  
 QLKRIFRLLGTPTEEQWPSMTKLPDYKPYMPYPATTSLVNVVVKLNATGRDLLQNLLKCNPVQRISAEEA  
 LQHPYFSDFCPP

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_004935

**ORF Size:** 876 bp


**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_004935.4</u>
<b>RefSeq Size:</b>	1143 bp
<b>RefSeq ORF:</b>	879 bp
<b>Locus ID:</b>	1020
<b>UniProt ID:</b>	<u>Q00535</u>
<b>Cytogenetics:</b>	7q36.1
<b>Domains:</b>	pkinase, TyrKc, S_TKc
<b>Protein Families:</b>	Druggable Genome, Protein Kinase
<b>Protein Pathways:</b>	Alzheimer's disease, Axon guidance
<b>Gene Summary:</b>	This gene encodes a proline-directed serine/threonine kinase that is a member of the cyclin-dependent kinase family of proteins. Unlike other members of the family, the protein encoded by this gene does not directly control cell cycle regulation. Instead the protein, which is predominantly expressed at high levels in mammalian postmitotic central nervous system neurons, functions in diverse processes such as synaptic plasticity and neuronal migration through phosphorylation of proteins required for cytoskeletal organization, endocytosis and exocytosis, and apoptosis. In humans, an allelic variant of the gene that results in undetectable levels of the protein has been associated with lethal autosomal recessive lissencephaly-7. Alternative splicing results in multiple transcript variants. [provided by RefSeq, May 2015]

Product images:



Circular map for RG200342