

### **Product datasheet for RG200616**

## NDUFA1 (NM 004541) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: NDUFA1 (NM\_004541) Human Tagged ORF Clone

Tag: TurboGFP Symbol: NDUFA1

Synonyms: CI-MWFE; MC1DN12; MWFE; ZNF183

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG200616 representing NM\_004541

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTGGTTCGAGATTCTCCCCGGACTCTCCGTCATGGGCGTGTGCTTGTTGATTCCAGGACTGGCTACTGCGTACATCCACAGGTTCACTAACGGGGGCAAGGAAAAAAGGGTTGCTCATTTTGGGTATCACTGGAGTCTGATGGAAAAAAGAGATAGGCGCATCTCTGGAGTTGATCGTTACTATGTGTCAAAGGGTTTGGAGAACATTGAT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG200616 representing NM\_004541

Red=Cloning site Green=Tags(s)

MWFEILPGLSVMGVCLLIPGLATAYIHRFTNGGKEKRVAHFGYHWSLMERDRRISGVDRYYVSKGLENID

TRTRPLE - GFP Tag - V

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### **Cloning Scheme:**





**ACCN:** NM\_004541

ORF Size: 210 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

### NDUFA1 (NM\_004541) Human Tagged ORF Clone - RG200616

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** <u>NM 004541.4</u>

RefSeq Size: 479 bp
RefSeq ORF: 213 bp
Locus ID: 4694
UniProt ID: 015239
Cytogenetics: Xq24

**Protein Families:** Transmembrane

**Protein Pathways:** Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation,

Parkinson's disease

**Gene Summary:** The human NDUFA1 gene codes for an essential component of complex I of the respiratory

chain, which transfers electrons from NADH to ubiquinone. It has been noted that the N-terminal hydrophobic domain has the potential to be folded into an alpha-helix spanning the inner mitochondrial membrane with a C-terminal hydrophilic domain interacting with


globular subunits of complex I. The highly conserved two-domain structure suggests that this feature is critical for the protein function and might act as an anchor for the

NADH:ubiquinone oxidoreductase complex at the inner mitochondrial membrane. However, the NDUFA1 peptide is one of about 31 components of the "hydrophobic protein" (HP)

fraction of complex I which is involved in proton translocation. Thus the NDUFA1 peptide may

also participate in that function. [provided by RefSeg, Jul 2008]

# **Product images:**



Circular map for RG200616