

Product datasheet for **RG205317**

PI 3 Kinase Class 3 (PIK3C3) (NM_002647) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PI 3 Kinase Class 3 (PIK3C3) (NM_002647) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PI 3 Kinase Class 3
Synonyms:	hVps34; VPS34; Vps34
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG205317 representing NM_002647
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGGGGAAGCAGAGAAGTTTCACTACATCTATAGTTGTGACCTGGATATCAACGTCAGCTTAAGATAG
 GAAGCTTGAAGGAAGAGAGAACAAGAGTTATAAAGCTGTCCTGGAAGACCCAATGTTGAAGTTCTC
 AGGACTATATCAAGAGACATGCTCTGATCTTTATGTTACTTGTCAAGTTTTTGCAGAAGGAAGCCTTTG
 GCCTTGCCAGTGAGAACATCCTACAAGCATTTAGTACAAGATGGAAGTGAATGAATGGCTGAACTAC
 CAGTAAAAACCTGACCTGCCAGGAATGCCAAGTGGCCCTCACCATATGGGATGTGTATGGTCCCGG
 AAAAGCAGTGCCTGTAGGAGGAACAACGGTTTCGCTCTTTGAAAATACGGCATGTTTCGCCAAGGGATG
 CATGACTTGAAAGTCTGGCCTAATGTAGAAGCAGATGGATCAGAACCCACAAAACTCCTGGCAGAACAA
 GTAGCACTCTCAGAAGATCAGATGAGCCGTCTTGCCAAGCTCACCAAAGCTCATGCACAAGGACACAT
 GGTGAAAGTAGATTGGCTGGATAGATTGACATTTAGAGAAATAGAAATGATAAATGAGAGTGAAAAACGA
 AGTTCTAATTTACGTACCTGATGGTTGAATTCGATGTGTCAAGTGTGATGATAAGGAATATGGTATTG
 TTTATTATGAAAAGGACGGTGTGAATCATCTCCAATTTAACAAGTTTTGAATTAGTAAAAGTTCTCTGA
 CCCCAGATGTCTATGGAGAATTTAGTTGAGAGCAACACCACAAGCTTGCCCGGAGTTTAAAGAGTGGC
 CCTTCTGACCACGATCTGAAACCAATGCTGCCACGAGAGATCAGTTAAATATTATTGTGAGTTATCCAC
 CAACCAAGCAACTTACATATGAAGAACAAGATCTTGTGGAAAGTTTAGATATTATCTTACGAATCAAGA
 AAAAGCCTTGACAAAATCTTGAAATGTGTTAATTGGGATCTACCTCAAGAGGCCAAACAGGCCTTGAA
 CAACTGTGAGGCTTATGCTGTTGCCCGGTTGCGACAGGCCGATGATGAGGATTTGTTGATGTAACCTATT
 ACAATTGGTCCAGGCTCTCAAATATGAAAATTTGATGATATAAAGAATGGATTGGAACCTACCAAGAAG
 GATAGTCAGAGTTCAGTGTGAGAAAATGTGTCAAATTCGGAATAAATTCGAGAAAATAGATAGCTCCC
 AAATTATAACAGCCCCCTTCTTCAGTCTCTTACCTCCTCCTGCATCAAAAACAAAAGAAGTTCCAGA
 TGGCGAAAATCTGGAACAAGATCTCTGTACCTTGTGATATCGAGAGCCTGCAAAAACCTCAACACTGGCT
 AATTATTTATACTGGTATGTGATAGTGAATGTGAAGTCAAGATACTCAGCAGAGAGATCCAAAGACCC
 ATGAGATGTAAGTGAACGTAATGAGAAGATTGAGCAAGCATTGTTGAAGGGTGAATAGTCTGTCAGAGT
 TATGCGTTCTTTGCTGGCTGCACAACAGACATTTGTAGATCGGTTGGTGCATCTAATGAAGCGAGTACAA
 CGCGAAAGTGAAATCGTAAGAAAAGAATGAGAGACTACAGGCATTGCTTGGAGATAATGAAAAGATGA
 ATTTGTCAGATGTGGAACCTATCCCGTTGCCTTTAGAACCCCAAGTAAAATTAGAGGAATAATCCGGA
 AACAGCTACACTGTTTAAAAGTGCCTTATGCCTGCACAGTTGTTTTTAAAGACGGAAGATGGAGGCAAA
 TATCCAGTTATATTTAAGCATGGAGATGATTTACGTCAAGATCAACTTATTCTTCAAATCATTTCACTCA
 TGGACAAGCTGTTACGGAAGAAAATCTGGACTTGAAATTGACACCTTATAAGGTGTTAGCCACCAGTAC
 AAAACATGGCTTCATGCAGTTTATCCAGTCAGTTCCTGTGGCTGAAGTTCCTTGATACAGAGGGAAGCATT
 CAGAACTTTTTGAAGAAATGACCAAGTGAAGTGGCCAAAATGGGATTAGTGTGAGGTCATGGACA
 CTTACGTTAAAAGCTGTGCTGGATATTGCGTGATCACCTATATACTTGGAGTTGGAGACAGGCACCTGGA
 TAACCTTTTGTAAACAAAACAGGCAAACTCTCCACATAGACTTTGGATATATTTTGGGTCGGGATCCA
 AAGCCTTCTCCACCAATGAAGCTGAATAAAGAAAATGGTAGAAGGAATGGGGGCGCACAGAGTGAAGC
 AGTACCAAGAGTTCGGTAAACAGTGTACACGGCTTCTCCACCTGCGAAGGTATTCTAATCTGATTTT
 GAACCTGTTTTCTTGTGTTGATGCAAACTCCAGATATTGCACTTGAACCAGATAAACTGTGAAA
 AAGGTTACAGATAAATCCGCTTAGACCTGTCGGATGAAGAGGCTGTGCATTACATGCAGAGTCTGATTG
 ATGAGAGTGTCCATGCTCTTTTGTGTCAGTGGTGAACAGATTCACAAGTTGCCAGTACTGGAGAAA
 A

ACGCGTACGCGGCCGCTCGAG – GFP Tag – **GTTTAA**

Protein Sequence: >RG205317 representing NM_002647
 Red=Cloning site Green=Tags(s)

MGEAEKFHYIYSCDLINVLKIGSLEQKREQKSYKAVLEDPMLKFSGLYQETCSDLVYTCQVFAEGKPL
 ALPVRTSYKAFSTRWNWNEWLKLPVKYKPDLPNAQVALTIWDVYGPVKAVPVGGTTVSLFGKYGMFRQGM
 HDLKVWPVNEADGSEPTKTPGRTSSTLSEDMQSRKAKLTKAHRQGHMVKVDWLDRLTFREIEMINESEKR
 SSNFMYLMVEFRCVKCDDKEYGIVYVEKDGDESSPILTSFELVKVPDPQMSMENLVESKHHKLARSLRSG
 PSDHDLKPNAAATRDQLNIIVSYPPTKQLTYEEQDLVWKFRYYLTNQEKALTKFLKCVNWDLPQEAKQALE
 LLGKWKPMVDVDSLELLSSHYNPTVRRYAVARLRQADDEDLLMYLLQLVQALKYENFDDIKNGLEPTKK
 DSQSSVSENVNSGINSAEIDSSQIITSPLPSVSSPPPASKTKEVPDGENLEQDLCTFLISRACKNSTLA
 NYLYWYVIVECEDQDTQQRDPKTHEMYLNMVRRFSQALLKGDKSVRVMRSLLAAQQTfVDRLVHLMKAVQ
 RESGNRKKKNERLQALLGDNEKMNLSDVELIPLPLEPQVKIRGIIPETATLFSALMPAQLFFKTEDGGK
 YPVIFKHGDDLQDQILQIISLMDKLLRKENLDLKLTPYKVLATSTKHGFMQFIQSVPAEVLDTEGSI
 QNFFRKYAPSENGPNGISAEVMDTYVKSCAGYCVITYILGVGDRHLDNLLLTKTGKLFHIDFGYILGRDP
 KPLPPPMKLNKEMVEGMMGTQSEQYQEFRKQCYTAFHLHRRYSNLILNLFSLMVDANIPDIALEPDKTVK
 KVQDKFRLDLSDEEAVHYMQSLIDESVHALFAAVVEQIHKFAQYWRK

TRTRPLE - GFP Tag - V


Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN:	NM_002647
ORF Size:	2661 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_002647.4
RefSeq Size:	3083 bp
RefSeq ORF:	2664 bp
Locus ID:	5289
UniProt ID:	Q8NEB9
Cytogenetics:	18q12.3
Domains:	PI3_PI4_kinase, PI3Ka, PI3K_C2
Protein Families:	Druggable Genome
Protein Pathways:	Inositol phosphate metabolism, Metabolic pathways, Phosphatidylinositol signaling system, Regulation of autophagy
Gene Summary:	Catalytic subunit of the PI3K complex that mediates formation of phosphatidylinositol 3-phosphate; different complex forms are believed to play a role in multiple membrane trafficking pathways: PI3KC3-C1 is involved in initiation of autophagosomes and PI3KC3-C2 in maturation of autophagosomes and endocytosis. Involved in regulation of degradative endocytic trafficking and required for the abscission step in cytokinesis, probably in the context of PI3KC3-C2 (PubMed:20643123, PubMed:20208530). Involved in the transport of lysosomal enzyme precursors to lysosomes. Required for transport from early to late endosomes (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG205317