

## Product datasheet for **RG212067**

### **PML Protein (PML) (NM\_033239) Human Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	PML Protein (PML) (NM_033239) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PML
Synonyms:	MYL; PP8675; RNF71; TRIM19
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide  
Sequence:

>RG212067 representing NM\_033239  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGAGCCTGCACCCGCCGATCTCCGAGGCCAGCAGGACCCGCCCGCCAGGAGCCACCATGC  
 CTCCCCCGAGACCCCTCTGAAGGCCGCCAGCCAGCCAGCCAGCCCTACAGAGCGAGCCCGC  
 TTCGGAGGAGGATTCCAGTTTCTGCGCTGCCAGCAATGCCAGGCGGAAGCCAAGTGCCGAAGCTGCTG  
 CCTGTCTGCACACGCTGTGCTCAGGATGCCTGGAGGCGTCGGGCATGCAGTGCCCATCTGCCAGGCGC  
 CCTGGCCCTAGGTGCAGACACCCGCCCTGGATAACGTCTTTTTCGAGAGTCTGCAGCGGCGCTGTC  
 GGTGTACCGCAGATTGTGGATGCGCAGGCTGTGTGCACCCGCTGCAAAGAGTCGGCCGACTTCTGGTGC  
 TTTGAGTGCAGCAGCTCCTCTGCGCAAGTGCTTCGAGGCACACCAGTGGTTCTCAAGCAGGAGCC  
 GGCCCTAGCAGAGCTGCGCAACCAGTCGGTGCCTGAGTTCCTGGACGGCACCCGCAAGACCAACAAT  
 CTTCTGCTCAACCCCAACCACCGCACCCCTACGCTGACCAGCATCTACTGCCGAGGATGTTCAAGCCG  
 CTGTGCTGCTCGTGCAGCTCCTTGACAGCAGCCACAGTGAAGTCAAGTGCAGACATCAGCCGAGAGATCC  
 AGCAGCGACAGGAGGAGCTGGACGCCATGACGCAGGCGCTGCAGGAGCAGGATAGTGCCTTTGGCCGGT  
 TCACGCGCAGATGCACGCGGCCGTGCGCCAGCTGGGCCGCGCGCTGCCGAGACCAGGAGCTGATCCGC  
 GAGCGCTGCGCCAGGTGGTAGCTCACGTGCGGGCTCAGGAGCGCGAGCTGCTGGAGGCTGTGGACGCGC  
 GGTACCAGCGGACTACGAGGAGATGGCCAGTCGGCTGGGCCGCTGGATGCTGTGCTGCAGCGCATCCG  
 CACGGGACGCGCTGGTGCAGAGGATGAAGTGTACGCTCGGACCAGGAGGCTGGACATGCACGGT  
 TTCCTGCGCCAGGCGCTCTGCCGCTGCGCCAGGAGGCCAGAGCCTGCAAGCTGCCGTGCGCACCG  
 ATGGCTTCGACGAGTTCAAGGTGCGCTGCAGGACCTCAGCTCTTGATCACCCAGGGGAAGATGCCAG  
 TGTATCCAAGAAAGCCAGCCAGAGGCTGCCAGCACTCCAGGGACCCTATTGACGTTGACCTGCCCGAG  
 GAGGCAGAGAGAGTGAAGGCCAGGTTAGGCCCTGGGGCTGGCTGAAGCCAGCCTATGGCTGTGGTAC  
 AGTCAGTGCCCGGGCACACCCCGTCCAGTGTACGCCTTCTCCATCAAAGGCCCTTCTATGGAGAGGA  
 TGTCTCCAATAACGACAGCCAGAAGAGGAAGTGCAGCCAGACCCAGTCCCCAGGAAGGTATCAAG  
 ATGGAGTCTGAGGAGGGGAAGGAGGCAAGGTTGGCTCGGAGCTCCCGGAGCAGCCAGGCCAGCACCT  
 CCAAGGCAGTCTACCACCCACCTGGATGGACCCTAGCCCCAGGAGCCCGTATAGGAAGTGAGGT  
 CTTCTGCCAACAGCAACCACGTGGCCAGTGGCGCCGGGAGGCAGAGGAACCGGTTGTGGTGATCAGC  
 AGCTCGGAAGACTCAGATGCCGAAAACCTGTGCATGGAGCCATGGAGACCGCCAGCCACAGTCTCGC  
 CAGCCACTCCTCGCCAGCCACTCCTCGCCAGCCACTCCTCGCCAGTCCAGTCTCTGCTGAGAGCACA  
 AGGAGCCTCCAGCCTGCCCTGTGGCACATACCACCCCAAGCTTGGCTCCCCACAGCCCGCTGAGCAG  
 GCTGCCACCCCGATGCTGAGCCTCACAGCGAGCCTCCTGATCACCAGGAGCGCCCTGCCGTCCACCGTG  
 GGATCCGTACCTGTTGTACAGAGCACAGAGGCCATCCGCTTCGCCATGCCCTCCGCTTGACCCCTCA  
 ATTGCATCGGGCCCTATTCGGACTTGGTCTCCCATGTGGTCCAAGCCAGCACTCCTGCCATCACAGGG  
 CCCCTCAACCATCCTGCCAATGCCAGGAACATCCTGCCAGTGCAGAGGGGCATCAGCCACCCACCC  
 GGATACGAGGGGCTGTGGATCCCGCAGCCGCTCCCTCCGGGGCTCCTCCATTTATCCAGTGGCTCAA  
 CAACTTTTTGGCCTCCCTTCTCCTCCATGGCTTCCAGCTTGACATGTCTTCCGTGGTGGGGGAGGG  
 GAAAGCAGAGCCAGACTCTTGAGCAGGTGTTCCCTCCGAGTCTGTGAGAGGCTCCATGGAGGCTC  
 CTAAGTCCAAGTGCTCTGGAAGCCTCTCCAATTACATCCACCACCTGTGCCCCAGAAAGGCCCC  
 CATCAGCCAGTCCAGGCGCCGTCAGCAGGCTC

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG212067 representing NM\_033239  
 Red=Cloning site Green=Tags(s)


```
MEPAPARSPRPQQDPARPQEPTMPPPETPSEGRQPSPSPSPTERAPASEEEFQFLRCQQCQAEAKCPKLL
PCLHTLCSGCLEASGMQCPICQAPWPLGADTPALDNVVFESLQRRLSVYRQIVDAQAVCTRCKESADFWC
FECEQLLCAKCFEAHQWFLKHEARPLAELRNQSVREFLDGTRKTNNIFCSNPNHRTPTLTSIYCRGCSKP
LCCSCALLDSSHSELKCDISAEIQQRQEELDAMTQALQEQDSAFGAVHAQMHAAVGQLGRARAETEELIR
ERVRQVVAVHRAQERELLEAVDARYQRDYEEMASRLGRLDAVLQRIRTGSALVQRMKCYASDQEVLDMHG
FLRQALCRLRQEEPQSLQAAVRTDGFDEFKVRQLQLSSCITQGGKDAAVSKKASPEAASTPRDPIDVDLPE
EAERVKAQVQALGLAEAQPMVAVVQSVPGAHPVPVYAFSIKGPSYGEDVSNNTTQAKRKCSQTQCPRKVIK
MESEEGKEARLARSSPEQPRPSTKAVSPPHLDGPPSPRSPVIGSEVFLPNSNHVASGAGEAEERVVVIS
SSESDAENSCEPMEATAEPQSSPAHSSPAHSSPAHSSPVQSLRAQGASSLPCGTYHPPAWPPHPAEQ
AATPDAEPHSEPPDHQERPVAHRGIRYLLYRAQRAIRLRHALRLHPQLHRAPIRTWSPHVQASTPAITG
PLNHPANAQEHPAQLQRGISPPHRIRGAVRSRSLRGSSHLSQLNFFALPFSSMASQLDMSSVVGAG
ESRAQTLGAGVPPGDSVRGSMEASQVQVPLEASPIITFPPPCAPERPPISPVPGARQAGL
```

SGPTRRRLE - GFP Tag - V

**Restriction Sites:** Sgfl-RsrII



Plasmid Map:



ACCN: NM\_033239

ORF Size: 2487 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_033239.3](#)

RefSeq Size: 3088 bp

RefSeq ORF: 2490 bp

Locus ID: 5371

UniProt ID: [P29590](#)

<b>Cytogenetics:</b>	15q24.1
<b>Domains:</b>	zf-B_box, RING
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>Protein Pathways:</b>	Acute myeloid leukemia, Pathways in cancer, Ubiquitin mediated proteolysis
<b>Gene Summary:</b>	<p>The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This phosphoprotein localizes to nuclear bodies where it functions as a transcription factor and tumor suppressor. Its expression is cell-cycle related and it regulates the p53 response to oncogenic signals. The gene is often involved in the translocation with the retinoic acid receptor alpha gene associated with acute promyelocytic leukemia (APL). Extensive alternative splicing of this gene results in several variations of the protein's central and C-terminal regions; all variants encode the same N-terminus. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2008]</p>