

Product datasheet for **RG213858**

STAT1 (NM_007315) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	STAT1 (NM_007315) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	STAT1
Synonyms:	CANDF7; IMD31A; IMD31B; IMD31C; ISGF-3; STAT91
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG213858 representing NM_007315
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGTCTCAGTGGTACGAACCTCAGCAGCTTGACTCAAATTCCTGGAGCAGGTTACCAGCTTTATGATG
 ACAGTTTTCCCATGGAAATCAGACAGTACCTGGCACAGTGGTTAGAAAAGCAAGACTGGGAGCACGCTGC
 CAATGATGTTTCATTTGCCACCATCCGTTTTTCATGACCTCCTGTACAGCTGGATGATCAATATAGTCGC
 TTTTCTTTGGAGAATAACTTCTTGCTACAGCATAACATAAGGAAAAGCAAGCGTAATCTTCAGGATAATT
 TTCAGGAAGACCAATCCAGATGTCTATGATCATTACAGCTGTCTGAAGGAAGAAAAGGAAAATTCTGGA
 AAACGCCCAGAGATTTAATCAGGCTCAGTCGGGAATATTCAGAGCACAGTGATTTAGACAAAACAGAAA
 GAGCTTGACAGTAAAGTCAGAAATGTGAAGGACAAGGTTATGTGTATAGAGCATGAAATCAAGAGCCTGG
 AAGATTTACAAGATGAATATGACTTCAAATGCAAAACCTTGACAGAACAGAGAACACGAGACCAATGGTGT
 GGCAAAGAGTGATCAGAAACAAGAACAGCTGTTACTCAAGAAGATGTATTTAATGCTTGACAATAAGAGA
 AAGGAAGTAGTTCACAAAATAATAGAGTTGCTGAATGTCACTGAACTTACCCAGAATGCCCTGATTAATG
 ATGAACTAGTGGAGTGGAGCGGAGACAGCAGAGCGCCTGTATTGGGGGGCCGCCAATGCTTGCTTGGA
 TCAGCTGCAGAACTGGTTCATAAGTTGCGGAGAGTCTGCAGCAAGTTCGGCAGCAGCTTAAAAAGTTG
 GAGGAATTGGAACAGAAATACACCTACGAACATGACCCTATCACAAAAACAAACAAGTGTATGGGACC
 GCACCTTCAGTCTTTCCAGCAGCTCATTACAGAGCTCGTTTGGTGGAAAGACAGCCCTGCATGCCAAC
 GCACCTCAGAGGCCGCTGGTCTTGAAGACAGGGTCCAGTTCAGTGTGAAGTTGAGACTGTTGGTGAAA
 TTGCAAGAGCTGAATTATAATTTGAAAGTCAAAGTCTTATTTGATAAAGATGTGAATGAGAGAAATACAG
 TAAAAGGATTTAGGAAGTTCAACATTTTGGGCACGCACACAAAAGTGATGAACATGGAGGAGTCCACCAA
 TGGCAGTCTGGCCGCTGAATTTCCGACCTGCAATTTGAAAGAACAGAAAATGCTGGCACCAGAAGCAAT
 GAGGGTCTCTCATCGTTACTGAAGAGTTCACCTCCCTTACTTTTGAACCCAATTGTGCCAGCCTGGTT
 TGGTAATTGACCTCGAGACGACCTCTCTGCCGTTGTGGTGTATCTCCAACGTGAGCCAGCTCCCAGCGG
 TTGGGCTCCATCCTTTGGTACAACATGCTGGTGGCGGAACCCAGGAATCTGTCTTCTTCTGACTCCA
 CCATGTGCACGATGGGCTCAGCTTTCAGAAAGTGTGAGTTGGCAGTTTTCTTCTGTCCACAAAAGAGGTC
 TCAATGTGGACCAGCTGAACATGTTGGGAGAGAAGCTTCTTGGTCCTAACGCCAGCCCCGATGGTCTCAT
 TCCGTGGACGAGGTTTTGTAAGGAAAATATAAATGATAAAAAATTTCCCTTCTGGCTTTGGATTGAAAGC
 ATCCTAGAACTCATTAAAAACACCTGCTCCCTCTCTGGAATGATGGGTGCATCATGGGCTTCATCAGCA
 AGGAGCGAGAGCGTGCCCTGTTGAAAGACCAGCAGCCGGGGACCTTCTGCTGCGGTTTCACTGAGAGCTC
 CCGGGAAGGGGCCATCACATTCACATGGGTGGAGCGGTCCAGAACGGAGGCGAACCTGACTTCCATGCG
 GTTGAACCTACACGAAGAAAGAACTTTCTGCTGTACTTTCCCTGACATCATTGCAATTACAAAGTCA
 TGGCTGCTGAGAAATTCCTGAGAATCCCTGAAGTATCTGTATCCAAATATTGACAAAGACCATGCCTT
 TGGAAAGTATTACTCCAGGCCAAAGGAAGCACCAGAGCCAATGGAACCTTGTGGCCCTAAAGGAACTGGA
 TATATCAAGACTGAGTTGATTTCTGTGTCTGAAGTTCACCCTTCTAGACTTCAGACCACAGACAACCTGC
 TCCCATGTCTCCTGAGGAGTTTGACGAGGTGTCTCGGATAGTGGGCTCTGTAGAATTCGACAGTATGAT
 GAACACAGTA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG213858 representing NM_007315
Red=Cloning site Green=Tags(s)


```
MSQWYELQQLDSKFLEQVHQLYDDSPMEIRQYLAQWLEKQDWEHAANDVSFATIRFHDLLSQLDDQYSR
FSLENNFLLQHNIRKSKRNLDQNFQEDPIQMSMIYISCLKEERKILENAQRFNQAQSGNIQSTVMLDKQK
ELDSKVRNVKDKVMCIEHEIKSLEDLQDEYDFKCKTLQNRHETNGVAKSDQKQEQLLLKKMYLMLDNKR
KEVVHKIIELLNVTELTONALINDELVEWKRRQQSACIGGPPNACLDQLQNWFTIVAESLQQVRRQLKKL
EELEQKYTYEHDPIITKNKQVLWDRTFSLFQQLIQSSFVVERQPCMPHPQRPLVLKTGVQFTVKLRLLVK
LQELNYNLKVKVLFDKDVNERNTVKGFRKFNILGTHTKVMNMEESTNGSLAAEFRHLQLKEQKNAGTRTN
EGPLIVTEELHLSFETQLCQPLVIDLETTSLPVVVISNVSQPSGWASILWYNMLVAEPRNLSFFLTP
PCARWAQLSEVLSWQFSSVTKRGLNVDQLNMLGEKLLGPNASPDGLIPWTRFCKENINDKNFPFWLWIES
ILELEIKKHLPLWNDGCMGFISKERERALLKDQQPGTFLLRFSESSREGAITFTWVERSQNGGEPDFHA
VEPYTKKELSAVTFPDIIRNYKVMAAENIPENPKYLYPNIDKDHFAGKYYSRPKEAPEPEMELDGPKGKG
YIKTELISVSEVHPSRLQTTDNLLPMSPEEFDEVSRIVGSVEFDSMMNTV
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:




ACCN: NM_007315

ORF Size: 2250 bp

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_007315.4
RefSeq Size:	4157 bp
RefSeq ORF:	2253 bp
Locus ID:	6772
UniProt ID:	P42224
Cytogenetics:	2q32.2
Domains:	SH2, STAT
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Chemokine signaling pathway, Jak-STAT signaling pathway, Pancreatic cancer, Pathways in cancer, Toll-like receptor signaling pathway

Gene Summary:

The protein encoded by this gene is a member of the STAT protein family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. The protein encoded by this gene can be activated by various ligands including interferon-alpha, interferon-gamma, EGF, PDGF and IL6. This protein mediates the expression of a variety of genes, which is thought to be important for cell viability in response to different cell stimuli and pathogens. The protein plays an important role in immune responses to viral, fungal and mycobacterial pathogens. Mutations in this gene are associated with Immunodeficiency 31B, 31A, and 31C. [provided by RefSeq, Jun 2020]

Product images:


Circular map for RG213858