

Product datasheet for **RG215104**

KCNH1 (NM_002238) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KCNH1 (NM_002238) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	KCNH1
Synonyms:	EAG; EAG1; h-eag; hEAG; hEAG1; Kv10.1; TMBTS; ZLS1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG215104 representing NM_002238
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGACCATGGCTGGGGCAGGAGGGGACTAGTGGCCCTCAAACACGTTTCTGGAGAATATTGTTCCGGC
 GGTCCAATGATACTAATTTTGTGTTGGGAATGCTCAGATAGTGGACTGGCTATTGTGTACAGCAATGA
 TGGATTTTGAAGCTGTCTGGCTATCACAGGGCAGAAGTGATGCAAAAAAGCAGCACCTGCAGTTTTATG
 TATGGGGAGCTGACTGATAAAGACACGATTGAAAAAGTGCAGCAAAACATTTGAGAACTATGAGATGAATT
 CCTTTGAAATTCTGATGTACAAGAAGAACAGGACACCTGTGTGGTTCTTTGTGAAAATTGCTCCAATTCCG
 AAACGAACAGGATAAAGTGGTTTTATTTCTTTGCACTTTCAGTGACATAACAGCTTTCAAACAGCCAATT
 GAGGATGATTCATGTAAGGCTGGGGGAAGTTTGCTCGGCTGACAAGAGCACTGACAAGCAGCAGGGGTG
 TCCTGCAGCAGCTGGCTCCAAGCGTGCAAAAAGGCGAGAATGTCCACAAGCACTCCCGCTGGCAGAGGT
 CCTACAGCTGGGCTCAGACATCCTTCCCAGTACAAGCAAGAGGCACAAAGACTCCCCCTCACATCATC
 TTACATTATTGTGTTTTAAGACCACGTGGGATTGGATCATCTTGATCTTGACCTTCTATACAGCCATCT
 TGGTCCCTTATAATGTCTCCTTCAAACAGGCAGAATAATGTGGCTGGCTGGTTGTTGATAGCATCGT
 GGATGTTATCTTTTTGGTGGACATTGTGCTCAATTTTCATACCACCTTTGTTGGACCAGCAGGGGAGGTG
 ATTTCTGACCCCAAACCTATCCGCATGAACTACCTGAAGACGTGGTTTGTGATTGACCTTCTGCTCTGTT
 TGCCATATGATGTCATCAACGCTTTTGAGAAGCTGGATGAGGGCATCAGCAGCCTGTTGACCTCTCTAAA
 AGTTGTCCGGCTGCTCCGCTTGGGCGAGTGGCCCGTAAGCTGGACCACTACATTGAATATGGAGCTGCT
 GTGCTGGTCTGCTGGTGTGTGTTTGGGCTGGCTGCACACTGGATGGCTGCATCTGGTACAGCATTG
 GGACTATGAGATCTTTGACGAGGACCAAGACAATCCGCAACAACAGCTGGCTGTACCAATAGCCAT
 GGACATTGGCACCCCTTACCAGTTAATGGGTCTGGCTCAGGGAAGTGGGAAGGTGGTCCAGCAAGAAT
 TCTGTCTACATCTCCTGTTGTATTTACAATGACCAGCCTCACCAGTGTGGGCTTTGGGAACATCGCCC
 CATCCACAGACATTGAGAAGATCTTTGCAAGTGGCCATCATGATGATTGGCTCACTTCTCTATGCCACCAT
 CTTCCGGGAATGTGACGACTATTTTCCAACAGATGTATGCCAACCAACAGATACCATGAGATGCTCAAC
 AGTGTTCGGGACTTCTGAAGCTCTACCAGGTGCCAAAAGGATTGAGTGAGCGAGTAATGGATTATATTG
 TGTCCACTTGGTCCATGTCCAGAGGCATTGACACAGAGAAGGTCTGCAGATCTGCCCAAGGACATGAG
 AGCCGACATCTGCGTGCACCTGAACCGCAAGGTGTTCAAGGAGCACCCGGCTTCCGGCTGGCCAGTGAT
 GGCTGCCTCCGGGCACTGGCCATGGAGTCCAGACGGTGCATGTGCCCAAGGGACCTCATCTACCATG
 CAGGAGAGAGCGTTGACAGCCTCTGCTTTGTGGTTTCTGGCTCCCTGGAGGTGATCCAAGATGATGAGGT
 GGTGGCCATTCTAGGAAAAGGAGACGTGTTTGGAGATGTGTTCTGGAAGGAAGCCACCCTTGCCAGTCC
 TGTGCCAATGTTAGGGCCTTGACCTACTGTGATCTGCATGTGATCAAGCGGGATGCCCTGCAGAAAGTGC
 TGGAAATCTACACGGCCTTCTCCATTCTTCTCCCGAACCTGATTCTGACGTACAACCTTGAGGAAGAG
 GATTGTGTTCCGGAAGATCAGCGACGTGAAACGTGAAGAGGAAGAACGCATGAAACGAAAGAATGAGGCC
 CCCCTGATCTTGGCCCCGACCACCTGTCCGGCGCCTTCCAGAGATCCGACAGCAGAAAGAGGCCA
 GGCTGGCAGCTGAGAGAGGGGGCCGGGACCTGGATGACCTAGATGTGGAGAAGGGCAATGTCCTTACAGA
 GCATGCCCTCCGCCAACACAGCCTCGTGAAGGCCAGCGTGGTACCCTGCGTGAGAGTCTGCCACGCCC
 GTATCCTTCCAGGCAGCCTCCACCTCCGGGTGCCAGACCACGCAAGCTACAGGCGCCAGGGTCCGAGT
 GCCTGGGCCCCAAGGGGGCGGGGGCGATTGTGCCAAGCGCAAAAGCTGGGCCCGCTTCAAAGATGCTTG
 CGGAAGAGTGAGGACTGGAACAAGGTGTCCAAGGCTGAGTCGATGGAGACACTCCCGAGAGGACAAAA
 GCGTCAGGCGAGGCCACACTGAAGAAGACAGACTCGTGTGACAGTGGCATCACCAGAGCGACTTGCGCC
 TGGACAACGTGGGTGAGGCCAGGAGTCCCAGGATCGGAGTCCCATCCTGGCAGAGGTCAAGCATTCTGTT
 CTACCCCATCCCTGAGCAGACGCTGCAGGCCACAGTCTGGAGGTGAGGCAGGAGCTGAAGGAGGACATC
 AAGGCCTTAAACGCCAAAATGACCAATATTGAGAAAACAGCTCTCTGAGATACTCAGGATATTAACCTCCA
 GAAGATCTCTCAGTCTCCTCAGGAGTTGTTTGAATATCGAGGCCACAGTCCCCAGAATCAGAGAGAGA
 CATTTTTGGAGCCAGC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG215104 representing NM_002238
 Red=Cloning site Green=Tags(s)

MTMAGGRRGLVAPQNTFLENIVRRSNDTNFVLGNAQIVDWPIVYSNDGFCKLSGYHRAEVMQKSSTCSFM
 YGELTDKDTIEKVRQTFENYEMNSFEILMYKKNRTPVWFFVKIAPIRNEQDKVVLFLCTFSDITAFKQPI
 EDDSCKGWGFARLTRALTSSRGLVQLAPSVQKGENVHKHSRLAEVLQLGSDILPQYKQEAPKTPPHII
 LHVCVFKTTWDWIILILTFYTAILVPYNVSFKTRQNNVAWLVDVSDVDFLVDIVLNFHTTFVGPAGEV
 ISDPKLI RMNYLKTWFVIDLLSCLPYDVINAFENVDEGISSLFSSLKVVRLRLGRVARKLDHYIEYGAA
 VLVLLVCVFLAAHWMACIWYSIGDYEIFDEDTKTIRNNSWLYQLAMDIGTPYQFNGSGSGKWEVGGPSKN
 SVYISSLYFTMTSLTSVGFNGNIAPSTDIEKIFAVAIMMIGSLLYATIFGNVTTIFQQMYANTNRYHEMLN
 SVRDFLKLQVPKGLSERVMDYIVSTWSMRGIDTEKVLQICPKDMRADICVHLNRKVFKEHPAFRLASD
 GCLRALAMEFQTVHCAPGDLIYHAGESVDSL CFVVSLSLEVIQDDEVVA ILGKGDVFGDVFWEATLAQS
 CANVRALTYCDLHVIKRDALQKVFYTFSHFSRNLILTYNLRKIRIVFRKISDVKREEEERMKRKNEA
 PLILPPDHPVRRLFQRFQKQEARLAAERGRDLDDLVEKGNVLEHASANHSLVKASVTVRESPATP
 VSFQAASTSGVPDHAKLQAPGSECLGPKGGGGCAKRKSWARFKDACGKSEDWNKVSKAESMETLPERTK
 ASGEATLKKTDSCDSGITKSDLRLDNVGEARSPQDRSPILA EVKHSFYPIPEQTLQATVLEVRHELKEDI
 KALNAKMTNIEKQLSEILRILTSRRSSQSPQELFEISRPQSPESERDIFGAS


TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:


ACCN: NM_002238

ORF Size: 2886 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_002238.2](#), [NP_002229.1](#)

RefSeq Size: 3127 bp

RefSeq ORF: 2889 bp

Locus ID: 3756

UniProt ID: [O95259](#)

Cytogenetics: 1q32.2

Protein Families: Druggable Genome, Ion Channels: Potassium, Transmembrane

Gene Summary: Voltage-gated potassium (Kv) channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction, and cell volume. This gene encodes a member of the potassium channel, voltage-gated, subfamily H. This member is a pore-forming (alpha) subunit of a voltage-gated non-inactivating delayed rectifier potassium channel. It is activated at the onset of myoblast differentiation. The gene is highly expressed in brain and in myoblasts. Overexpression of the gene may confer a growth advantage to cancer cells and favor tumor cell proliferation. Alternative splicing of this gene results in two transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2008]