OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RG216154

Collagen VI (COL6A3) (NM_057165) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Collagen VI (COL6A3) (NM_057165) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	COL6A3
Synonyms:	BTHLM1; DYT27; UCMD1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)

ORF Nucleotide Sequence:

>RG216154 representing NM_057165
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGAGGAAACATCGGCACTTGCCCTTAGTGGCCGTCTTTTGCCTCTTTCTCTCAGGCTTTCCTACAACTC
ATGCCCAGCAGCAGCAAGCAGCACAAGACTCTGCTGACATTATTTTCCTTATTGATGGATCAAACAACAC
CGGAAGTGTCAATTTCGCAGTCATTCTCGACTTCCTTGTAAATCTCCTTGAGAAACTCCCAATTGGAACT
CAGCAGATCCGAGTGGGGGTGGTCCAGTTTAGCGATGAGCCCAGAACCATGTTCTCCTTGGACACCTACT
CCACCAAGGCCCAGGTTCTGGGTGCAGTGAAAGCCCTCGGGTTTGCTGGTGGGGAGTTGGCCAATATCGG
CCTCGCCCTTGATTTCGTGGTGGAGAACCACTTCACCCGGGCAGGGGGCAGCCGCGTGGAGGAAGGGGTT
CCCCAGGTGCTGGTCCTCATAAGTGCCGGGCCTTCTAGTGACGAGATTCGCTACGGGGTGGTAGCACTGA
AGCAGGCTAGCGTGTTCTCATTCGGCCTTGGAGCCCAGGCCGCCTCCAGGGCAGAGCTTCAGCACATAGC
TACCGATGACAACTTGGTGTTTACTGTCCCGGAATTCCGTAGCTTTGGGGACCTCCAGGAGAAATTACTG
CCGTACATTGTTGGCGTGGCCCAAAGGCACATTGTCTTGAAACCGCCAACCATTGTCACACAAGTCATTG
AAGTCAACAAGAGAGACATAGTCTTCCTGGTGGATGGCTCATCTGCACTGGGACTGGCCAACTTCAATGC
CATCCGAGACTTCATTGCTAAAGTCATCCAGAGGCTGGAAATCGGACAGGATCTTATCCAGGTGGCAGTG
GCCCAGTATGCAGACACTGTGAGGCCTGAATTTTATTTCAATACCCATCCAACAAAAAGGGAAGTCATAA
CCGCTGTGCGGAAAATGAAGCCCCTGGACGGCTCGGCCCTGTACACGGGCTCTGCTCTAGACTTTGTTCG
TAACAACCTATTCACGAGTTCAGCCGGCTACCGGGCTGCCGAGGGGATTCCTAAGCTTTTGGTGCTGATC
ACAGGTGGTAAGTCCCTAGATGAAATCAGCCAGCCTGCCCAGGAGCTGAAGAGAAGCAGCATAATGGCCT
TTGCCATTGGGAACAAGGGTGCCGATCAGGCTGAGCTGGAAGAGATCGCTTTCGACTCCTCCCTGGTGTT
CATCCCAGCTGAGTTCCGAGCCGCCCCATTGCAAGGCATGCTGCCTGGCTTGCTGGCACCTCTCAGGACC
CTCTCTGGAACCCCTGAAGTTCACTCAAACAAAAGGGATATCATCTTTCTTTTGGATGGATCAGCCAACG
TTGGAAAAACCAATTTCCCTTATGTGCGCGACTTTGTAATGAACCTAGTTAACAGCCTTGATATTGGAAA
TGACAATATTCGTGTTGGTTTAGTGCAATTTAGTGACACTCCTGTAACGGAGTTCTCTTTAAACACATAC

View online »

CAGACCAAGTCAGATATCCTTGGTCATCTGAGGCAGCTGCAGCTCCAGGGAGGTTCGGGCCTGAACACAG
GCTCAGCCCTAAGCTATGTCTATGCCAACCACTTCACGGAAGCTGGCGGCAGCAGGATCCGTGAACACGT
GCCGCAGCTCCTGCTTCTGCTCACAGCTGGGCAGTCTGAGGACTCCTATTTGCAAGCTGCCAACGCCTTG
ACACGCGCGGGCATCCTGACTTTTTGTGTGGGAGCTAGCCAGGCGAATAAGGCAGAGCTTGAGCAGATTG
CTTTTAACCCAAGCCTGGTGTATCTCATGGATGATTTCAGCTCCCTGCCAGCTTTGCCTCAGCAGCTGAT
TCAGCCCCTAACCACATATGTTAGTGGAGGTGTGGAGGAAGTACCACTCGCTCAGCCAGAGAGCAAGCGA
GACATTCTGTTCCTCTTTGACGGCTCAGCCAATCTTGTGGGCCAGTTCCCTGTTGTCCGTGACTTTCTCT
ACAAGATTATCGATGAGCTCAATGTGAAGCCAGAGGGGACCCGAATTGCGGTGGCTCAGTACAGCGATGA
TGTCAAGGTGGAGTCCCGTTTTGATGAGCACCAGAGTAAGCCTGAGATCCTGAATCTTGTGAAGAGAATG
AAGATCAAGACGGGCAAAGCCCTCAACCTGGGCTACGCGCTGGACTATGCACAGAGGTACATTTTTGTGA
AGTCTGCTGGCAGCCGGATCGAGGATGGAGTGCTTCAGTTCCTGGTGCTGCTGGTCGCAGGAAGGTCATC
TGACCGTGTGGATGGGCCAGCAAGTAACCTGAAGCAGAGTGGGGTTGTGCCTTTCATCTTCCAAGCCAAG
AACGCAGACCCTGCTGAGTTAGAGCAGATCGTGCTGTCTCCAGCGTTTATCCTGGCTGCAGAGTCGCTTC
CCAAGATTGGAGATCTTCATCCACAGATAGTGAATCTCTTAAAATCAGTGCACAACGGAGCACCAGCACC
AGTTTCAGGTGAAAAGGACGTGGTGTTTCTGCTTGATGGCTCTGAGGGCGTCAGGAGCGGCTTCCCTCTG
TTGAAAGAGTTTGTCCAGAGAGTGGTGGAAAGCCTGGATGTGGGCCAGGACCGGGTCCGCGTGGCCGTGG
TGCAGTACAGCGACCGGACCAGGCCCGAGTTCTACCTGAATTCATACATGAACAAGCAGGACGTCGTCAA
CGCTGTCCGCCAGCTGACCCTGCTGGGAGGGCCGACCCCCAACACCGGGGCCGCCCTGGAGTTTGTCCTG
AGGAACATCCTGGTCAGCTCTGCGGGAAGCAGGATAACAGAAGGTGTGCCCCAGCTGCTGATCGTCCTCA
CGGCCGACAGGTCTGGGGATGATGTGCGGAACCCCTCCGTGGTCGTGAAGAGGGGTGGGGCTGTGCCCAT
TGGCATTGGCATCGGGAACGCTGACATCACAGAGATGCAGACCATCTCCTTCATCCCGGACTTTGCCGTG
GCCATTCCCACCTTTCGCCAGCTGGGGACCGTCCAACAGGTCATCTCTGAGAGGGTGACCCAGCTCACCC
GCGAGGAGCTGAGCAGGCTGCAGCCGGTGTTGCAGCCTCTACCGAGCCCAGGTGTTGGTGGCAAGAGGGA
CGTGGTCTTTCTCATCGATGGGTCCCAAAGTGCCGGGCCTGAGTTCCAGTACGTTCGCACCCTCATAGAG
AGGCTGGTTGACTACCTGGACGTGGGCTTTGACACCACCCGGGTGGCTGTCATCCAGTTCAGCGATGACC
CCAAGGTGGAGTTCCTGCTGAACGCCCATTCCAGCAAGGATGAAGTGCAGAACGCGGTGCAGCGGCTGAG
GCCCAAGGGAGGGCGGCAGATCAACGTGGGCAATGCCCTGGAGTACGTGTCCAGGAACATCTTCAAGAGG
CCCCTGGGGAGCCGCATTGAAGAGGGCGTCCCGCAGTTCCTGGTCCTCATCTCGTCTGGAAAGTCTGACG
ATGAGGTGGACGACCCGGCGGTGGAGCTCAAGCAGTTTGGCGTGGCCCCTTTCACGATCGCCAGGAACGC
AGACCAGGAGGAGCTGGTGAAGATCTCGCTGAGCCCCGAATATGTGTTCTCGGTGAGCACCTTCCGGGAG
CTGCCCAGCCTGGAGCAGAAACTGCTGACGCCCATCACGACCCTGACCTCAGAGCAGATCCAGAAGCTCT
TAGCCAGCACTCGCTATCCACCTCCAGGTGAGATGGGGGCGTCGGAGGTTCTCCTTGGAGCATTTTCCAT
A

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG216154 representing NM_057165
Red=Cloning site Green=Tags(s)

MRKHRHLPLVAVFCLFLSGFPTTHAQQQQAAQDSADIIFLIDGSNNTGSVNFAVILDFLVNLLEKLPIGT
QQIRVGVVQFSDEPRTMFSLDTYSTKAQVLGAVKALGFAGGELANIGLALDFVVENHFTRAGGSRVEEGV
PQVLVLISAGPSSDEIRYGVVALKQASVFSFGLGAQAASRAELQHIATDDNLVFTVPEFRSFGDLQEKLL
PYIVGVAQRHIVLKPPTIVTQVIEVNKRDIVFLVDGSSALGLANFNAIRDFIAKVIQRLEIGQDLIQVAV
AQYADTVRPEFYFNTHPTKREVITAVRKMKPLDGSALYTGSALDFVRNNLFTSSAGYRAAEGIPKLLVLI
TGGKSLDEISQPAQELKRSSIMAFAIGNKGADQAELEEIAFDSSLVFIPAEFRAAPLQGMLPGLLAPLRT
LSGTPEVHSNKRDIIFLLDGSANVGKTNFPYVRDFVMNLVNSLDIGNDNIRVGLVQFSDTPVTEFSLNTY
QTKSDILGHLRQLQLQGGSGLNTGSALSYVYANHFTEAGGSRIREHVPQLLLLLTAGQSEDSYLQAANAL
TRAGILTFCVGASQANKAELEQIAFNPSLVYLMDDFSSLPALPQQLIQPLTTYVSGGVEEVPLAQPESKR
DILFLFDGSANLVGQFPVVRDFLYKIIDELNVKPEGTRIAVAQYSDDVKVESRFDEHQSKPEILNLVKRM
KIKTGKALNLGYALDYAQRYIFVKSAGSRIEDGVLQFLVLLVAGRSSDRVDGPASNLKQSGVVPFIFQAK
NADPAELEQIVLSPAFILAAESLPKIGDLHPQIVNLLKSVHNGAPAPVSGEKDVVFLLDGSEGVRSGFPL
LKEFVQRVVESLDVGQDRVRVAVVQYSDRTRPEFYLNSYMNKQDVVNAVRQLTLLGGPTPNTGAALEFVL
RNILVSSAGSRITEGVPQLLIVLTADRSGDDVRNPSVVVKRGGAVPIGIGIGNADITEMQTISFIPDFAV
AIPTFRQLGTVQQVISERVTQLTREELSRLQPVLQPLPSPGVGGKRDVVFLIDGSQSAGPEFQYVRTLIE
RLVDYLDVGFDTTRVAVIQFSDDPKVEFLLNAHSSKDEVQNAVQRLRPKGGRQINVGNALEYVSRNIFKR
PLGSRIEEGVPQFLVLISSGKSDDEVDDPAVELKQFGVAPFTIARNADQEELVKISLSPEYVFSVSTFRE
LPSLEQKLLTPITTLTSEQIQKLLASTRYPPPGEMGASEVLLGAFSI

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN:	NM_057165
ORF Size:	3711 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_057165.5
RefSeq Size:	4088 bp
RefSeq ORF:	3714 bp
Locus ID:	1293
UniProt ID:	P12111

Cytogenetics:	2q37.3
Protein Families:	Druggable Genome
Protein Pathways:	ECM-receptor interaction, Focal adhesion
Gene Summary:	This gene encodes the alpha-3 chain, one of the three alpha chains of type VI collagen, a beaded filament collagen found in most connective tissues. The alpha-3 chain of type VI collagen is much larger than the alpha-1 and -2 chains. This difference in size is largely due to an increase in the number of subdomains, similar to von Willebrand Factor type A domains, that are found in the amino terminal globular domain of all the alpha chains. These domains have been shown to bind extracellular matrix proteins, an interaction that explains the importance of this collagen in organizing matrix components. Mutations in the type VI collagen genes are associated with Bethlem myopathy, a rare autosomal dominant proximal myopathy with early childhood onset. Mutations in this gene are also a cause of Ullrich congenital muscular dystrophy, also referred to as Ullrich scleroatonic muscular dystrophy, an autosomal recessive congenital myopathy that is more severe than Bethlem myopathy. Multiple transcript variants have been identified, but the full-length nature of only some of these variants has been described. [provided by RefSeq, Jun 2009]