

Product datasheet for **RG224276**

ATP citrate lyase (ACLY) (NM_198830) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ATP citrate lyase (ACLY) (NM_198830) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	ACLY
Synonyms:	ACL; ATPCL; CLATP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG224276 representing NM_198830 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCGGCCAAGGCAATTCAGAGCAGACGGGCAAGAAGCTCCTTTACAAGTTCATCTGTACCACCTCAG
CCATCCAGAATCGGTTCAAGTATGCTCGGGTCACTCCTGACACAGACTGGGCCGCTTGTGCAGGACCA
CCCCTGGTCTCAGCCAGAAGTGGTAGTCAAGCCAGACCAGCTGATCAAACGTCGTGGAAAAGTGGT
CTCGTTGGGTCAACCTCACTCTGGATGGGTCAAGTCTGGCTGAAGCCACGGTGGGACAGGAAGCCA
CAGTTGGCAAGGCCACAGGCTTCTCAAGAAGTCTGATCGAGCCCTTCGTCCCCACAGTCAGGCTGA
GGATTCTATGTCTGCATCTATGCCACCCGAGAAGGGGACTACGTCCTGTTCCACCACGAGGGGGTGTG
GACGTGGGTGATGTGGACGCAAGGCCAGAGCTGCTTGTGGCGTGGATGAGAAAAGTGAATCCTGAGG
ACATCAAAAAACCTGTTGGTCCACGCCCTGAAGACAAGAAAGAAATTCGGCCAGTTTTATCTCCGG
CCTCTTCAATTTCTACGAGGACTTGACTTACCTACCTCGAGATCAATCCCCTTGTAGTGACCAAAGAT
GGAGTCTATGTCTTACTTGGCGGCCAAGGTGGACGCCACTGCCGACTACATCTGCAAAGTGAAGTGGG
GTGACATCGAGTCCCTCCCCCTTCGGCGGGAGGCATATCCAGAGGAAGCCTACATTCGACAGCTCGA
TGCCAAAAGTGGGCAAGCCTGAAGCTGACCTTGTGTAACCCAAAGGGAGGATCTGGACCATGGTGGCC
GGGGTGGCGCCTCTGTCTGTACAGCGATACCATCTGTGATCTAGGGGTGTCAACGAGCTGCGAAACT
ATGGGGGACTACTCAGGCGCCCCAGCGAGCAGCAGACCTATGACTATGCCAAGACTATCCTCTCCCTCAT
GACCCGAGAGAAGCACCCAGATGGCAAGATCCTCATCATTGGAGGCAGCATCGAAAAGTTCACCAACGTG
GCTGCCACGTTCAAGGGCATCGTGAGAGCAATTCGAGATTACCAGGGCCCCCTGAAGGAGCACGAAGTCA
CAATCTTTGTCCGAAGAGGTGGCCCAACTATCAGGAGGGCTTACGGGTGATGGGAGAAGTCGGGAAGAC
CACTGGGATCCCCATCCATGTCTTTGGCACAGAGACTCACATGACGGCCATTGTGGGCATGGCCCTGGG
CACCGGCCATCCCCAACAGCCACCCACAGCGGCCACACTGCAAAGTCTCTCTCAACGCCAGCGGGA
GCACATCGAGCCAGCCCCAGCAGGACAGCATTTTTTCTGAGTCCAGGGCCGATGAGGTGGCGCTCG
AAAGAAGGCCAAGCCTGCCATGCCACAAGAAAGAGCACCACCTCTTCAGCGCCACACCAAGGCCATT



[View online »](#)

```
GTGTGGGCATGCAGACCCGGGCGTGCAAGGCATGCTGGACTTTGACTATGTCTGCTCCCAGACGAGC
CCTCAGTGGCTGCCATGGTCTACCCCTTCTACTGGGGACCACAAGCAGAAGTTTTACTGGGGGCACAAAGA
GATCCTGATCCCTGTCTTCAAGAACATGGCTGATGCCATGAGGAAGCATCCGGAGGTAGATGTGCTCATC
AACTTTGCCTCTCTCCGCTCTGCCTATGACAGCACCATGGAGACCATGAACTATGCCAGATCCGGACCA
TCGCCATCATAGCTGAAGGCATCCCTGAGGCCCTCACGAGAAAGCTGATCAAGAAGGCGGACCAGAAGGG
AGTGACCATCATCGGACCTGCCACTGTTGGAGGCATCAAGCCTGGGTGCTTTAAGATTGGCAACACAGT
GGGATGCTGGACAACATCCTGGCCTCAAACGTACCGCCAGGCAGCGTGGCCTATGTCTACGTTCCG
GAGGCATGTCCAACGAGCTCAACAATATCATCTCTCGGACCACGGATGGCGTCTATGAGGGCGTGGCCAT
TGGTGGGGACAGGTACCCGGGCTCCACATTCATGGATCATGTGTTACGCTATCAGGACACTCCAGGAGTC
AAAATGATTGTGGTTCTTGGAGAGATTGGGGGCACTGAGGAATATAAGATTTGCCGGGCATCAAGGAGG
GCCGCTCACTAAGCCCATCGTCTGCTGGTGCATCGGGACGTGTGCCACCATGTTCTCCTCTGAGGTCCA
GTTTGGCCATGCTGGAGCTTGTGCCAACAGGCTTCTGAAACTGCAGTAGCCAAGAACCAGGCTTTGAAG
GAAGCAGGAGTGTGTGCCCGGAGCTTTGATGAGCTTGAGAGATCATCCAGTCTGTATACGAAGATC
TCGTGGCCATGGAGTATTGTACCTGCCAGGAGGTGCCGCCCCAACCGTGGCCATGGACTACTCCTG
GGCCAGGAGCTTGGTTTATCCGAAACCTGCCTCGTTTACGACAGCATCTGCGATGAGCGAGGACAG
GAGCTCATCTACGCGGGCATGCCATCACTGAGGTCTCAAGGAAGAGATGGGCATTGGCGGGTCTCTCG
GCCTCCTCTGTTCCAGAAAAGTTGCCTAAGTACTCTTGCCAGTTCATTGAGATGTGTCTGATGGTGAC
AGCTGATCACGGGCCAGCCGTCTCTGGAGCCACAACACCATCATTTGTGCGCGAGCTGGGAAAGACCTG
GTCTCCAGCCTCACCTCGGGGCTCTCACCATCGGGGATCGGTTTGGGGTGCCTTGGATGCAGCAGCCA
AGATGTTCAAGTAAAGCCTTTGACAGTGGCATTATCCCATGGAGTTTGTGAACAAGATGAAGAAGGAAGG
GAAGCTGATCATGGGCATTGGTCAACGAGTGAAGTCGATAAACAACCCAGACATGCGAGTGCAGATCCTC
AAAGATTACGTCAGGCAGCACTCCCTGCCACTCCTCTGCTCGATTATGCACTGGAAGTAGAGAAGATTA
CCACCTCGAAGAAGCCAAATCTTATCCTGAATGTAGATGGTCTCATCGGAGTGCATTGTTAGACATCT
TAGAAAACGTGGGTCTTACTCGGAGGAAGCTGATGAATATATTGACATTGGAGCCCTCAATGGCATC
TTTGTGCTGGGAAGGAGTATGGGGTTCATTGGACACTATCTTGATCAGAAGAGGCTGAAGCAGGGGCTG
ATCGTCATCCGTGGGATGATATTCATATGTTCTTCCGGAACACATGAGCATG
```

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>RG224276 representing NM_198830

Red=Cloning site Green=Tags(s)

```
MSAKAISEQTGKELLYKFICTTSAIQNRFKYARVTPDWDWARLLQDHPWLLSQNLVVKPDQLIKRRGKLG
LVGVNLTLDGVKSWLKPRLGQEAIVGKATGFLKNFLIEPFVPHSQAEFYVCIYATREGDYVLFHHEGGV
DVGVDVDAKAQKLLVGVDEKLNPEIDIKHLLVHAPEDKKEILASFISGLFNFYEDLYFTYLEINPLVVTKD
GVYVLDLAAKVDATADYICKVKGWIDIEFPPPFGREAYPEEAYIADLDAKSGASLKLTLNPKGRIWMTVA
GGGASVVYSDTICDLGGVNELANYGEYS GAPSEQTYDYAKTILSLMTREKHPDGKILIIIGGSIANFTNV
AATFKGIVRAIRDYQGPKLKEHEVTIFVRRGGPNYQEGLRVMGEVGTGPIHVFGEETHMTAIVGMALG
HRPIPQPPPTAAHTANFLLNASGSTSTPAPSRTASFSESRADDEVAPAKKAKPAMPQKSTTLFSRHTKAI
VWGMQTRAVQGMDFDYVCSRDEPSVAAMVYPPFTGDHKQKFWGHKEILIPVFKNMADAMRKHPEVDVLI
NFASLSAYDSTMETMNYAQIRTI AIIAEGIPEALTRKLIKADQKGVTTIIGPATVGGIKPGCFKIGNTG
GMLDNILASKLYRPGSVAYVSRSGGMSNELNII SRTTDGVYEGVAIGGDRYPGTFMDHVLRYQDTPGV
KMIIVVLGEIGGTEEYKICRGIKEGRLTKPIVCWCIGTCATMFSSEVQFGHAGACANQASETAVAKNQALK
EAGVFPVRSFDELGEIIQSVYEDLVANGVIVPAQEVPPTVPMDYSWARELGLIRKPASFMTSICDERGQ
ELIYAGMPITEVFKEEMGIGGVLGLLWFQKRLPKYSCQFIEMCLMVTADHGPAVSGAHTIICARAGKDL
VSSLTSGLLTIGDRFGGALDAAAKMFSKAFDSGIIPMEFVNKMKKEGKLMGIGHRVKSINPNPDMRVQIL
KDYVVRQHFPATPLLDYALEVEKITTSKPNLILNVDGLIGVAFVMDLNRNCGSFTREEADEYIDIGALNGI
FVLGRSMGFIGHYLDQKRLKQGLYRHPWDDISYVLP EHMMS
```

TRTRPLE – GFP Tag – V

Restriction Sites:

SgfI-MluI

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_198830.1</u> , <u>NP_942127.1</u>
RefSeq Size:	4420 bp
RefSeq ORF:	3276 bp
Locus ID:	47
UniProt ID:	<u>P53396</u>
Cytogenetics:	17q21.2
Protein Families:	Druggable Genome
Protein Pathways:	Citrate cycle (TCA cycle), Metabolic pathways
Gene Summary:	ATP citrate lyase is the primary enzyme responsible for the synthesis of cytosolic acetyl-CoA in many tissues. The enzyme is a tetramer (relative molecular weight approximately 440,000) of apparently identical subunits. It catalyzes the formation of acetyl-CoA and oxaloacetate from citrate and CoA with a concomitant hydrolysis of ATP to ADP and phosphate. The product, acetyl-CoA, serves several important biosynthetic pathways, including lipogenesis and cholesterologenesis. In nervous tissue, ATP citrate-lyase may be involved in the biosynthesis of acetylcholine. Multiple transcript variants encoding distinct isoforms have been identified for this gene. [provided by RefSeq, Dec 2014]