

Product datasheet for **RG234673**

BORIS (CTCFL) (NM_001269044) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	BORIS (CTCFL) (NM_001269044) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	BORIS
Synonyms:	BORIS; CT27; CTCF-T; dj579F20.2; HMGB1L1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RG234673 representing NM_001269044
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGCAGCCACTGAGATCTCTGTCTTTCTGAGCAATTCACCAAGATCAAAGAACTCGAGTTGATGCCGG
AAAAAGGCCTGAAGGAGGAGGAAAAAGACGGAGTGTGCAGAGAGAAAGACCATCGGAGCCCTAGTGAGTT
GGAGGCCGAGCGTACCTCTGGGGCCTTCCAGGACAGCGTCTGGAGGAAGAAGTGGAGCTGGTGCTGGCC
CCCTCGGAGGAGAGCGAGAAGTACATCCTGACCCTGCAGACGGTGCACCTTCACTTCTGAAGCTGTGGAGT
TGCAGGATATGAGCTTGCTGAGCATACAGCAGCAAGAAGGGTGCAGGTGGTGGTGAACAGCCTGGCCC
TGGGTTGCTGTGGCTTGAAGAAAGGGCCCCGAGAGCCTGCAGCAGTGTGTGGCCATTAGTATCCAGCAA
GAGCTGTACTCCCGCAAGAGATGGAGGTGTGCAGTTCACGCTCTAGAGGAGAATGTGATGGTGGCCA
GTGAAGACAGTAAGTTAGCGGTGAGCCTGGCTGAAACTACTGGACTGATCAAGCTCGAGGAAGAGCAGGA
GAAGAACCAGTTATTGGCTGAAAGAACAAGGAGCAGCTTTTTTTGTGGAACAATGTCAGGAGATGAA
AGAAGTGACGAAATTGTTCTCACAGTTTCAAATTCAAATGTGGAAGAACAAGAGGATCAACCTACAGCTG
GTCAAGCAGATGTGAAAAGGCCAAATCTCAAAAAATCAAAGAAAGACAAGGGGAGCAAAAGGAACCTT
CCACTGTGATGTCTGCATGTTACCTCTTCTAGAATGTCAAGTTTTAATCGTCATATGAAAACCTCACACC
AGTGAGAAGCCTCACCTGTGCACCTCTGCCTGAAAACCTTCCGTACGGTCACTCTGCTGCGGAACCATG
TTAACACCCACACAGGAACCGGCCCTACAAGTGTAACTGCAACATGGCATTGTCACCAGTGGAGA
ACTCGTCCGACACAGGCGCTATAACATACTCATGAGAAACCTTTAAATGTTCCATGTGCAAGTATGCC
AGTGTGGAGGCAAGTAAATTGAAGCGCCATGTCGATCCCACACTGGGGAGCGCCCTTTCAGTGTGGCC
AGTGCAGCTATGCCAGCAGAGATACCTACAAGCTGAAACGCCACATGAGAACGCACTCAGGTGAGAAGCC
TTACGAATGCCACATCTGCCACACCCGCTTCAACCAGAGCGGGACCATGAAAATACATATTCTGCAGAAA
CACGGCGAAAATGTCCCAAAATACCAGTGTCCCAATTGTGCCACCATCATTGCACGAAAAGCGACCTAC
GTGTGCATATGCGCAACTTGCATGCTTACAGCGTGCAGAGCTGAAATGCCGCTACTGTTCTGCTGTCTT
CCATGAACGCTATGCCCTCATTACAGCACCAGAAAACCTATAAGAATGAGAAGAGGTTCAAGTGCAAAAC
TGCAGTTATGCCTGCAAGCAGGAACGTATGACCGCTCACATTCGTACCCACACTGGAGAGAAACCAT
TCACCTGCCTTTCTTGAATAAATGTTCCGACAGAAGCAACTTCTAAACGCTCACTTCAGGAAATACCA
CGATGCAAAATTCATCCGACTGTTTACAATGCTCCAAGTGTGGCAAAGGCTTTTCCCGCTGGATTAAC
CTGCACAGACATTCGGAGAAGTGTGGATCAGGGGAAGCAAAGTCCGCTGCTTCAGGAAAGGGAAGAAGAA
CAAGAAAGAGGAAGCAGACCATCCTGAAGGAAGCCACAAAGGGTCAAGGAAAGCTGCGAAGGGATGGAA
GGAAGCCGCAACGGAGACGGTGTGATCTCAGCTCACCGCAACCTCTGCCTCCTGGGTTCAAGTATTCT
CATGCCTCAGTCTCCGGAGCTGGGATTACAGATGCCCGCCACCACGCTGGCTAATTGTTCTATTATTTT
TAGTAGAGATGGGGTTTTACCATGTCTCTCACTCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG234673 representing NM_001269044
 Red=Cloning site Green=Tags(s)

```

MAATEISVLSQFTKIKELELMPEKGLKEEEKDGVCREKDHRSPSELEAERTSGAFQDSVLEEEVELVLA
PSEESEKYILTLQTVHFTSEAVELQDMSLLSIQQQEGVQVVVQQPGPGLLWLEEGPRQSLQQCVAISIQQ
ELYSPOEMEVLQFHALEENVMVASEDSKLAVSLAETTGLIKLEEEQEKNQLLAERTKEQLFFVETMSGDE
RSDEIVLTVSNSNVEEQEDQPTAGQADAEKAKSTKNQRKTKGAKGTFHCDVCMFTSSRMSSFNRHMKTHT
SEKPHLCHLCLKTFRTVTLRLNHVNTHTGTRPYKCNDCNMAFVTSGELVRHRRYKHTHEKPFKCSMCKYA
SVEASKLKRHVRSHGTGERPFQCCQCSYASRDYTKLKRHMRTSNGEKPYECHICHTRFTQSGTMKIHLQK
HGENVPKYQCPHCATIIARKSDLRVHMRNLHAYSAAELKCRYCSAVFHERYALIQHQKTHKNEKRFKCKH
CSYACKQERHMTAHIRTHTGKPFCTLSCNKCFRQKQLLNAHFRKYHDANFIPTVYKCSKCGKGF SRWIN
LHRHSEKCGSGEAKSAASGKRRTRKRKQITLKEATKGQKEAAKGWKEAANGDGVISAHRNLCLLGSSDS
HASVSGAGITDARHHAWLIVLLFLVEMGFYHVSHS
  
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001269044

ORF Size: 1995 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001269044.1](#), [NP_001255973.1](#)

RefSeq Size: 3393 bp

RefSeq ORF: 1998 bp

Locus ID: 140690


UniProt ID: [Q8NI51](#)

Cytogenetics: 20q13.31

Protein Families: Transcription Factors

Gene Summary: CCCTC-binding factor (CTCF), an 11-zinc-finger factor involved in gene regulation, utilizes different zinc fingers to bind varying DNA target sites. CTCF forms methylation-sensitive insulators that regulate X-chromosome inactivation. This gene is a paralog of CTCF and appears to be expressed primarily in the cytoplasm of spermatocytes, unlike CTCF which is expressed primarily in the nucleus of somatic cells. CTCF and the protein encoded by this gene are normally expressed in a mutually exclusive pattern that correlates with resetting of methylation marks during male germ cell differentiation. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jun 2012]

Product images:



Circular map for RG234673