

## Product datasheet for **RG235574**

### Macrophage Inflammatory Protein 1 beta (CCL4L2) (NM\_001291472) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Macrophage Inflammatory Protein 1 beta (CCL4L2) (NM_001291472) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	CCL4L2
Synonyms:	AT744.2; CCL4L; SCYA4L; SCYQ4L2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG235574 representing NM_001291472. Blue=ORF Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGAAGCTCTGCGTGACTGTCCTGTCTCTCCTCGTGTAGTAGCTGCCTTCTGCTCTCTAGCACTCTCA
GCACCAATGGGCTCAGACCCTCCACCGCTGCTGTTTTCTTACACCGCGAGGAAGCTTCTCGCAAC
TTTGTGGTAGATTACTATGAGACCAGCAGCCTCTGCTCCCAGCCAGCTGTGGTTGCTGCTCCGGGAAGG
ATCCCATCCACCAGAGCTGCCCCACATGGACCATGGTCAGGCAGAGGAAGATGCCTACCACAGGCAAGG
GATAAAGCCAGA
ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAAAC
```

Protein Sequence:	>Peptide sequence encoded by RG235574 Blue=ORF Red=Cloning site Green=Tag(s)
-------------------	---

```
MKLCVTVLSLLVLVAAFCSLALSAPMGSDPPTACCFSTARKLPRNFVVDYYETSSLCSQPAVVAAPGR
IPSTRAAPHGPWSGRGRCLPQARDKAR
TRTRPLEMESDESGLPAMEIECRITGTLNGVEFELVGGEGTPEQGRMTNKMSTKGALTFSPYLLSHV
MGYGFYHFGTYPSGYENPFLHAINNGGYTNTRIEKYEDGGVLHVSFSYRYEAGRVIGDFKVMGTGFPE
SVIFTDKIIIRSNAIVEHLHPMGDNDLDGSFTRTFSLRDGGYSSVVDSHMHFKSAIHP SILQNGGPMFA
FRRVEEDHSNTELGIVEYQHAFKTPDADAGEERV
```

Restriction Sites:	Sgfl-Mlul
--------------------	-----------




View online »

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:** NM\_001291472

**ORF Size:** 288 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>RefSeq:</b>	<a href="#">NM_001291472.2</a>
<b>RefSeq Size:</b>	815 bp
<b>RefSeq ORF:</b>	291 bp
<b>Locus ID:</b>	9560
<b>UniProt ID:</b>	<a href="#">Q8NHW4</a>
<b>Cytogenetics:</b>	17q12
<b>Protein Families:</b>	Druggable Genome, Transmembrane
<b>Protein Pathways:</b>	Chemokine signaling pathway, Cytokine-cytokine receptor interaction, Cytosolic DNA-sensing pathway
<b>MW:</b>	10.7 kDa
<b>Gene Summary:</b>	This gene is one of several cytokine genes that are clustered on the q-arm of chromosome 17. Cytokines are a family of secreted proteins that function in inflammatory and immunoregulatory processes. The protein encoded by this family member is similar to the chemokine (C-C motif) ligand 4 product, which inhibits HIV entry by binding to the cellular receptor CCR5. The copy number of this gene varies among individuals, where most individuals have one to five copies. This gene copy contains a non-consensus splice acceptor site at the 3' terminal exon found in other highly similar gene copies, and it thus uses other alternative splice sites for the 3' terminal exon, resulting in multiple transcript variants. [provided by RefSeq, Apr 2014]