

Product datasheet for **RG237091**

TGIF (TGIF1) (NM_001278682) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TGIF (TGIF1) (NM_001278682) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	TGIF1
Synonyms:	HPE4; TGIF
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG237091 representing NM_001278682. Blue=ORF Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCAGCCGCGCATTCTGGAAGAAGTATTGTTGCAGCATCTGGCAGTGAGACTGAGGATGAGGACAGC
ATGGACATTCCCTTGGACCTTTCTTCATCCGCTGGCTCAGGCAAGAGAAGGAGAAGGGGCAACCTACCC
AAGGAGTCTGTGCAGATTCTTCGGGATTGGCTGTATGAGCACCGTTACAATGCCTATCCTTCAGAGCAA
GAAAAAGCGTTGCTGTCCAGCAAACACACCTGTCTACGCTACAGGTCTGTAACGGTTCATCAACGCC
CGCCGAGGCTCCTCCCTGACATGCTGAGAAAGGATGGCAAAGATCCAAATCAGTTCACAATTTCCCGC
CGTGGGGCCAAGATTTCTGAAACGAGCTCTGTGGAGTCCGTGATGGGCATCAAAAACCTTCATGCCAGCT
CTAGAGGAGACCCCATTTTCATTCCTGTACAGCTGGGCCAAACCCAACCTAGGGAGGCCACTGTCTCCT
AAGCCGTCATCCCGGGATCAGTTTTGGCTCGTCCATCAGTGATCTGCCATACCACTGTGACTGCATTG
AAAGATGTCCCTTCTCTCTGCCAGTCGGTCCGTGTGGGACAAAACACAGATATACAGCAGATAGCG
GCCAAAACCTTCACAGACACCTCTCTCATGTACCCAGAGGACACTTGAAATCTGGACCAAGTACGAAT
ACACAGAGTGGTCTTTTCAACACTCCTCCCCCTACTCCACCGACCTCAACCAGGACTTCAGTGGATTT
CAGCTTCTAGTGGATGTTGCACTCAAACGGGCTGCAGAGATGGAGCTTCAGGCAAACCTTACAGCT
ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAAAC
```




[View online »](#)

Protein Sequence: >Peptide sequence encoded by RG237091
 Blue=ORF Red=Cloning site Green=Tag(s)


MAAAHSGRSIVAASGSETEDEDSMDIPLDLSSSAGSGKRRRRGNLPKESVQILRDWL YEHRYNAYPSEQ
 EKALLSQQTHLSTLQVCNWF INARRLLPDMLRKDGKDPNQFTI SRRGAKISETSSVYESVMGIKNFMPA
 LEETPFHSCTAGPNPTLGRPLSPKSSPGSVLARPSVICHITVTALKDVPFSLCQSVGVGQNTDIQQIA
 AKNFTDTSLMYPEDTCKSGPSTNTQSGLFNTPPPTPPDLNQDFSGFQLLVDVALKRAAEMELQAKLTA
 TRTRPLEMESDESGLPAMEIECRITGTLNGVEFELVGGGEGTPEQGRMTNKMKSTKGALTFSPYLLSHV
 MGYGFYHFGTYPSTYENPFLHAINNGGYTNTRIEKYEDGGVLHVSFSYRYEAGRVIGDFKVMGTGFPEP
 SVIFTDKIIRS NATVEHLHPMGDNDLDGSFTRTFSLRDGGYSSVVD SHMHFKSAIHPSILQNGGPMFA
 FRRVEEDHSNTELGIVEYQHAFKTPDADAGEERV

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001278682

ORF Size:	825 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
RefSeq:	NM_001278682.2
RefSeq Size:	1530 bp
RefSeq ORF:	828 bp
Locus ID:	7050
UniProt ID:	Q15583
Cytogenetics:	18p11.31
Protein Families:	Druggable Genome, Stem cell - Pluripotency, Stem cell relevant signaling - TGFb/BMP signaling pathway, Transcription Factors
MW:	30.4 kDa
Gene Summary:	The protein encoded by this gene is a member of the three-amino acid loop extension (TALE) superclass of atypical homeodomains. TALE homeobox proteins are highly conserved transcription regulators. This particular homeodomain binds to a previously characterized retinoid X receptor responsive element from the cellular retinol-binding protein II promoter. In addition to its role in inhibiting 9-cis-retinoic acid-dependent RXR alpha transcription activation of the retinoic acid responsive element, the protein is an active transcriptional co-repressor of SMAD2 and may participate in the transmission of nuclear signals during development and in the adult. Mutations in this gene are associated with holoprosencephaly type 4, which is a structural anomaly of the brain. Alternative splicing has been observed at this locus and multiple splice variants encoding distinct isoforms are described. [provided by RefSeq, Jul 2013]